CONTENTS BY TOPIC INDEX TO VOLUME 8

This table is a cumulative topical listing of all the articles contained in Volume 8. The topics are arranged in alphabetical order so that papers dealing with the same subjects are grouped together. Each article may be listed under a maximum of three topics.

Ab initio calculation
Electronic structure of high pressure phase of AlN . . . Ravindra Pandey *et al.* 1922
First-principles study of phase stability of Ti–Al intermetallic compounds . . . Mark Asta *et al.* 2554

Ablation
Nd:YAG laser patterning of plasma-deposited high T_c superconducting thick films . . . Usha Varshney *et al.* 2429

Acoustic emission
Study of wave attenuation in concrete . . . J-M. Berthelot *et al.* 2344

Aerogel
Ultra-low density aerogel optical applications . . . S. P. Hotaling 352
Photoconductivity of carbon aerogels . . . M. Hosoya *et al.* 811
Dielectric properties of aerogels . . . L. W. Hrubesh *et al.* 1736
Characterization of carbon aerogels by transport measurements . . . A. W. P. Fung *et al.* 1875
^{27}Al MAS-NMR spectra of alumina aerogels . . . Yasuyuki Mizushima *et al.* 2109
Preparation of heat-resistant alumina aerogels . . . Yasuyuki Mizushima *et al.* 2993
Gas permeability of carbon aerogels . . . F-M. Kong *et al.* 3100
Nanocomposite aerogels: The SiO_2–Al_2O_3 system . . . Sridhar Komarneni *et al.* 3163

Aerosol decomposition
Texture evolution of SnO_2 synthesized by pyrolysis of an aerosol . . . M. Vallet-Regí *et al.* 138

Alloys, intermetallic
Synthesis of stable quasicrystalline particle-dispersed Al base composite alloys . . . An Pang Tsai *et al.* 5
High resolution electron microscopy of Al–Cu–Fe quasicrystals: Atomic structure and modeling . . . William Krakow *et al.* 24
Thermal diffusivity of quasicrystalline and related crystalline alloys . . . J. M. Dubois *et al.* 38
An approximant to the Al–Cu–Ru icosahedral phase . . . J. E. Shield *et al.* 44
Substitutional solutes in AlCo: Part I. Effects of solute on moduli, lattice parameters, and vacancy production . . . Robert L. Fleischer 49
Substitutional solutes in AlCo: Part II. Hardening and correlations with defect structure . . . Robert L. Fleischer 59
Environmental effect on mechanical properties of TiAl base alloys . . . Morihiko Nakamura *et al.* 68
A structural investigation of a plasma sprayed Ni–Cr based alloy coating . . . S. Sampath *et al.* 78
Ultramicrotomy: A unique method for preparation of composite solder for transmission electron microscopy . . . Elizabeth G. Jacobs *et al.* 87
Effects of iron impurities in mechanical alloying using steel media . . . P. J. Yvon *et al.* 239
On the bcc, fcc, hcp, and amorphous polymorphs of Zr_3Al . . . A. R. Yavari *et al.* 242
Microstructural characterization of reactions in Al–Zr thin film couples . . . K. P. Mingard *et al.* 274
Transmission electron microscope observations of rectangular dislocation networks in an $Al_{70}Co_{15}Ni_{15}$ decagonal quasicrystal . . . Yanfa Yan *et al.* 286
TEM study on laser processed intermetallic phases: $Al_{16}Ti_6$(Fe or Ni)$_7$ . . . Y. Ma *et al.* 421
Influence of long-range order on tensile properties of Ni_3Fe and Ni_3Fe–Y_2O_3 composites . . . A. Bose *et al.* 430
Bonding-property relationships in intermetallic alloys . . . M. E. Eberhart *et al.* 438
Continuous microindentation of passivating surfaces . . . Shankar K. Venkataraman *et al.* 685
Effects of Cr^+ ion implantation on the oxidation of Ni_3Al . . . M. Chen *et al.* 734
X-ray diffraction study of the effect of boron on lattice properties of $Ni_{76}Al_{24}$ . . . P. V. Mohan Rao *et al.* 741
A model of thermomechanical fatigue in a lead-base alloy . . . Larry Lawson 745
Creep of a niobium beryllide, Ni_2Be_{17} . . . T. G. Nieh *et al.* 757
Formation of quasicrystalline phases in an Al–Cu–Co–Fe alloy obtained by using a gravity chill-casting technique . . . R. Perez *et al.* 985
Site selectivities and magnetic moments of V, Cr, and Mn doped in γ–TiAl alloys . . . V. Suresh Babu *et al.* 989
Nickel-alloyed tin-lead eutectic solder for surface mount technology . . . Sung K. Kang *et al.* 1033
Plastic deformation in an Al–Cu–Fe icosahedral alloy . . . J. E. Shield *et al.* 1199
Hard sphere modeling of the effect of slip on interstitial sites in the B2 structure . . . I. Baker 1203
NMR study of Ni_3Al with B and C additions . . . T. Shinohara *et al.* 1285
Microscopy and microindentation mechanics of single crystal Fe–3 wt. % Si: Part I. Atomic force microscopy of a small indentation . . . S. Harvey *et al.* 1291
Microscopy and microindentation mechanics of single crystal Fe–3 wt. % Si: Part II. TEM of the indentation plastic zone . . . W. Zielinski *et al.* 1300
The mechanism of mechanical alloying of $MoSi_2$ . . . S. N. Patankar *et al.* 1311
The influence of mill energy and temperature on the structure of the TiNi intermetallic after mechanical attrition . . . Kenjiro Yamada *et al.* 1317
A study of the high-Cu Al–Cu–Co decagonal phase . . . B. Grushko 1473
Hot-hardness comparisons among isostructural $Be_{12}X$ intermetallic compounds . . . S. M. Bruemmer *et al.* 1550
Temperature and annealing dependence of the longitudinal ultrasonic velocity in aluminum alloys . . . Ward Johnson *et al.* 1558

CONTENTS BY TOPIC INDEX TO VOLUME 8

This table is a cumulative topical listing of all the articles contained in Volume 8. The topics are arranged in alphabetical order so that papers dealing with the same subjects are grouped together. Each article may be listed under a maximum of three topics.

Ab initio calculation
Electronic structure of high pressure phase of AlN . . . Ravindra Pandey *et al.* 1922
First-principles study of phase stability of Ti–Al intermetallic compounds . . . Mark Asta *et al.* 2554

Ablation
Nd:YAG laser patterning of plasma-deposited high T_c superconducting thick films . . . Usha Varshney *et al.* 2429

Acoustic emission
Study of wave attenuation in concrete . . . J-M. Berthelot *et al.* 2344

Aerogel
Ultra-low density aerogel optical applications . . . S. P. Hotaling 352
Photoconductivity of carbon aerogels . . . M. Hosoya *et al.* 811
Dielectric properties of aerogels . . . L. W. Hrubesh *et al.* 1736
Characterization of carbon aerogels by transport measurements . . . A. W. P. Fung *et al.* 1875
^{27}Al MAS-NMR spectra of alumina aerogels . . . Yasuyuki Mizushima *et al.* 2109
Preparation of heat-resistant alumina aerogels . . . Yasuyuki Mizushima *et al.* 2993
Gas permeability of carbon aerogels . . . F-M. Kong *et al.* 3100
Nanocomposite aerogels: The SiO_2–Al_2O_3 system . . . Sridhar Komarneni *et al.* 3163

Aerosol decomposition
Texture evolution of SnO_2 synthesized by pyrolysis of an aerosol . . . M. Vallet-Regí *et al.* 138

Alloys, intermetallic
Synthesis of stable quasicrystalline particle-dispersed Al base composite alloys . . . An Pang Tsai *et al.* 5
High resolution electron microscopy of Al–Cu–Fe quasicrystals: Atomic structure and modeling . . . William Krakow *et al.* 24
Thermal diffusivity of quasicrystalline and related crystalline alloys . . . J. M. Dubois *et al.* 38
An approximant to the Al–Cu–Ru icosahedral phase . . . J. E. Shield *et al.* 44
Substitutional solutes in AlCo: Part I. Effects of solute on moduli, lattice parameters, and vacancy production . . . Robert L. Fleischer 49
Substitutional solutes in AlCo: Part II. Hardening and correlations with defect structure . . . Robert L. Fleischer 59
Environmental effect on mechanical properties of TiAl base alloys . . . Morihiko Nakamura *et al.* 68
A structural investigation of a plasma sprayed Ni–Cr based alloy coating . . . S. Sampath *et al.* 78
Ultramicrotomy: A unique method for preparation of composite solder for transmission electron microscopy . . . Elizabeth G. Jacobs *et al.* 87
Effects of iron impurities in mechanical alloying using steel media . . . P. J. Yvon *et al.* 239
On the bcc, fcc, hcp, and amorphous polymorphs of Zr_3Al . . . A. R. Yavari *et al.* 242
Microstructural characterization of reactions in Al–Zr thin film couples . . . K. P. Mingard *et al.* 274
Transmission electron microscope observations of rectangular dislocation networks in an $Al_{70}Co_{15}Ni_{15}$ decagonal quasicrystal . . . Yanfa Yan *et al.* 286
TEM study on laser processed intermetallic phases: $Al_{16}Ti_6$(Fe or Ni)$_7$ . . . Y. Ma *et al.* 421
Influence of long-range order on tensile properties of Ni_3Fe and Ni_3Fe–Y_2O_3 composites . . . A. Bose *et al.* 430
Bonding-property relationships in intermetallic alloys . . . M. E. Eberhart *et al.* 438
Continuous microindentation of passivating surfaces . . . Shankar K. Venkataraman *et al.* 685
Effects of Cr^+ ion implantation on the oxidation of Ni_3Al . . . M. Chen *et al.* 734
X-ray diffraction study of the effect of boron on lattice properties of $Ni_{76}Al_{24}$ . . . P. V. Mohan Rao *et al.* 741
A model of thermomechanical fatigue in a lead-base alloy . . . Larry Lawson 745
Creep of a niobium beryllide, Ni_2Be_{17} . . . T. G. Nieh *et al.* 757
Formation of quasicrystalline phases in an Al–Cu–Co–Fe alloy obtained by using a gravity chill-casting technique . . . R. Perez *et al.* 985
Site selectivities and magnetic moments of V, Cr, and Mn doped in γ–TiAl alloys . . . V. Suresh Babu *et al.* 989
Nickel-alloyed tin-lead eutectic solder for surface mount technology . . . Sung K. Kang *et al.* 1033
Plastic deformation in an Al–Cu–Fe icosahedral alloy . . . J. E. Shield *et al.* 1199
Hard sphere modeling of the effect of slip on interstitial sites in the B2 structure . . . I. Baker 1203
NMR study of Ni_3Al with B and C additions . . . T. Shinohara *et al.* 1285
Microscopy and microindentation mechanics of single crystal Fe–3 wt. % Si: Part I. Atomic force microscopy of a small indentation . . . S. Harvey *et al.* 1291
Microscopy and microindentation mechanics of single crystal Fe–3 wt. % Si: Part II. TEM of the indentation plastic zone . . . W. Zielinski *et al.* 1300
The mechanism of mechanical alloying of $MoSi_2$ . . . S. N. Patankar *et al.* 1311
The influence of mill energy and temperature on the structure of the TiNi intermetallic after mechanical attrition . . . Kenjiro Yamada *et al.* 1317
A study of the high-Cu Al–Cu–Co decagonal phase . . . B. Grushko 1473
Hot-hardness comparisons among isostructural $Be_{12}X$ intermetallic compounds . . . S. M. Bruemmer *et al.* 1550
Temperature and annealing dependence of the longitudinal ultrasonic velocity in aluminum alloys . . . Ward Johnson *et al.* 1558

Erratum: "A model of thermomechanical fatigue in a lead-base alloy" [J. Mater. Res. **8**, 745 (1993)] . . . Larry Lawson **1758**
Fracture toughness of the $L1_2$ compounds $Al_{66}Ti_{25}Mn_9$ and $Al_{66}Ti_{25}Cr_9$ . . . S. A. Brown *et al.* **1763**
Solid-state reactions of the Ag–Cu–Ti thin film–Al_2O_3 substrate system . . . Seiichi Suenaga *et al.* **1805**
Deformation behavior and high-temperature stability of unidirectionally solidified, twin phase TiAl . . . G. H. Fair *et al.* **1812**
Mechanical alloying of Al–Ti powder mixtures and their subsequent consolidation . . . T. Itsukaichi *et al.* **1817**
Evidence for self-sustained $MoSi_2$ formation during room-temperature high-energy ball milling of elemental powders . . . E. Ma *et al.* **1836**
Influence of vibration on grain size and degree of grain refinement in mild steel weldments . . . S. P. Tewari **2228**
Tribological properties of quasicrystalline coatings . . . S. S. Kang *et al.* **2471**
Transformation of Al–Ni–(Si) decagonal quasicrystals to 1-D quasicrystal and crystalline approximants . . . X. Z. Li *et al.* **2499**
Experimental and theoretical investigation of the order-disorder transformation in Ni_3Al . . . Francesco Cardellini *et al.* **2504**
High temperature creep transitions in single crystalline Ni_3Al(Ta, B) . . . J. Wolfenstine *et al.* **2510**
Rapid solidification by unstable combustion synthesis . . . H. P. Li *et al.* **2515**
An electron microscopy study of the precipitation of rhenium in the B2 nickel aluminide . . . D. C. Van Aken *et al.* **2524**
Environmental embrittlement of boron-doped Ni_3(Al, Ti) single crystals at room temperature . . . T. Takasugi *et al.* **2534**
First-principles study of phase stability of Ti–Al intermetallic compounds . . . Mark Asta *et al.* **2554**
Erratum: "Hard sphere modeling of the effect of slip on interstitial sites in the B2 structure" [J. Mater. Res. **8**, 1203 (1993)] . . . I. Baker **2741**
A novel brazing technique for aluminum and other metals . . . R. S. Timsit *et al.* **2749**
An investigation of ductility and microstructural evolution in an Al–3% Mg alloy with submicron grain size . . . Jingtao Wang *et al.* **2810**
The formation of metastable Ti–Al solid solutions by mechanical alloying and ball milling . . . M. Oehring *et al.* **2819**
Influence of rare earth element additions on phase transformations in the Zn–27% Al alloy . . . Yao Hua Zhu *et al.* **3043**
Planar fault energies and dislocation core spreading in B2 NiAl . . . Diana Farkas *et al.* **3050**
Amorphous and nanocrystalline Fe–Ti prepared by ball milling . . . L. Zaluski *et al.* **3059**
High temperature mechanical properties of Cr_2Nb-based intermetallics . . . T. Takasugi *et al.* **3069**

Alloys, semiconductor

Transport-reaction controlled chemical vapor deposition of epitaxial $Si_{(1-x)}Ge_x$ thin films and thermodynamic equilibrium composition . . . H. Kühne *et al.* **131**
Microscopic phase stability of the dilute magnetic semiconductor $Cd_{1-x}Fe_xSe$ . . . E. Klein *et al.* **1348**
Solid solutions of AlN and SiC grown by plasma-assisted, gas-source molecular beam epitaxy . . . R. S. Kern *et al.* **1477**

Annealing

Chemical interaction of BaO–CuO-rich melts with Y_2O_3 . . . N. Pellerin *et al.* **18**
Effects of molybdenum on cellular precipitation in nickel–9 at. % tin alloy . . . Archana Gupta *et al.* **95**
Structural and textural changes from polyimide Upilex to graphite: Part III . . . C. Bourgerette *et al.* **121**
Mechanism of $MoSi_2$ pest during low temperature oxidation . . . T. C. Chou *et al.* **214**
The yield stress of polycrystalline thin films . . . C. V. Thompson **237**
Evidence of Co/SiO_2 reaction during rapid thermal annealing . . . Herbert L. Ho *et al.* **467**
Relationship between the structural organization and the physical properties of PECVD nitrogenated carbons . . . M. Ricci *et al.* **480**
Degradation of YBC critical current as a result of annealing in air . . . Judith Bransky **943**
Inhomogeneous distribution of Cr impurities in α–Al_2O_3 during refractory aging . . . Laurence Galoisy *et al.* **1153**
Microstructure and properties of Cu-rich 123: Part II. Homogeneous copper and high magnetic J_c . . . J. P. Zhang *et al.* **1232**
Doping effects on coarsening of Y_2BaCuO_5 phase in liquid . . . Teruo Izumi *et al.* **1240**
Rapidly textured $Bi_2Sr_2CaCu_2O_8$ . . . S. R. Arrasmith *et al.* **1247**
Temperature and annealing dependence of the longitudinal ultrasonic velocity in aluminum alloys . . . Ward Johnson *et al.* **1558**
On the use of ion scattering to examine the role of hydrogen in the reduction of TiO_2 . . . W. E. Wallace *et al.* **1629**
Kinetics and mechanism of stacking fault annihilation and grain growth in porous ceramics of β–SiC . . . Won-Seon Seo *et al.* **1644**
Solid-state reactions of the Ag–Cu–Ti thin film–Al_2O_3 substrate system . . . Seiichi Suenaga *et al.* **1805**
Cu precipitation in oxidized wafers with and without a Ge_xSi_{1-x} heteroepitaxial layer . . . G. Kissinger *et al.* **1900**
The effect of post-annealing on laser-deposited superconducting Bi–Sr–Ca–Cu–O thin films . . . P. J. Kung *et al.* **2162**
From imperfect to perfect $Bi_2Sr_2CaCu_2O_x$ (Bi–2212) grains . . . B. Heeb *et al.* **2170**
Annealing of pressure-induced structural damage in superconducting Bi–Pb–Sr–Ca–Cu–O ceramic . . . I. Maartense *et al.* **2177**

	Reaction study of cobalt and silicon nitride	Tue Nguyen *et al.*	2354
	Chemical reaction strengthening of Al/TiC metal matrix composites by isothermal heat treatment at 913 K	R. Mitra *et al.*	2370
	Aligned gadolinium barium copper oxide thick films formed by *in situ* crystallization in a magnetic field	Joanna McKittrick *et al.*	2440
	Processing characteristics and properties of BiSrCaCuO superconducting glass ceramics prepared by melt-quenching	Y. Massalker *et al.*	2445
	Diffusion of Sr in $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$	Nan Chen *et al.*	2465
	Interfaces in β–SiC whiskers/6061 aluminum composites	Katsuaki Suganuma	2569
	Role of grain boundaries in the epitaxial realignment of undoped and As-doped polycrystalline silicon films	C. Spinella *et al.*	2608
	Interaction between SiC and Ti powder	I. Gotman *et al.*	2725
	Morphological changes of poly(tetrafluoroethylene) by heat treatment on NaCl	Sadaatsu Yamaguchi *et al.*	2942
	Influence of rare earth element additions on phase transformations in the Zn–27% Al alloy	Yao Hua Zhu *et al.*	3043
	Formation of ultrathin $CoSi_2$ films using a two-step limited reaction process	R. J. Schreutelkamp *et al.*	3111
	Electrical and optical characterization of $Sb:SnO_2$	Yue-Song He *et al.*	3131
Atomic diffusion	Influence of Y_2BaCuO_5 particles on the growth morphology of peritectically solidified $YBa_2Cu_3O_{7-x}$	G. J. Schmitz *et al.*	2774
	Nucleation and growth of oxide precipitates in CZ–Si wafers	Mitsuo Ataka *et al.*	2889
Attrition	Atmosphere effects of the amorphization reaction in NiZr by ball milling	K. Aoki *et al.*	307
	Characteristics of $TiBa_2Ca_2Cu_3O_{9+\delta}$ powder as synthesized and after grinding	P. J. Kung *et al.*	713
	The influence of mill energy and temperature on the structure of the TiNi intermetallic after mechanical attrition	Kenjiro Yamada *et al.*	1317
	Tailored $MoSi_2$/SiC composites by mechanical alloying	S. Jayashankar *et al.*	1428
	Experimental and theoretical investigation of the order-disorder transformation in Ni_3Al	Francesco Cardellini *et al.*	2504
Auger electron spectroscopy (AES)	Effects of α-silicon nitride powder processing on surface oxidation kinetics	Pu Sen Wang *et al.*	3168
Biomedical materials	Effects of temperature on the formation of hydroxyapatite	M. T. Fulmer *et al.*	1687
Bonding	A novel brazing technique for aluminum and other metals	R. S. Timsit *et al.*	2749
	The effect of siloxane spin-on-glass and reaction bonded silicon oxycarbide coatings with a self-propagating interfacial reaction treatment (ASPIRE) in the synthesis of carbon/graphite fiber-reinforced aluminum metal matrix composites	Willy M. Balaba *et al.*	3192
Bridgman growth	High purity isotopically enriched ^{70}Ge and ^{74}Ge single crystals: Isotope separation, growth, and properties	Kohei Itoh *et al.*	1341
Calorimetry	Energetics of the oxygen vacancy order-disorder transition in $Ba_2In_2O_5$	T. R. S. Prasanna *et al.*	1484
Casting	New method for fabrication of superconducting pipes in the Bi–Sr–Ca–Cu–O system	Yoshihiro Abe *et al.*	1
	Containerless solidification of $YBa_2Cu_3O_{7-x}$ in a drop tube	V. R. Todt *et al.*	411
	Mechanical properties and metallography of aluminum matrix composites reinforced by the Cu- or Ni-plating carbon multifilament	Takakazu Suzuki *et al.*	2492
Catalytic materials	Topotactic synthesis of vanadium nitride solid foams	S. Ted Oyama *et al.*	1450
	XRD characterization of highly dispersed metal catalysts on carbon support	Paolo Scardi *et al.*	1829
	On the morphological properties of tungsta-titania de-NO_xing catalysts	C. Cristiani *et al.*	2019
	$Ca_{(1-x)}Ni_xO$ catalytic thin films prepared by pulsed laser deposition	X. L. Mao *et al.*	2400
	Formation of V_2O_5-based mixed oxides in flames	Philippe F. Miquel *et al.*	2404
Ceramics	Crystal structure of new composition boron-rich boron nitride using Raman spectroscopy	Hidetoshi Saitoh *et al.*	8
	Light-induced defects in aluminum nitride ceramics	J. H. Harris *et al.*	154
	Effect of chemical and heat treatment on the tetragonal-to-monoclinic transformation of zirconia	X. Turrillas *et al.*	163
	Epitaxial zirconia thin films from aqueous precursors	K. T. Miller *et al.*	169
	The solidification of large sections in ceramic injection molding: Part I. Conventional molding	T. Zhang *et al.*	18
	The influence of steam on mullite formation from sol-gel precursors	Yong Wang *et al.*	195
	SEM and Auger studies of a PLZT thin film	Kwangsoo No *et al.*	245

Syntheses and some physical properties of solid solutions $Sr_2Cu_{1-x}Li_xMo_6$ with perovskite type of structure . . . M. Jansen *et al.* **324**
Sol-gel synthesis of ferroelectric lithium tantalate ceramics: FTIR investigation of the molecular modification of tantalum ethoxide . . . Pradeep P. Phulé **334**
Low temperature perovskite formation of lead zirconate titanate thin films by a seeding process . . . Chi Kong Kwok *et al.* **339**
The solidification of large sections in ceramic injection molding: Part II. Modulated pressure molding . . . T. Zhang *et al.* **345**
Ultra-low density aerogel optical applications . . . S. P. Hotaling **352**
Oxidation behavior of aluminum nitride . . . A. Bellosi *et al.* **565**
Synthesis of aluminum hydroxide nanoparticles in spontaneously generated vesicles . . . Iskandar I. Yaacob *et al.* **573**
Phase transformations and microstructure evolution in sol-gel derived yttrium-aluminum garnet films . . . R. S. Hay **578**
On the occurrence of a metastable tetragonal t'-phase in a ZrO_2–13.6 mole% MgO ceramic and its microscopic thermal evolution . . . M. C. Caracoche *et al.* **605**
Selective exchange of divalent transition metal ions in cryptomelane-type manganic acid with tunnel structure . . . Masamichi Tsuji *et al.* **611**
The effect of porosity development on the removal of organic vehicle from ceramic or metal moldings . . . S. A. Matar *et al.* **617**
Mechanical properties of hot isostatically pressed Si_3N_4 and Si_3N_4/SiC composites . . . O. Unal *et al.* **626**
Investigation of cured hydridopolysilazane-derived ceramic fibers via dynamic nuclear polarization . . . Russel H. Lewis *et al.* **649**
Void distribution and susceptibility differences in ceramic materials using MRI . . . Anton S. Wallner *et al.* **655**
Diamond nucleation from the gas phase: A kinetic approach . . . E. Molinari *et al.* **785**
Patterns of diamond nucleation from the gas phase . . . E. Molinari *et al.* **798**
Structure property relationships in core-shell $BaTiO_3$–LiF ceramics . . . C. A. Randall *et al.* **871**
Extrinsic contributions to the grain size dependence of relaxor ferroelectric $Pb(Mg_{1/3}Nb_{2/3})$:$PbTiO_3$ ceramics . . . C. A. Randall *et al.* **880**
Energy principle of indentation contact: The application to sapphire . . . Roman Nowak *et al.* **1068**
Precipitation of Mo_5Si_3 in $MoSi_2$ . . . S. A. Maloy *et al.* **1079**
Epitaxial nucleation of polycrystalline silicon carbide during chemical vapor deposition . . . Brian W. Sheldon *et al.* **1086**
High-temperature oxidation of ion-plated TiN and TiAlN films . . . Hiroshi Ichimura *et al.* **1093**
Kinetics and mechanisms of high-temperature creep in polycrystalline aluminum nitride . . . A. Vasudev *et al.* **1101**
Wear resistance of arc ion-plated chromium nitride coatings . . . Yuji Chiba *et al.* **1109**
Electrical properties of silica-alumina ceramics in nitrogen atmosphere . . . Yoshihiro Hirata *et al.* **1116**
Closed porosity aluminosilicate for electronic packaging applications . . . S. L. Hietala *et al.* **1122**
Pressurized internal lenticular cracks at healed mica interfaces . . . K-T. Wan *et al.* **1128**
Hydrotalcites with an extended Al^{3+}-substitution: Synthesis, simultaneous TG-DTA-MS study, and their CO_2 adsorption behaviors . . . Masamichi Tsuji *et al.* **1137**
Inhomogeneous distribution of Cr impurities in α–Al_2O_3 during refractory aging . . . Laurence Galoisy *et al.* **1153**
Ferroelectric behavior of pulsed laser deposited $Ba_xSr_{1-x}TiO_3$ thin films . . . Vivek Mehrotra *et al.* **1209**
Deposition and characterization of ZrO_2 thin films on silicon substrate by MOCVD . . . Cheol Seong Hwang *et al.* **1361**
Isothermal capacitance transient spectroscopy study on trap levels in polycrystalline SnO_2 ceramics . . . Myung Chul Kim *et al.* **1368**
Microstructural characterization, mechanical properties, and corrosion resistance of the CaO–TiO_2 system . . . P. S. Maiya *et al.* **1387**
Low-temperature chemical routes to formation and IR properties of lanthanum sesquisulfide (La_2S_3) ceramics . . . Prashant N. Kumta *et al.* **1394**
Postfailure subsidiary cracking from indentation flaws in brittle materials . . . Nitin P. Padture **1411**
Chemistry and structure of mixed magnesium ferric oxide aerogels . . . R. J. Willey *et al.* **1418**
Growth of highly oriented SnO_2 thin films on glass substrate from tetra-*n*-butyltin by the spray pyrolysis technique . . . I. Yagi *et al.* **1481**
On the use of ion scattering to examine the role of hydrogen in the reduction of TiO_2 . . . W. E. Wallace *et al.* **1629**
Correlation between microstructure and mechanical properties in silicon carbide with alumina addition . . . S. S. Shinozaki *et al.* **1635**
Kinetics and mechanism of stacking fault annihilation and grain growth in porous ceramics of β–SiC . . . Won-Seon Seo *et al.* **1644**
The effect of Li-salt additions on the densification of tin oxide . . . D. W. Yuan *et al.* **1675**
Hydrothermal synthesis and sintering of ultrafine CeO_2 powders . . . Y. C. Zhou *et al.* **1680**
Effects of temperature on the formation of hydroxyapatite . . . M. T. Fulmer *et al.* **1687**
Synthesis and characterization of cordierite from acetylacetonate/alkoxide precursors . . . Lawrence D. David *et al.* **1697**
Ignition criteria for self-propagating combustion synthesis . . . Yangsheng Zhang *et al.* **1703**
Phase development in Si modified sol-gel-derived lead titanate . . . John S. Wright *et al.* **1712**

High-pressure phase transformation of $BeGa_2O_4$ . . . K. Nakamura *et al.* 1721
Macro-effects of resputtering due to negative ion bombardment of growing thin films . . . Daniel J. Kester *et al.* 1928
Micro-effects of resputtering due to negative ion bombardment of growing thin films . . . Daniel J. Kester *et al.* 1938
Ion bombardment-induced changes in oxide-metal interactions studied by photoelectron spectroscopy . . . Sharmila M. Mukhopadhyay *et al.* 1958
Hot corrosion of alumina . . . M. G. Lawson *et al.* 1964
X-ray and micro-Raman analysis of nanophase ZrO_2 and Y_2O_3–ZrO_2 produced by the gas-phase condensation technique . . . C. M. Foster *et al.* 1977
The plasma arc production of Si-based ceramic whiskers . . . C. A. Pickles *et al.* 1996
^{27}Al MAS-NMR spectra of alumina aerogels . . . Yasuyuki Mizushima *et al.* 2109
Composition/structure/property relations of multi-ion-beam reactive sputtered lead lanthanum titanate thin films: Part II. Textured microstructure development . . . G. R. Fox *et al.* 2191
Composition/structure/property/relations of multi-ion-beam reactive sputtered lead lanthanum titanate thin films: Part III. Electrical properties . . . G. R. Fox *et al.* 2203
Nucleation of CVD–TiN on tungsten . . . K. Glejbøl *et al.* 2239
Selection of structural type and particle size in titanium (IV) oxide . . . M. Vallet-Regí *et al.* 2336
Erratum: "Epitaxical nucleation of polycrystalline silicon carbide during chemical vapor deposition" [J. Mater. Res. **8**, 1086 (1993)] . . . Brian W. Sheldon *et al.* 2416
Spherical iron oxide particles synthesized by an aerosol technique . . . M. V. Cabañas *et al.* 2694
Preparation of ultrafine tungsten carbide powder by CVD method from WCl_6–C_2H_2–H_2 mixtures . . . Chang-Whan Won *et al.* 2702
Study of the anatase-rutile transformation in TiO_2 powders obtained by laser-induced synthesis . . . Laura E. Depero *et al.* 2709
Chemistry and localization effects in the C-KVV Auger line shapes of transition metal carbides and related compounds . . . Pehr E. Pehrsson *et al.* 2716
UV induced dielectric loss in AlN ceramics . . . J. H. Harris *et al.* 2734
Grain size of MgO and polymorphic phases of ZrO_2 in zirconia-toughened MgO . . . Yasuro Ikuma *et al.* 2757
Quantitative image analysis of superconductor thin film microstructure: The use of conditional, multiparametric, shape-analysis algorithms . . . Philip A. Amato *et al.* 2799
The $\alpha \rightarrow \beta$ polytypic transformation in high-temperature indented SiC . . . J. W. Yang *et al.* 2902
TEM study of synthetic hillebrandite ($Ca_2SiO_4 \cdot H_2O$) . . . Youn Joong Kim *et al.* 2948
The synthesis, sintering, and thermal properties of $(Ca_{1-x}, Mg_x)Zr_4(PO_4)_6$ (CMZP) ceramics . . . T. K. Li *et al.* 2954
Synthesis of ceramic oxide powders in a microwave plasma device . . . Dieter Vollath *et al.* 2978
Structural transformations of alumina by high energy ball milling . . . P. A. Zieliński *et al.* 2985
Decomposition temperatures of $Cu_2Ln_2O_5$ (Ln = Tb, Dy, Ho, Er, Tm, Yb, and Lu) compounds . . . Tom Mathews *et al.* 3015
Indium-tin oxide thin films by metal-organic decomposition . . . Dennis Gallagher *et al.* 3135
Dip coating of alumina films by the sol-gel method . . . Jung-Won Lee *et al.* 3151
Change of thermal expansion coefficient and electrical conductivity of $LaCo_{1-x}M_xO_3$ (M = Fe,Ni) . . . H. Nagamoto *et al.* 3158
Nanocomposite aerogels: The SiO_2–Al_2O_3 system . . . Sridhar Komarneni *et al.* 3163
Effects of α-silicon nitride powder processing on surface oxidation kinetics . . . Pu Sen Wang *et al.* 3168
Microwave-hydrothermal processing for synthesis of electroceramic powders . . . Sridhar Komarneni *et al.* 3176
Densification behaviors and piezoelectric properties of MnO_2, SiO_2-doped $Pb(Ni_{1/3}Nb_{2/3})O_3$–$PbTiO_3$–$PbZrO_3$ ceramics . . . Jong H. Moon *et al.* 3184

Chemical synthesis

Processing effects on high T_c properties of $YBa_2Cu_3O_{7-x}$ films from carboxylate solution precursors . . . Peir-Yung Chu *et al.* 261
Sol-gel synthesis of ferroelectric lithium tantalate ceramics: FTIR investigation of the molecular modification of tantalum ethoxide . . . Pradeep P. Phulé 334
Conversion of single crystal Si(100) to SiC film by C_2H_2 . . . Chien C. Chiu *et al.* 535
Microstructure of $CuInS_2$ films prepared by sulfuration of Cu–In–O films . . . Takahiro Wada *et al.* 545
Synthesis of aluminum hydroxide nanoparticles in spontaneously generated vesicles . . . Iskandar I. Yaacob *et al.* 573
Ionic conductivity and thermal analysis of a high-temperature polymer . . . Y. S. Pak *et al.* 923
Synthesis of microcrystalline $BaZrO_3$ via molecular precursor route . . . H. S. Potdar *et al.* 948
Dopant induced modifications in the physical properties of sprayed ZnO : In films . . . D. J. Goyal *et al.* 1052
Hydrotalcites with an extended Al^{3+}-substitution: Synthesis, simultaneous TG-DTA-MS study, and their CO_2 adsorption behaviors . . . Masamichi Tsuji *et al.* 1137
Low-temperature chemical routes to formation and IR properties of lanthanum sesquisulfide (La_2S_3) ceramics . . . Prashant N. Kumta *et al.* 1394
Topotactic synthesis of vanadium nitride solid foams . . . S. Ted Oyama *et al.* 1450
Synthesis of superconductors from soluble metal oxo alkoxide precursors . . . M. W. Rupich *et al.* 1487
Effects of temperature on the formation of hydroxyapatite . . . M. T. Fulmer *et al.* 1687
Synthesis and characterization of cordierite from acetylacetonate/alkoxide precursors . . . Lawrence D. David *et al.* 1697
Superconducting fibers from organometallic precursors: Part III. Pyrolytic processing of precursor fibers . . . Zhi-Fan Zhang *et al.* 1777

The plasma arc production of Si-based ceramic whiskers . . . C. A. Pickles *et al.* **1996**
Preparation and properties of uniform coated colloidal particles. VIII. Titanium nitride on silica . . . Richard E. Partch *et al.* **2014**
Coprecipitation synthesis of doped lanthanum chromite . . . M. R. De Guire *et al.* **2327**
Spherical iron oxide particles synthesized by an aerosol technique . . . M. V. Cabañas *et al.* **2694**
Synthesis of $YBa_2Cu_3O_{7-x}$ powder by autoignition of citrate-nitrate gel . . . Sukumar Roy *et al.* **2761**
Synthesis and characterization of zinc ferrite particles prepared by hydrothermal decomposition of zinc chelate solutions . . . M. Andrés Vergés *et al.* **2916**

Chemical vapor deposition (CVD)

Crystal structure of new composition boron-rich boron nitride using Raman spectroscopy . . . Hidetoshi Saitoh *et al.* **8**
Transport-reaction controlled chemical vapor deposition of epitaxial $Si_{(1-x)}Ge_x$ thin films and thermodynamic equilibrium composition . . . H. Kühne *et al.* **131**
Microstructure of $PbTiO_3$ thin films deposited on (001) MgO by MOCVD . . . Y. Gao *et al.* **145**
Methyl halides as carbon sources in a hot-filament diamond CVD reactor: A new gas phase growth species . . . Benjamin J. Bai *et al.* **233**
Growth of (110)-oriented diamond films by electron-assisted chemical vapor deposition . . . Kazuo Kumagai *et al.* **314**
Growth defects in diamond films . . . D. Shechtman *et al.* **473**
Diamond nucleation from the gas phase: A kinetic approach . . . E. Molinari *et al.* **785**
Patterns of diamond nucleation from the gas phase . . . E. Molinari *et al.* **798**
Growth kinetics and characterizations of gallium nitride thin films by remote PECVD . . . S. W. Choi *et al.* **847**
(110)-oriented Bi–Sr–Ca–Cu–O superconducting thin films prepared by metalorganic chemical vapor deposition . . . Nobuhiko Kubota *et al.* **978**
Chemical vapor infiltration of SiC with microwave heating . . . José I. Morell *et al.* **1057**
Epitaxial nucleation of polycrystalline silicon carbide during chemical vapor deposition . . . Brian W. Sheldon *et al.* **1086**
Diamond/Al metal matrix composites formed by the pressureless metal infiltration process . . . William B. Johnson *et al.* **1169**
Highly oriented, textured diamond films on silicon via bias-enhanced nucleation and textured growth . . . B. R. Stoner *et al.* **1334**
Tungsten nitride thin films prepared by MOCVD . . . Hsin-Tien Chiu *et al.* **1353**
Evidence for nonclassical nucleation at solid surfaces in diamond deposition from the gas phase . . . Massimo Tomellini **1596**
Deposition of silicon carbide using the chemical vapor composites process: Process characterization and comparison with RASSPVDN model predictions . . . M. D. Allendorf *et al.* **1651**
Speculation on the reconstruction of vicinal {100} faces of vapor-deposited diamond . . . M. A. Tamor *et al.* **1770**
Nucleation of oriented diamond films on nickel substrates . . . P. C. Yang *et al.* **1773**
Electrical resistivity, magnetoresistance, and morphology of vapor-grown carbon fibers prepared in a mixture of benzene and Linz–Donawitz converter gas by floating catalyst method . . . Munehiro Ishioka *et al.* **1866**
Preparation and comparison of $YBa_2Cu_4O_8$ films on MgO(100) and $SrTiO_3$(100) by MOCVD . . . H. Sakai *et al.* **2143**
Nucleation of CVD–TiN on tungsten . . . K. Glejbøl *et al.* **2239**
Identification of hydrocarbon precursors to diamond in chemical vapor deposition using carbon monoxide reagent . . . Curtis E. Johnson *et al.* **2245**
Formation of V_2O_5-based mixed oxides in flames . . . Philippe F. Miquel *et al.* **2404**
Erratum: "(110)-oriented Bi–Sr–Ca–Cu–O superconducting thin films prepared by metalorganic chemical vapor deposition" [J. Mater. Res. **8**, 978 (1993)] . . . Nobuhiko Kubota *et al.* **2414**
Erratum: "Epitaxical nucleation of polycrystalline silicon carbide during chemical vapor deposition" [J. Mater. Res. **8**, 1086 (1993)] . . . Brian W. Sheldon *et al.* **2416**
Combined surface characterization and tribological (friction and wear) studies of CVD diamond films . . . Scott S. Perry *et al.* **2577**
Low pressure chemical vapor deposition (LPCVD) of β–SiC on Si(100) using MTS in a hot wall reactor . . . Chien C. Chiu *et al.* **2617**
Epitaxy, microstructure, and processing-structure relationships of TiO_2 thin films grown on sapphire (0001) by MOCVD . . . H. L. M. Chang *et al.* **2634**
RuO_2 films by metal-organic chemical vapor deposition . . . Jie Si *et al.* **2644**
Preparation of ultrafine tungsten carbide powder by CVD method from WCl_6–C_2H_2–H_2 mixtures . . . Chang-Whan Won *et al.* **2702**
Morphology of heavily B-doped diamond films . . . Koichi Miyata *et al.* **2845**
Quantitative nucleation and growth studies of PACVD diamond film formation on (100) silicon . . . R. A. Bauer *et al.* **2858**
The composition and structure of SIPOS: A high spatial resolution electron microscopy study . . . M. Catalano *et al.* **2893**
A review of catalytically grown carbon nanofibers . . . N. M. Rodriguez **3233**
Erratum: "Chemical vapor infiltration of SiC with microwave heating" [J. Mater. Res. **8**, 1057 (1993)] . . . José I. Morell *et al.* **3251**

Coating

A structural investigation of a plasma sprayed Ni–Cr based alloy coating . . . . . S. Sampath *et al.* 78
High-temperature oxidation of ion-plated TiN and TiAlN films . . . . . Hiroshi Ichimura *et al.* 1093
Sol-gel coating of $YBa_2Cu_3O_{7-x}$ with TiO_2 for enhanced anisotropic grain growth . . . . . James G. Fagan *et al.* 1501
Nucleation of CVD–TiN on tungsten . . . . . K. Glejbøl *et al.* 2239
Nd:YAG laser patterning of plasma-deposited high T_c superconducting thick films . . . . . Usha Varshney *et al.* 2429
Aligned gadolinium barium copper oxide thick films formed by *in situ* crystallization in a magnetic field . . . . . Joanna McKittrick *et al.* 2440
Tribological properties of quasicrystalline coatings . . . . . S. S. Kang *et al.* 2471
Combined surface characterization and tribological (friction and wear) studies of CVD diamond films . . . . . Scott S. Perry *et al.* 2577
Quantitative nucleation and growth studies of PACVD diamond film formation on (100) silicon . . . . . R. A. Bauer *et al.* 2858
Nanoindentation studies of sublimed fullerene films using atomic force microscopy . . . . . Juai Ruan *et al.* 3019
Protective films of nanophase diamond deposited directly on zinc sulfide infrared optics . . . . . F. Davanloo *et al.* 3090
Dip coating of alumina films by the sol-gel method . . . . . Jung-Won Lee *et al.* 3151

Cold working

Structural transformations of alumina by high energy ball milling . . . . . P. A. Zieliński *et al.* 2985

Colloidal

Synthesis of aluminum hydroxide nanoparticles in spontaneously generated vesicles . . . . . Iskandar I. Yaacob *et al.* 573
Preparation and properties of uniform coated colloidal particles. VIII. Titanium nitride on silica . . . . . Richard E. Partch *et al.* 2014

Composites

Properties and microstructure of continuous oxynitride glass fiber and its application to aluminum matrix composite . . . . . Katsuaki Suganuma *et al.* 178
Model for the temperature dependent transmission of optically transparent poly(methyl methacrylate) composites . . . . . Hongy Lin *et al.* 364
On the first-matrix-cracking stress in unidirectional fiber-reinforced brittle materials . . . . . X. F. Yang *et al.* 371
Fiber strength utilization in carbon/carbon composites . . . . . Rafael J. Zaldivar *et al.* 501
Glass-metal nanocomposites in bulk form by sol-gel route followed by hot pressing . . . . . S. Roy *et al.* 689
Processing of electroceramic-polymer composites using the electrorheological effect . . . . . C. A. Randall *et al.* 899
Effect of fiber coating on the mechanical behavior of SiC fiber-reinforced titanium aluminide composites . . . . . S. M. Jeng *et al.* 905
On the Maxwell–Garnett model of chiral composites . . . . . Akhlesh Lakhtakia *et al.* 917
Chemical vapor infiltration of SiC with microwave heating . . . . . José I. Morell *et al.* 1057
Structure and behavior of metal/ceramic interfaces in Ti alloy/SiC metal matrix composites . . . . . Ernest L. Hall *et al.* 1158
Diamond/Al metal matrix composites formed by the pressureless metal infiltration process . . . . . William B. Johnson *et al.* 1169
Swelling behavior of montmorillonite cation exchanged for ω-amino acids by ϵ-caprolactam . . . . . Arimitsu Usuki *et al.* 1174
Synthesis of nylon 6-clay hybrid . . . . . Arimitsu Usuki *et al.* 1179
Mechanical properties of nylon 6-clay hybrid . . . . . Yoshitsugu Kojima *et al.* 1185
High dielectric permittivity in glass-ceramic metal nanocomposites . . . . . B. Roy *et al.* 1206
Tailored $MoSi_2$/SiC composites by mechanical alloying . . . . . S. Jayashankar *et al.* 1428
Deposition of silicon carbide using the chemical vapor composites process: Process characterization and comparison with RASSPVDN model predictions . . . . M. D. Allendorf *et al.* 1651
High refractive index films of polymer nanocomposites . . . . . Lorenz Zimmermann *et al.* 1742
Oil absorption into cotton-phenolic material . . . . . P. A. Bertrand 1749
Fundamental studies of the influence of boron on the graphite-oxygen reaction using *in situ* electron microscopy techniques . . . . . N. M. Rodriguez *et al.* 1886
Fabrication and properties of functionally graded $NiAl/Al_2O_3$ composites . . . . . D. P. Miller *et al.* 2004
Preparation and properties of uniform coated colloidal particles. VIII. Titanium nitride on silica . . . . . Richard E. Partch *et al.* 2014
Combustion-synthesized functionally gradient refractory materials . . . . . Scott E. Niedzialek *et al.* 2026
An internal synthesis method for producing a mullite–chromium carbide composite . . . . . C. T. Ho 2035
Interface control and design for SiC fiber-reinforced titanium aluminide composites . . . . . Hsing-Pang Chiu *et al.* 2040
Reaction study of cobalt and silicon nitride . . . . . Tue Nguyen *et al.* 2354
Control of strength and toughness of ceramic/metal laminates using interface design . . . . . Z. Chen *et al.* 2362
Chemical reaction strengthening of Al/TiC metal matrix composites by isothermal heat treatment at 913 K . . . . . R. Mitra *et al.* 2370
Interfaces in as-extruded *XD* Al/TiC and Al/TiB_2 metal matrix composites . . . . . R. Mitra *et al.* 2380

Mechanical properties and metallography of aluminum matrix composites reinforced by the Cu- or Ni-plating carbon multifilament . . . Takakazu Suzuki *et al.* **2492**
Interfaces in β–SiC whiskers/6061 aluminum composites . . . Katsuaki Suganuma **2569**
Metal coatings on semiconductor particles in glass . . . Vijay Sukumar *et al.* **2686**
Interaction between SiC and Ti powder . . . I. Gotman *et al.* **2725**
Investigation of Ni_3Al-matrix composites strengthened by TiC . . . Bingchu Mei *et al.* **2830**
Barium titanate/noble metal laminates prepared by the oxidation of solid metallic precursors . . . M. M. Antony *et al.* **2968**
Investigation of the thermal anisotropy of unidirectional carbon fiber reinforced composite plates using optically generated thermal waves and a noncontact optical detection technique . . . W. Lauriks *et al.* **3106**
The effect of siloxane spin-on-glass and reaction bonded silicon oxycarbide coatings with a self-propagating interfacial reaction treatment (ASPIRE) in the synthesis of carbon/graphite fiber-reinforced aluminum metal matrix composites . . . Willy M. Balaba *et al.* **3192**
Effect of iron and cobalt addition on TiC combustion synthesis . . . Yoon Choi *et al.* **3202**
A note on the elastic contact stiffness of a layered medium . . . Huajian Gao *et al.* **3229**
Erratum: "Chemical vapor infiltration of SiC with microwave heating" [J. Mater. Res. **8**, 1057 (1993)] . . . José I. Morell *et al.* **3251**

Compound semiconductors

Microstructure of $CuInS_2$ films prepared by sulfuration of Cu–In–O films . . . Takahiro Wada *et al.* **545**
Growth kinetics and characterizations of gallium nitride thin films by remote PECVD . . . S. W. Choi *et al.* **847**
A study of the local atomic structure in $Hg_{0.80}Cd_{0.20}Te$ using x-ray diffuse scattering . . . J. P. Quintana *et al.* **855**
Phase evolution in boron nitride thin films . . . D. J. Kester *et al.* **1213**
Epitaxial growth of AlN by plasma-assisted, gas-source molecular beam epitaxy . . . L. B. Rowland *et al.* **2310**
Single crystal wurtzite GaN on (111) GaAs with AlN buffer layers grown by reactive magnetron sputter deposition . . . Jennifer Ross *et al.* **2613**
Low pressure chemical vapor deposition (LPCVD) of β–SiC on Si(100) using MTS in a hot wall reactor . . . Chien C. Chiu *et al.* **2617**
The dielectric constant of TCNQ single crystals as deduced by reflection electron energy loss spectroscopy . . . G. Mondio *et al.* **2627**
Gas-source molecular beam epitaxy of monocrystalline β–SiC on vicinal α–(6H)–SiC . . . L. B. Rowland *et al.* **2753**
The effect of interruption during the growth of strained GaAs/InGaAs/GaAs quantum wells by molecular beam epitaxy . . . S. F. Yoon *et al.* **3122**

Computer simulation

Influence of the irradiation temperature on the intracascade ion mixing . . . M. Alurralde *et al.* **449**
Embedded atom calculations of the equilibrium shapes of 5–60 atom palladium nanocrystals . . . A. Sachdev *et al.* **455**
The effect of porosity development on the removal of organic vehicle from ceramic or metal moldings . . . S. A. Matar *et al.* **617**
Wagner oxidation in the nonisothermal regime . . . László Nánai *et al.* **945**
Modeling of diamond growth from a microwave plasma: C_2H as growth species . . . Hans Rau *et al.* **2250**
Damage-to-dose ratio after low energy silicon ion implantation into crystalline silicon . . . Y. Levin *et al.* **2305**
The influence of microstructure on the electrochromic properties of Li_xWO_3 films: Part II. Limiting mechanisms in coloring and bleaching processes . . . Ji-Guang Zhang *et al.* **2657**
Planar fault energies and dislocation core spreading in B2 NiAl . . . Diana Farkas *et al.* **3050**

Conductors, metallic

Microstructural characterization of $Al_{98.5wt.\%}Si_{1.0wt.\%}Cu_{0.5wt.\%}$ on chemical-vapor-deposited W . . . Carey A. Pico *et al.* **1001**
The properties of thermal hillocks as a function of linewidth and process parameter in Al-on-chemical-vapor-deposited W films . . . Carey A. Pico *et al.* **1010**

Conductors, transparent

Dopant induced modifications in the physical properties of sprayed ZnO:In films . . . D. J. Goyal *et al.* **1052**

Corrosion

Hot corrosion of alumina . . . M. G. Lawson *et al.* **1964**

Crystal (single)

Continuous microindentation of passivating surfaces . . . Shankar K. Venkataraman *et al.* **685**
A study of the local atomic structure in $Hg_{0.80}Cd_{0.20}Te$ using x-ray diffuse scattering . . . J. P. Quintana *et al.* **855**
Energy principle of indentation contact: The application to sapphire . . . Roman Nowak *et al.* **1068**
Precipitation of Mo_5Si_3 in $MoSi_2$ . . . S. A. Maloy *et al.* **1079**
Microscopy and microindentation mechanics of single crystal Fe–3 wt. % Si: Part I. Atomic force microscopy of a small indentation . . . S. Harvey *et al.* **1291**

Microscopy and microindentation mechanics of single crystal Fe–3 wt. % Si: Part II. TEM of the indentation plastic zone . . . W. Zielinski *et al.* **1300**
High purity isotopically enriched ^{70}Ge and ^{74}Ge single crystals: Isotope separation, growth, and properties . . . Kohei Itoh *et al.* **1341**
Deformation behavior and high-temperature stability of unidirectionally solidified, twin phase TiAl . . . G. H. Fair *et al.* **1812**
High temperature creep transitions in single crystalline Ni_3Al(Ta, B) . . . J. Wolfenstine *et al.* **2510**
Environmental embrittlement of boron-doped Ni_3(Al, Ti) single crystals at room temperature . . . T. Takasugi *et al.* **2534**
Space groups of the diamond polytypes . . . A. W. Phelps *et al.* **2835**
In situ electron microscopy studies of the inhibition of graphite oxidation by phosphorus . . . S. G. Oh *et al.* **2879**
The $\alpha \rightarrow \beta$ polytypic transformation in high-temperature indented SiC . . . J. W. Yang *et al.* **2902**

Crystallographic structure

Crystal structure of new composition boron-rich boron nitride using Raman spectroscopy . . . Hidetoshi Saitoh *et al.* **8**
An approximant to the Al–Cu–Ru icosahedral phase . . . J. E. Shield *et al.* **44**
The formation of fullerenes and nanotubules . . . P. Byszewski *et al.* **118**
Hydride precipitation in vapor deposited Ti thin films . . . S. R. Peddada *et al.* **291**
Growth of (110)-oriented diamond films by electron-assisted chemical vapor deposition . . . Kazuo Kumagai *et al.* **314**
The $Y_1Ba_4Cu_2CO_3O_{5.5\pm\delta}$ oxycarbonate—An interesting nonsuperconductor . . . Mark A. Rodriguez *et al.* **415**
TEM study on laser processed intermetallic phases: $Al_{16}Ti_6$(Fe or Ni)$_7$ . . . Y. Ma *et al.* **421**
Growth defects in diamond films . . . D. Shechtman *et al.* **473**
X-ray diffraction study of the effect of boron on lattice properties of $Ni_{76}Al_{24}$ . . . P. V. Mohan Rao *et al.* **741**
TEM analysis of Co–Gd and Cr–Gd multilayer structures . . . G. A. Bertero *et al.* **771**
A study of the local atomic structure in $Hg_{0.80}Cd_{0.20}Te$ using x-ray diffuse scattering . . . J. P. Quintana *et al.* **855**
Phases and crystallization in the system $Li_2O–B_2O_3–H_2O$ under hydrothermal conditions . . . K. Byrappa *et al.* **864**
Formation of quasicrystalline phases in an Al–Cu–Co–Fe alloy obtained by using a gravity chill-casting technique . . . R. Perez *et al.* **985**
Hard sphere modeling of the effect of slip on interstitial sites in the B2 structure . . . I. Baker **1203**
Phase evolution in boron nitride thin films . . . D. J. Kester *et al.* **1213**
Synthesis of $YBa_2Cu_3O_{7-x}$ thin films by three-stage oxidation process from metallic Y–Ba–Cu precursors . . . Takashi Hase *et al.* **1220**
Microscopic phase stability of the dilute magnetic semiconductor $Cd_{1-x}Fe_xSe$ . . . E. Klein *et al.* **1348**
A study of the high-Cu Al–Cu–Co decagonal phase . . . B. Grushko **1473**
Solid solutions of AlN and SiC grown by plasma-assisted, gas-source molecular beam epitaxy . . . R. S. Kern *et al.* **1477**
Bi-intercalation of H_2SO_4 into stages 4–6 $FeCl_3$–graphite intercalation compounds . . . Yasuo Mizutani *et al.* **1586**
Nanocrystalline α–Fe, Fe_3C, and Fe_7C_3, produced by CO_2 laser pyrolysis . . . Xiang-Xin Bi *et al.* **1666**
Phase development in Si modified sol-gel-derived lead titanate . . . John S. Wright *et al.* **1712**
Speculation on the reconstruction of vicinal {100} faces of vapor-deposited diamond . . . M. A. Tamor *et al.* **1770**
Composition and crystal structure parameters of single crystals $(Bi, Pb)_2Sr_2(Ca_{1-x}R_x)Cu_2O_{8+\delta}$ (R = Y, Er, Ho, Tm, and Yb) . . . A. S. Ilyushin *et al.* **1791**
Mechanical alloying of Al–Ti powder mixtures and their subsequent consolidation . . . T. Itsukaichi *et al.* **1817**
The effect of post-annealing on laser-deposited superconducting Bi–Sr–Ca–Cu–O thin films . . . P. J. Kung *et al.* **2162**
Transformation of Al–Ni–(Si) decagonal quasicrystals to 1-D quasicrystal and crystalline approximants . . . X. Z. Li *et al.* **2499**
Single crystal wurtzite GaN on (111) GaAs with AlN buffer layers grown by reactive magnetron sputter deposition . . . Jennifer Ross *et al.* **2613**
Epitaxy, microstructure, and processing-structure relationships of TiO_2 thin films grown on sapphire (0001) by MOCVD . . . H. L. M. Chang *et al.* **2634**
Erratum: "Hard sphere modeling of the effect of slip on interstitial sites in the B2 structure" [J. Mater. Res. **8**, 1203 (1993)] . . . I. Baker **2741**
Gas-source molecular beam epitaxy of monocrystalline β–SiC on vicinal α–(6H)–SiC . . . L. B. Rowland *et al.* **2753**
Grain size of MgO and polymorphic phases of ZrO_2 in zirconia-toughened MgO . . . Yasuro Ikuma *et al.* **2757**
Space groups of the diamond polytypes . . . A. W. Phelps *et al.* **2835**
TEM study of synthetic hillebrandite ($Ca_2SiO_4 \cdot H_2O$) . . . Youn Joong Kim *et al.* **2948**
Powder x-ray diffraction study of a cryptomelane-type manganic acid and its alkali cation exchanged forms . . . Masamichi Tsuji *et al.* **3145**

Defects

Substitutional solutes in AlCo: Part I. Effects of solute on moduli, lattice parameters, and vacancy production . . . Robert L. Fleischer **49**

Transmission electron microscope observations of rectangular dislocation networks in an $Al_{70}Co_{15}Ni_{15}$ decagonal quasicrystal . . . Yanfa Yan *et al.* **286**
The solidification of large sections in ceramic injection molding: Part II. Modulated pressure molding . . . T. Zhang *et al.* **345**
Image analysis of TEM pictures of fluorine-intercalated graphite fibers . . . K. Oshida *et al.* **512**
Analysis of buried oxide layer formation and mechanism of threading dislocation generation in the substoichiometric oxygen dose region . . . Sadao Nakashima *et al.* **523**
Void distribution and susceptibility differences in ceramic materials using MRI . . . Anton S. Wallner *et al.* **655**
Precipitation of Mo_5Si_3 in $MoSi_2$ . . . S. A. Maloy *et al.* **1079**
Etch-delineation of defects in diamond by exposure to an oxidizing flame . . . D. P. Malta *et al.* **1217**
Microstructure and properties of Cu-rich 123: Part II. Homogeneous copper and high magnetic J_c . . . J. P. Zhang *et al.* **1232**
High-temperature Hf-site-interchange chemistry in $LiNbO_3$ and $LiTaO_3$ . . . Dunbar P. Birnie, III *et al.* **1379**
The effect of cracks on the superconducting transport current in thin films: The analogy with two-dimensional elasticity and plasticity . . . David R. Clarke *et al.* **1515**
The effect of Li-salt additions on the densification of tin oxide . . . D. W. Yuan *et al.* **1675**
Cu precipitation in oxidized wafers with and without a Ge_xSi_{1-x} heteroepitaxial layer . . . G. Kissinger *et al.* **1900**
On the morphological properties of tungsta-titania de-NO_xing catalysts . . . C. Cristiani *et al.* **2019**
Damage-to-dose ratio after low energy silicon ion implantation into crystalline silicon . . . Y. Levin *et al.* **2305**
TEM studies of dislocations in deformed melt-textured $YBa_2Cu_3O_x$ superconductors . . . M. Mironova *et al.* **2767**
Planar fault energies and dislocation core spreading in B2 NiAl . . . Diana Farkas *et al.* **3050**

Deformation

Enhancement of critical current density in $YBa_2Cu_3O_x$ superconductor by mechanical deformation . . . V. Selvamanickam *et al.* **249**

Dielectric properties

Dielectric properties of aerogels . . . L. W. Hrubesh *et al.* **1736**

Differential thermal analysis (DTA)

Effects of iron impurities in mechanical alloying using steel media . . . P. J. Yvon *et al.* **239**
Deconvolution of superimposed DTA/DSC peaks using the simplex algorithm . . . Robert F. Speyer **675**
Hydrotalcites with an extended Al^{3+}-substitution: Synthesis, simultaneous TG-DTA-MS study, and their CO_2 adsorption behaviors . . . Masamichi Tsuji *et al.* **1137**
Solidification of $Bi_2Sr_2CaCu_2O_y$ and $Bi_2Sr_{1.75}Ca_{0.25}CuO_y$ . . . T. G. Holesinger *et al.* **2149**
Synthesis of $YBa_2Cu_3O_{7-x}$ powder by autoignition of citrate-nitrate gel . . . Sukumar Roy *et al.* **2761**
Decomposition temperatures of $Cu_2Ln_2O_5$ (Ln = Tb, Dy, Ho, Er, Tm, Yb, and Lu) compounds . . . Tom Mathews *et al.* **3015**
Calorimetric analysis of the system Ag_2S-Ag_2Se between 25 and 250 °C . . . N. E. Pingitore *et al.* **3126**

Diffusion

Ultramicrotomy: A unique method for preparation of composite solder for transmission electron microscopy . . . Elizabeth G. Jacobs *et al.* **87**
Theory of the time-lag diffusion method for the case of an outgassing solid . . . James K. Baird *et al.* **1455**
Oil absorption into cotton-phenolic material . . . P. A. Bertrand **1749**
Diffusion of ^{57}Co in amorphous Fe–RE (RE = Dy, Tb, and Ce) and Fe–Si–B alloys . . . Kazumasa Yamada *et al.* **2231**
Diffusion of Sr in $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$ . . . Nan Chen *et al.* **2465**
The influence of microstructure on the electrochromic properties of Li_xWO_3 thin films: Part I. Ion diffusion and electrochromic properties . . . Ji-Guang Zhang *et al.* **2649**
A novel brazing technique for aluminum and other metals . . . R. S. Timsit *et al.* **2749**
An investigation of photoassisted diffusion of oxygen in solid C_{60} films using resonant alpha-scattering . . . Corinne C. Eloi *et al.* **3085**

Elastic properties

Temperature and annealing dependence of the longitudinal ultrasonic velocity in aluminum alloys . . . Ward Johnson *et al.* **1558**
Nondestructive detection of fatigue cracks in PM 304 stainless steel by internal friction and elasticity . . . S. M. McGuire *et al.* **2216**
Study of wave attenuation in concrete . . . J-M. Berthelot *et al.* **2344**

Electrical materials

Texture evolution of SnO_2 synthesized by pyrolysis of an aerosol . . . M. Vallet-Regí *et al.* **138**
Extrinsic contributions to the grain size dependence of relaxor ferroelectric $Pb(Mg_{1/3}Nb_{2/3})$:$PbTiO_3$ ceramics . . . C. A. Randall *et al.* **880**
Change of thermal expansion coefficient and electrical conductivity of $LaCo_{1-x}M_xO_3$ (M = Fe,Ni) . . . H. Nagamoto *et al.* **3158**

Electrical properties

Fatigue of ferroelectric $PbZr_xTi_yO_3$ (PZT) capacitors with Ru and RuO_x electrodes . . . S. D. Bernstein *et al.* **12**

Enhancement of critical current density in $YBa_2Cu_3O_x$ superconductor by mechanical deformation . . . V. Selvamanickam *et al.* 249
Thermoelectric power of $YBa_2Cu_3O_{7-\delta}$ superconductive thin films as a function of oxygen contents . . . Iván A. Cornejo *et al.* 255
Modification of high temperature and high performance polymers by ion implantation . . . Yongqiang Wang *et al.* 388
Raman scattering and electrical conductivity in highly disordered activated carbon fibers . . . A. W. P. Fung *et al.* 489
Filament formation in switching devices based on V_2O_5 gel films . . . J-G. Zhang *et al.* 558
Glass-metal nanocomposites in bulk form by sol-gel route followed by hot pressing . . . S. Roy *et al.* 689
The effect of residual carbon on the superconducting properties of $YBa_2Cu_3O_{7-x}$ powders . . . Yoshio Masuda *et al.* 693
Resistivity measurement of an *a*-axis-oriented $YBa_2Cu_3O_{7-\delta}$ thin film at 450–650 °C . . . Toshio Usui *et al.* 705
Structure property relationships in core-shell $BaTiO_3$–LiF ceramics . . . C. A. Randall *et al.* 871
Processing of electroceramic-polymer composites using the electrorheological effect . . . C. A. Randall *et al.* 899
Ionic conductivity and thermal analysis of a high-temperature polymer . . . Y. S. Pak *et al.* 923
Degradation of YBC critical current as a result of annealing in air . . . Judith Bransky 943
Resistive transition broadening in two-phase polycrystalline YBaCuO . . . J. C. Abele *et al.* 957
Formation and characterization of ohmic contacts to *n*–AlGaAs using Pd/AuGe/Ag/Au . . . L. R. Zheng *et al.* 1045
Electrical properties of silica-alumina ceramics in nitrogen atmosphere . . . Yoshihiro Hirata *et al.* 1116
High dielectric permittivity in glass-ceramic metal nanocomposites . . . B. Roy *et al.* 1206
Deposition and characterization of ZrO_2 thin films on silicon substrate by MOCVD . . . Cheol Seong Hwang *et al.* 1361
Isothermal capacitance transient spectroscopy study on trap levels in polycrystalline SnO_2 ceramics . . . Myung Chul Kim *et al.* 1368
Conductivity relaxation studies on sol-gel-derived Li_2O–SiO_2 glasses by a heterogeneous conductor model . . . S. K. Saha *et al.* 1442
Measurement of the work function of $Y_1Ba_2Cu_3O_{7-\delta}$ under ambient conditions . . . Jon DeVries *et al.* 1497
A model for disorder in fluorine-intercalated graphite . . . S. L. di Vittorio *et al.* 1578
Electrical resistivity, magnetoresistance, and morphology of vapor-grown carbon fibers prepared in a mixture of benzene and Linz–Donawitz converter gas by floating catalyst method . . . Munehiro Ishioka *et al.* 1866
Characterization of carbon aerogels by transport measurements . . . A. W. P. Fung *et al.* 1875
Composition/structure/property/relations of multi-ion-beam reactive sputtered lead lanthanum titanate thin films: Part III. Electrical properties . . . G. R. Fox *et al.* 2203
UV induced dielectric loss in AlN ceramics . . . J. H. Harris *et al.* 2734
Indium-tin oxide thin films by metal-organic decomposition . . . Dennis Gallagher *et al.* 3135
Densification behaviors and piezoelectric properties of MnO_2, SiO_2-doped $Pb(Ni_{1/3}Nb_{2/3})O_3$–$PbTiO_3$–$PbZrO_3$ ceramics . . . Jong H. Moon *et al.* 3184

Electron channeling

Determining fracture facet crystallography using electron backscatter patterns and quantitative tilt fractography . . . D. C. Slavik *et al.* 2482

Electron emission

Exoelectron emission from unexcited metallic glasses $Fe_{40}Ni_{38}Mo_4B_{18}$ during heat treatment . . . Yoshihisa Watanabe *et al.* 1041

Electron energy loss spectroscopy (EELS)

The dielectric constant of TCNQ single crystals as deduced by reflection electron energy loss spectroscopy . . . G. Mondio *et al.* 2627

Electron irradiation

Electron-beam-induced structural changes in crystalline C_{60} and C_{70} . . . Supapan Seraphin *et al.* 1895

Electron spin resonance

ESR study of activated carbon fibers: preliminary results . . . S. L. di Vittorio *et al.* 2282

Electronic materials

Ultramicrotomy: A unique method for preparation of composite solder for transmission electron microscopy . . . Elizabeth G. Jacobs *et al.* 87
Hydride precipitation in vapor deposited Ti thin films . . . S. R. Peddada *et al.* 291
Low temperature perovskite formation of lead zirconate titanate thin films by a seeding process . . . Chi Kong Kwok *et al.* 339
Raman scattering and electrical conductivity in highly disordered activated carbon fibers . . . A. W. P. Fung *et al.* 489
Conversion of single crystal Si(100) to SiC film by C_2H_2 . . . Chien C. Chiu *et al.* 535

Synthesis of microcrystalline $BaZrO_3$ via molecular precursor route . . . H. S. Potdar *et al.* **948**
Nickel-alloyed tin-lead eutectic solder for surface mount technology . . . Sung K. Kang *et al.* **1033**
Formation and characterization of ohmic contacts to *n*–AlGaAs using Pd/AuGe/Ag/Au . . . L. R. Zheng *et al.* **1045**
Kinetics and mechanisms of high-temperature creep in polycrystalline aluminum nitride . . . A. Vasudev *et al.* **1101**
Diamond/Al metal matrix composites formed by the pressureless metal infiltration process . . . William B. Johnson *et al.* **1169**
Tungsten nitride thin films prepared by MOCVD . . . Hsin-Tien Chiu *et al.* **1353**
Synthesis and characterization of cordierite from acetylacetonate/alkoxide precursors . . . Lawrence D. David *et al.* **1697**
Stress development and relaxation in copper films during thermal cycling . . . M. D. Thouless *et al.* **1845**
Characterization of carbon aerogels by transport measurements . . . A. W. P. Fung *et al.* **1875**
Fullerenes . . . M. S. Dresselhaus *et al.* **2054**
Coprecipitation synthesis of doped lanthanum chromite . . . M. R. De Guire *et al.* **2327**
Structural characterization and thermal stability of W/Si multilayers . . . M. Brunel *et al.* **2600**
RuO_2 films by metal-organic chemical vapor deposition . . . Jie Si *et al.* **2644**
UV induced dielectric loss in AlN ceramics . . . J. H. Harris *et al.* **2734**
The composition and structure of SIPOS: A high spatial resolution electron microscopy study . . . M. Catalano *et al.* **2893**
Formation of ultrathin $CoSi_2$ films using a two-step limited reaction process . . . R. J. Schreutelkamp *et al.* **3111**
Calorimetric analysis of the system Ag_2S–Ag_2Se between 25 and 250 °C . . . N. E. Pingitore *et al.* **3126**
Microwave-hydrothermal processing for synthesis of electroceramic powders . . . Sridhar Komarneni *et al.* **3176**

Electronic properties

Effect of $FeCl_4^-$ intercalation on the transport properties of a graphitized polyimide film . . . B. Nysten *et al.* **2299**

Electronic structure

Photoconductivity of carbon aerogels . . . M. Hosoya *et al.* **811**
NMR study of Ni_3Al with B and C additions . . . T. Shinohara *et al.* **1285**
Electronic structure of high pressure phase of AlN . . . Ravindra Pandey *et al.* **1922**
Chemistry and localization effects in the C-KVV Auger line shapes of transition metal carbides and related compounds . . . Pehr E. Pehrsson *et al.* **2716**

Elemental semiconductors

Analysis of buried oxide layer formation and mechanism of threading dislocation generation in the substoichiometric oxygen dose region . . . Sadao Nakashima *et al.* **523**
Epitaxial growth versus nucleation in amorphous Si doped with Cu and Ag . . . J. S. Custer *et al.* **820**
Formation of buried Sb dopant profiles in silicon by pulsed laser epitaxy . . . R. J. Carolissen *et al.* **841**
Etch-delineation of defects in diamond by exposure to an oxidizing flame . . . D. P. Malta *et al.* **1217**
Highly oriented, textured diamond films on silicon via bias-enhanced nucleation and textured growth . . . B. R. Stoner *et al.* **1334**
High purity isotopically enriched ^{70}Ge and ^{74}Ge single crystals: Isotope separation, growth, and properties . . . Kohei Itoh *et al.* **1341**
Cu precipitation in oxidized wafers with and without a Ge_xSi_{1-x} heteroepitaxial layer . . . G. Kissinger *et al.* **1900**
Pulsed laser deposition of amorphous diamond-like carbon films with ArF (193 nm) excimer laser . . . Fulin Xiong *et al.* **2265**
Role of grain boundaries in the epitaxial realignment of undoped and As-doped polycrystalline silicon films . . . C. Spinella *et al.* **2608**
The kinetics of chemical vapor deposited diamond-oxygen reaction . . . M. Alam *et al.* **2870**
Nucleation and growth of oxide precipitates in CZ–Si wafers . . . Mitsuo Ataka *et al.* **2889**

Energy storage materials

A novel stable solid formed by C_{60} + oxygen at high $P(O_2)$ . . . D. E. Morris *et al.* **2273**
Amorphous and nanocrystalline Fe–Ti prepared by ball milling . . . L. Zaluski *et al.* **3059**

Etching

Etch-delineation of defects in diamond by exposure to an oxidizing flame . . . D. P. Malta *et al.* **1217**

Extrusion

Extrusion of superconducting wires of $YBa_2Cu_3O_{7-x}$ . . . D. Ponnusamy *et al.* **268**
Effects of silver additions on resistance to thermal shock and delayed failure of $YBa_2Cu_3O_{7-\delta}$ superconductors . . . J. P. Singh *et al.* **1226**

Ferroelectrics

Fatigue of ferroelectric $PbZr_xTi_yO_3$ (PZT) capacitors with Ru and RuO_x electrodes . . . S. D. Bernstein *et al.* **12**

Filamentary

Extrusion of superconducting wires of $YBa_2Cu_3O_{7-x}$ . . . D. Ponnusamy *et al.* **268**
Raman scattering and electrical conductivity in highly disordered activated carbon fibers . . . A. W. P. Fung *et al.* **489**
Filament formation in switching devices based on V_2O_5 gel films . . . J-G. Zhang *et al.* **558**

	Superconducting fibers from organometallic precursors: Part III. Pyrolytic processing of precursor fibers . . . Zhi-Fan Zhang *et al.*	1777
	Electrical resistivity, magnetoresistance, and morphology of vapor-grown carbon fibers prepared in a mixture of benzene and Linz–Donawitz converter gas by floating catalyst method . . . Munehiro Ishioka *et al.*	1866
	The plasma arc production of Si-based ceramic whiskers . . . C. A. Pickles *et al.*	1996
	Phase evolution in silver-doped BiPbSrCaCuO(2223)/Ag superconducting composites . . . Y. C. Guo *et al.*	2187
	ESR study of activated carbon fibers: preliminary results . . . S. L. di Vittorio *et al.*	2282
	A review of catalytically grown carbon nanofibers . . . N. M. Rodriguez	3233
Firing	Devitrification inhibitor in binary borosilicate glass composite . . . Jau-Ho Jean *et al.*	356
	Oxidation behavior of aluminum nitride . . . A. Bellosi *et al.*	565
	Coprecipitation synthesis of doped lanthanum chromite . . . M. R. De Guire *et al.*	2327
Forging	Fracture toughness of the $L1_2$ compounds $Al_{66}Ti_{25}Mn_9$ and $Al_{66}Ti_{25}Cr_9$ . . . S. A. Brown *et al.*	1763
Fracture	Recombination on fractal networks: Photon and electron emission following fracture of materials . . . J. T. Dickinson *et al.*	2921
Glass	Molecular CO emission accompanying fracture of polycarbonate: Evidence for chain cleavage . . . J. T. Dickinson *et al.*	14
	Exoelectron emission from unexcited metallic glasses $Fe_{40}Ni_{38}Mo_4B_{18}$ during heat treatment . . . Yoshihisa Watanabe *et al.*	1041
	Postfailure subsidiary cracking from indentation flaws in brittle materials . . . Nitin P. Padture	1411
	Cristobalite growth inhibitor in Pyrex borosilicate glass—gallium oxide . . . Jau-Ho Jean *et al.*	1767
	Effect of gallium oxide in preventing cristobalite formation in binary borosilicate glass composite . . . Jau-Ho Jean *et al.*	2393
Glasses	Devitrification inhibitor in binary borosilicate glass composite . . . Jau-Ho Jean *et al.*	356
	New fluoroindate glass compositions . . . Y. Messaddeq *et al.*	885
	Properties and crystallization of $Li_2O–CaO–Al_2O_3–SiO_2–TiO_2$ glasses . . . Moo-Chin Wang *et al.*	890
	Synthesis, characterization, and properties of new polystyrene-SiO_2 hybrid sol-gel materials . . . Yen Wei *et al.*	1143
	Conductivity relaxation studies on sol-gel-derived $Li_2O–SiO_2$ glasses by a heterogeneous conductor model . . . S. K. Saha *et al.*	1442
	Transmission electron microscopy of $GeSe_{2+\delta}$ thin films . . . H. Maghsoudlou *et al.*	1728
Glasses, metallic	Microstructural study of the crystallization product of the $Co_{100-x}P_x$ amorphous system . . . F. Cebollada *et al.*	105
	Atmosphere effects of the amorphization reaction in NiZr by ball milling . . . K. Aoki *et al.*	307
	Magnetic domains along shear bands in amorphous metals observed by spin-polarized scanning electron microscopy . . . W. J. Tseng *et al.*	775
	Exoelectron emission from unexcited metallic glasses $Fe_{40}Ni_{38}Mo_4B_{18}$ during heat treatment . . . Yoshihisa Watanabe *et al.*	1041
	Influence of boron content on the amorphization rate of Co–B mixtures by mechanical alloying . . . A. Corrias *et al.*	1327
	Diffusion of ^{57}Co in amorphous Fe–RE (RE = Dy, Tb, and Ce) and Fe–Si–B alloys . . . Kazumasa Yamada *et al.*	2231
	Scanning tunneling microscope observations of metallic glass fracture surfaces . . . D. M. Kulawansa *et al.*	2543
	Effect of pulsed excimer laser irradiation on the magnetic anisotropy of iron-base and nickel-iron-base metallic glasses . . . M. Sorescu *et al.*	3078
Gradient composition	Fabrication and properties of functionally graded $NiAl/Al_2O_3$ composites . . . D. P. Miller *et al.*	2004
Hardness testing	Observation, analysis, and simulation of the hysteresis of silicon using ultra-micro-indentation with spherical indenters . . . E. R. Weppelmann *et al.*	830
	The frictional component of the indentation size effect in low load microhardness testing . . . H. Li *et al.*	1028
	Energy principle of indentation contact: The application to sapphire . . . Roman Nowak *et al.*	1068
Hot isostatic pressing (HIP)	Mechanical properties of hot isostatically pressed Si_3N_4 and Si_3N_4/SiC composites . . . O. Unal *et al.*	626
Hydrothermal	TEM study of synthetic hillebrandite ($Ca_2SiO_4 \cdot H_2O$) . . . Youn Joong Kim *et al.*	2948
	Microwave-hydrothermal processing for synthesis of electroceramic powders . . . Sridhar Komarneni *et al.*	3176

Hydrothermal growth

Phases and crystallization in the system $Li_2O-B_2O_3-H_2O$ under hydrothermal conditions . . . K. Byrappa *et al.* **864**
Crystal growth and morphology of hydrothermally grown lithium borates . . . K. Byrappa *et al.* **2319**

Hydrothermal hot-pressing

Solidification of $CaCO_3$ containing $SrCO_3$ by hydrothermal hot-pressing . . . Nakamichi Yamasaki *et al.* **1972**

Injection molding

The solidification of large sections in ceramic injection molding: Part I. Conventional molding . . . T. Zhang *et al.* **187**
The solidification of large sections in ceramic injection molding: Part II. Modulated pressure molding . . . T. Zhang *et al.* **345**

Insulators

Epitaxial growth of BaO and SrO with new crystal structures using mass-separated low-energy O^+ beams . . . Ryusuke Kita *et al.* **321**
Electron-beam-induced structural changes in crystalline C_{60} and C_{70} . . . Supapan Seraphin *et al.* **1895**
Morphology of heavily B-doped diamond films . . . Koichi Miyata *et al.* **2845**
Characterization of the mechanical properties of $a-SiC:H$ films . . . M. J. Loboda *et al.* **2908**
Recombination on fractal networks: Photon and electron emission following fracture of materials . . . J. T. Dickinson *et al.* **2921**

Intercalation

Image analysis of TEM pictures of fluorine-intercalated graphite fibers . . . K. Oshida *et al.* **512**
Swelling behavior of montmorillonite cation exchanged for ω-amino acids by ϵ-caprolactam . . . Arimitsu Usuki *et al.* **1174**
Synthesis of nylon 6-clay hybrid . . . Arimitsu Usuki *et al.* **1179**
Bi-intercalation of H_2SO_4 into stages 4–6 $FeCl_3$–graphite intercalation compounds . . . Yasuo Mizutani *et al.* **1586**
Intercalation of pentane into the stage 2 to 4 cesium graphitides: Relation between cesium density in the intercalated layers and the stage of the parent binary . . . H. Pilliere *et al.* **2288**
Effect of $FeCl_4^-$ intercalation on the transport properties of a graphitized polyimide film . . . B. Nysten *et al.* **2299**

Internal friction

Nondestructive detection of fatigue cracks in PM 304 stainless steel by internal friction and elasticity . . . S. M. McGuire *et al.* **2216**

Ion bombardment

Ion bombardment-induced changes in oxide-metal interactions studied by photoelectron spectroscopy . . . Sharmila M. Mukhopadhyay *et al.* **1958**

Ion implantation

Modification of high temperature and high performance polymers by ion implantation . . . Yongqiang Wang *et al.* **388**
Analysis of buried oxide layer formation and mechanism of threading dislocation generation in the substoichiometric oxygen dose region . . . Sadao Nakashima *et al.* **523**
Effects of Cr^+ ion implantation on the oxidation of Ni_3Al . . . M. Chen *et al.* **734**
Microstructural effects on surface mechanical properties of ion-implanted polymers . . . G. R. Rao *et al.* **927**
Damage-to-dose ratio after low energy silicon ion implantation into crystalline silicon . . . Y. Levin *et al.* **2305**
Topographical changes induced by high dose carbon-bombardment of graphite . . . B. K. Annis *et al.* **2587**
Characterization of europium-implanted $LiNbO_3$ . . . P. Moretti *et al.* **2679**

Ion mixing

Influence of the irradiation temperature on the intracascade ion mixing . . . M. Alurralde *et al.* **449**

Ion plating

Wear resistance of arc ion-plated chromium nitride coatings . . . Yuji Chiba *et al.* **1109**

Kinetic properties

The influence of steam on mullite formation from sol-gel precursors . . . Yong Wang *et al.* **195**
A time-resolved diffraction study of the Ta–C solid combustion system . . . E. M. Larson *et al.* **1533**
Evidence for nonclassical nucleation at solid surfaces in diamond deposition from the gas phase . . . Massimo Tomellini **1596**
The influence of microstructure on the electrochromic properties of Li_xWO_3 films: Part II. Limiting mechanisms in coloring and bleaching processes . . . Ji-Guang Zhang *et al.* **2657**
Quantitative nucleation and growth studies of PACVD diamond film formation on (100) silicon . . . R. A. Bauer *et al.* **2858**
Gas permeability of carbon aerogels . . . F-M. Kong *et al.* **3100**
Effect of iron and cobalt addition on TiC combustion synthesis . . . Yoon Choi *et al.* **3202**

Laminate

Control of strength and toughness of ceramic/metal laminates using interface design . . . Z. Chen *et al.* **2362**
Role of Ag additions in the microstructural development, strain tolerance, and critical current density of Ag-sheathed BSCCO superconducting tapes . . . J. P. Singh *et al.* **2458**
Barium titanate/noble metal laminates prepared by the oxidation of solid metallic precursors . . . M. M. Antony *et al.* **2968**

	Investigation of the thermal anisotropy of unidirectional carbon fiber reinforced composite plates using optically generated thermal waves and a noncontact optical detection technique	W. Lauriks *et al.*	3106
Laser ablation deposition	$Ca_{(1-x)}Ni_xO$ catalytic thin films prepared by pulsed laser deposition	X. L. Mao *et al.*	2400
Laser annealing	Structural and optical properties of laser-synthesized copper oxide films	M. Wautelet *et al.*	327
	Formation of buried Sb dopant profiles in silicon by pulsed laser epitaxy	R. J. Carolissen *et al.*	841
	Effect of pulsed excimer laser irradiation on the magnetic anisotropy of iron-base and nickel-iron-base metallic glasses	M. Sorescu *et al.*	3078
Laser pyrolysis	Nanocrystalline α–Fe, Fe_3C, and Fe_7C_3, produced by CO_2 laser pyrolysis	Xiang-Xin Bi *et al.*	1666
Layered structure	Image analysis of TEM pictures of fluorine-intercalated graphite fibers	K. Oshida *et al.*	512
	TEM analysis of Co–Gd and Cr–Gd multilayer structures	G. A. Bertero *et al.*	771
	Transmission electron microscopy study of Co/Pd and Co/Au multilayers	F. Hakkens *et al.*	1019
	Formation and characterization of ohmic contacts to n–AlGaAs using Pd/AuGe/Ag/Au	L. R. Zheng *et al.*	1045
	Rapidly textured $Bi_2Sr_2CaCu_2O_8$	S. R. Arrasmith *et al.*	1247
	Epitaxial growth of Fe/Mo/Fe(111) and Fe/Cr/Fe(111) on Si(111)	Yang-Tse Cheng *et al.*	1567
	Stabilization of strained multilayers by thin interlayers	J. P. Hirth	1572
	A model for disorder in fluorine-intercalated graphite	S. L. di Vittorio *et al.*	1578
	Bi-intercalation of H_2SO_4 into stages 4–6 $FeCl_3$–graphite intercalation compounds	Yasuo Mizutani *et al.*	1586
	Intercalation of pentane into the stage 2 to 4 cesium graphitides: Relation between cesium density in the intercalated layers and the stage of the parent binary	H. Pilliere *et al.*	2288
	Effect of $FeCl_4^-$ intercalation on the transport properties of a graphitized polyimide film	B. Nysten *et al.*	2299
Lubricants	Crystal reorientation and wear mechanisms in MoS_2 lubricating thin films investigated by TEM	J. Moser *et al.*	206
	Oil absorption into cotton-phenolic material	P. A. Bertrand	1749
	Characterization of pulsed laser deposited MoS_2 by transmission electron microscopy	S. D. Walck *et al.*	2933
Machining	Electro-chemo-mechanical treatment: Facilitating steel grinding under electrochemical reduction of active cations	I. V. Vidensky *et al.*	2224
Magnetic materials	Microstructural study of the crystallization product of the $Co_{100-x}P_x$ amorphous system	F. Cebollada *et al.*	105
	Fabrication of EuO films by oxidation of Eu metal films	X. J. Yu *et al.*	462
	Magnetic domains along shear bands in amorphous metals observed by spin-polarized scanning electron microscopy	W. J. Tseng *et al.*	775
	Microscopic phase stability of the dilute magnetic semiconductor $Cd_{1-x}Fe_xSe$	E. Klein *et al.*	1348
	Diffusion of ^{57}Co in amorphous Fe–RE (RE = Dy, Tb, and Ce) and Fe–Si–B alloys	Kazumasa Yamada *et al.*	2231
	Synthesis and characterization of zinc ferrite particles prepared by hydrothermal decomposition of zinc chelate solutions	M. Andrés Vergés *et al.*	2916
Magnetic properties	Syntheses and some physical properties of solid solutions $Sr_2Cu_{1-x}Li_xMo_6$ with perovskite type of structure	M. Jansen *et al.*	324
	Characteristics of $TiBa_2Ca_2Cu_3O_{9+\delta}$ powder as synthesized and after grinding	P. J. Kung *et al.*	713
	Site selectivities and magnetic moments of V, Cr, and Mn doped in γ–TiAl alloys	V. Suresh Babu *et al.*	989
	Solution-based synthesis routes to $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_{10+\delta}$	M. T. Ruiz *et al.*	1268
	Effect of internal fission-fragment irradiation on critical currents and flux creep in Bi–Sr–Ca–Cu–O superconductors doped with UO_2	F. E. Luborsky *et al.*	1277
	Annealing of pressure-induced structural damage in superconducting Bi–Pb–Sr–Ca–Cu–O ceramic	I. Maartense *et al.*	2177
	Spherical iron oxide particles synthesized by an aerosol technique	M. V. Cabañas *et al.*	2694
	Effect of pulsed excimer laser irradiation on the magnetic anisotropy of iron-base and nickel-iron-base metallic glasses	M. Sorescu *et al.*	3078
Magnetic resonance imaging (MRI)	Void distribution and susceptibility differences in ceramic materials using MRI	Anton S. Wallner *et al.*	655
Mechanical alloying	The mechanism of mechanical alloying of $MoSi_2$	S. N. Patankar *et al.*	1311

Influence of boron content on the amorphization rate of Co–B mixtures by mechanical alloying . . . A. Corrias *et al.* 1327
Mechanical alloying of Al–Ti powder mixtures and their subsequent consolidation . . . T. Itsukaichi *et al.* 1817
Evidence for self-sustained $MoSi_2$ formation during room-temperature high-energy ball milling of elemental powders . . . E. Ma *et al.* 1836
Amorphous and nanocrystalline Fe–Ti prepared by ball milling . . . L. Zaluski *et al.* 3059

Mechanical properties

Synthesis of stable quasicrystalline particle-dispersed Al base composite alloys . . . An Pang Tsai *et al.* 5
Molecular CO emission accompanying fracture of polycarbonate: Evidence for chain cleavage . . . J. T. Dickinson *et al.* 14
Substitutional solutes in AlCo: Part II. Hardening and correlations with defect structure . . . Robert L. Fleischer 59
Environmental effect on mechanical properties of TiAl base alloys . . . Morihiko Nakamura *et al.* 68
A direct determination of fractal dimension of fracture surfaces using scanning electron microscopy and stereoscopy . . . J. J. Friel *et al.* 100
A new method for tensile testing of thin films . . . J. A. Ruud *et al.* 112
Crystal reorientation and wear mechanisms in MoS_2 lubricating thin films investigated by TEM . . . J. Moser *et al.* 206
The yield stress of polycrystalline thin films . . . C. V. Thompson 237
A simple predictive model for spherical indentation . . . J. S. Field *et al.* 297
On the first-matrix-cracking stress in unidirectional fiber-reinforced brittle materials . . . X. F. Yang *et al.* 371
Hardness measurements of Ar^+-beam treated polyimide by depth-sensing ultra low load indentation . . . E. H. Lee *et al.* 377
Influence of long-range order on tensile properties of Ni_3Fe and Ni_3Fe–Y_2O_3 composites . . . A. Bose *et al.* 430
Bonding-property relationships in intermetallic alloys . . . M. E. Eberhart *et al.* 438
Fiber strength utilization in carbon/carbon composites . . . Rafael J. Zaldivar *et al.* 501
Mechanical properties of hot isostatically pressed Si_3N_4 and Si_3N_4/SiC composites . . . O. Unal *et al.* 626
Atomistic considerations on the fracture toughness of brittle materials . . . M. Sakai 668
Continuous microindentation of passivating surfaces . . . Shankar K. Venkataraman *et al.* 685
The effect of $Y_2Ba_1Cu_1O_5$ addition on microstructure and formation of microcracks in the partially melted Y–Ba–Cu–O oxides . . . Chan-Joong Kim *et al.* 699
A model of thermomechanical fatigue in a lead-base alloy . . . Larry Lawson 745
Creep of a niobium beryllide, Ni_2Be_{17} . . . T. G. Nieh *et al.* 757
X-ray tensile testing of thin films . . . I. C. Noyan *et al.* 764
Magnetic domains along shear bands in amorphous metals observed by spin-polarized scanning electron microscopy . . . W. J. Tseng *et al.* 775
Observation, analysis, and simulation of the hysteresis of silicon using ultra-micro-indentation with spherical indenters . . . E. R. Weppelmann *et al.* 830
Effect of fiber coating on the mechanical behavior of SiC fiber-reinforced titanium aluminide composites . . . S. M. Jeng *et al.* 905
Microstructural effects on surface mechanical properties of ion-implanted polymers . . . G. R. Rao *et al.* 927
The frictional component of the indentation size effect in low load microhardness testing . . . H. Li *et al.* 1028
Nickel-alloyed tin-lead eutectic solder for surface mount technology . . . Sung K. Kang *et al.* 1033
Kinetics and mechanisms of high-temperature creep in polycrystalline aluminum nitride . . . A. Vasudev *et al.* 1101
Wear resistance of arc ion-plated chromium nitride coatings . . . Yuji Chiba *et al.* 1109
Pressurized internal lenticular cracks at healed mica interfaces . . . K-T. Wan *et al.* 1128
Synthesis, characterization, and properties of new polystyrene-SiO_2 hybrid sol-gel materials . . . Yen Wei *et al.* 1143
Mechanical properties of nylon 6-clay hybrid . . . Yoshitsugu Kojima *et al.* 1185
Plastic deformation in an Al–Cu–Fe icosahedral alloy . . . J. E. Shield *et al.* 1199
Effects of silver additions on resistance to thermal shock and delayed failure of $YBa_2Cu_3O_{7-\delta}$ superconductors . . . J. P. Singh *et al.* 1226
Microscopy and microindentation mechanics of single crystal Fe–3 wt. % Si: Part I. Atomic force microscopy of a small indentation . . . S. Harvey *et al.* 1291
Microscopy and microindentation mechanics of single crystal Fe–3 wt. % Si: Part II. TEM of the indentation plastic zone . . . W. Zielinski *et al.* 1300
Microstructural characterization, mechanical properties, and corrosion resistance of the CaO–TiO_2 system . . . P. S. Maiya *et al.* 1387
Postfailure subsidiary cracking from indentation flaws in brittle materials . . . Nitin P. Padture 1411
A new method for measuring the strength and ductility of thin films . . . David T. Read *et al.* 1542
Hot-hardness comparisons among isostructural $Be_{12}X$ intermetallic compounds . . . S. M. Bruemmer *et al.* 1550
Stabilization of strained multilayers by thin interlayers . . . J. P. Hirth 1572
Correlation between microstructure and mechanical properties in silicon carbide with alumina addition . . . S. S. Shinozaki *et al.* 1635

Erratum: "A model of thermomechanical fatigue in a lead-base alloy" [J. Mater. Res. **8**, 745 (1993)] . . . Larry Lawson **1758**
Fracture toughness of the $L1_2$ compounds $Al_{66}Ti_{25}Mn_9$ and $Al_{66}Ti_{25}Cr_9$ . . . S. A. Brown *et al.* **1763**
Deformation behavior and high-temperature stability of unidirectionally solidified, twin phase TiAl . . . G. H. Fair *et al.* **1812**
Stress development and relaxation in copper films during thermal cycling . . . M. D. Thouless *et al.* **1845**
Dislocation emission criterion: Grain boundary effect . . . Sham-Tsong Shiue *et al.* **1853**
Fabrication and properties of functionally graded $NiAl/Al_2O_3$ composites . . . D. P. Miller *et al.* **2004**
An internal synthesis method for producing a mullite–chromium carbide composite . . . C. T. Ho **2035**
Interface control and design for SiC fiber-reinforced titanium aluminide composites . . . Hsing-Pang Chiu *et al.* **2040**
Electro-chemo-mechanical treatment: Facilitating steel grinding under electrochemical reduction of active cations . . . I. V. Vidensky *et al.* **2224**
Control of strength and toughness of ceramic/metal laminates using interface design . . . Z. Chen *et al.* **2362**
Chemical reaction strengthening of Al/TiC metal matrix composites by isothermal heat treatment at 913 K . . . R. Mitra *et al.* **2370**
Role of Ag additions in the microstructural development, strain tolerance, and critical current density of Ag-sheathed BSCCO superconducting tapes . . . J. P. Singh *et al.* **2458**
Tribological properties of quasicrystalline coatings . . . S. S. Kang *et al.* **2471**
Determining fracture facet crystallography using electron backscatter patterns and quantitative tilt fractography . . . D. C. Slavik *et al.* **2482**
Mechanical properties and metallography of aluminum matrix composites reinforced by the Cu- or Ni-plating carbon multifilament . . . Takakazu Suzuki *et al.* **2492**
High temperature creep transitions in single crystalline $Ni_3Al(Ta, B)$ . . . J. Wolfenstine *et al.* **2510**
Environmental embrittlement of boron-doped $Ni_3(Al, Ti)$ single crystals at room temperature . . . T. Takasugi *et al.* **2534**
Scanning tunneling microscope observations of metallic glass fracture surfaces . . . D. M. Kulawansa *et al.* **2543**
Combined surface characterization and tribological (friction and wear) studies of CVD diamond films . . . Scott S. Perry *et al.* **2577**
An investigation of ductility and microstructural evolution in an Al–3% Mg alloy with submicron grain size . . . Jingtao Wang *et al.* **2810**
Investigation of Ni_3Al-matrix composites strengthened by TiC . . . Bingchu Mei *et al.* **2830**
Characterization of the mechanical properties of a–SiC : H films . . . M. J. Loboda *et al.* **2908**
Nanoindentation studies of sublimed fullerene films using atomic force microscopy . . . Juai Ruan *et al.* **3019**
High temperature mechanical properties of Cr_2Nb-based intermetallics . . . T. Takasugi *et al.* **3069**
Fracture toughness of PMMA as measured with indentation cracks . . . S. R. Choi *et al.* **3210**
A note on the elastic contact stiffness of a layered medium . . . Huajian Gao *et al.* **3229**

Melt texturing

Controlled heterogeneous nucleation of melt-textured $YBa_2Cu_3O_{6+x}$ by addition of Al_2O_3 particles . . . Yan L. Chen *et al.* **2128**

Metal-insulator transition

Filament formation in switching devices based on V_2O_5 gel films . . . J-G. Zhang *et al.* **558**

Metals

Effects of molybdenum on cellular precipitation in nickel–9 at. % tin alloy . . . Archana Gupta *et al.* **95**
A direct determination of fractal dimension of fracture surfaces using scanning electron microscopy and stereoscopy . . . J. J. Friel *et al.* **100**
A simple predictive model for spherical indentation . . . J. S. Field *et al.* **297**
Influence of the irradiation temperature on the intracascade ion mixing . . . M. Alurralde *et al.* **449**
Embedded atom calculations of the equilibrium shapes of 5–60 atom palladium nanocrystals . . . A. Sachdev *et al.* **455**
Fabrication of EuO films by oxidation of Eu metal films . . . X. J. Yu *et al.* **462**
Evidence of Co/SiO_2 reaction during rapid thermal annealing . . . Herbert L. Ho *et al.* **467**
X-ray tensile testing of thin films . . . I. C. Noyan *et al.* **764**
TEM analysis of Co–Gd and Cr–Gd multilayer structures . . . G. A. Bertero *et al.* **771**
Wagner oxidation in the nonisothermal regime . . . László Nánai *et al.* **945**
Narrowing sputtered nanoparticle size distributions . . . F. H. Kaatz *et al.* **995**
Microstructural characterization of $Al_{98.5wt.\%}Si_{1.0wt.\%}Cu_{0.5wt.\%}$ on chemical-vapor-deposited W . . . Carey A. Pico *et al.* **1001**
The properties of thermal hillocks as a function of linewidth and process parameter in Al-on-chemical-vapor-deposited W films . . . Carey A. Pico *et al.* **1010**
Transmission electron microscopy study of Co/Pd and Co/Au multilayers . . . F. Hakkens *et al.* **1019**
The frictional component of the indentation size effect in low load microhardness testing . . . H. Li *et al.* **1028**
A new method for measuring the strength and ductility of thin films . . . David T. Read *et al.* **1542**
Epitaxial growth of Fe/Mo/Fe(111) and Fe/Cr/Fe(111) on Si(111) . . . Yang-Tse Cheng *et al.* **1567**
XRD characterization of highly dispersed metal catalysts on carbon support . . . Paolo Scardi *et al.* **1829**
Chaotic dynamics in a model of metal passivation . . . J. Kevin McCoy *et al.* **1858**

	Nondestructive detection of fatigue cracks in PM 304 stainless steel by internal friction and elasticity	S. M. McGuire *et al.*	2216
	Electro-chemo-mechanical treatment: Facilitating steel grinding under electrochemical reduction of active cations	I. V. Vidensky *et al.*	2224
	Determining fracture facet crystallography using electron backscatter patterns and quantitative tilt fractography	D. C. Slavik *et al.*	2482
Microstructure	Microstructure of $PbTiO_3$ thin films deposited on (001) MgO by MOCVD	Y. Gao *et al.*	145
	Properties and microstructure of continuous oxynitride glass fiber and its application to aluminum matrix composite	Katsuaki Suganuma *et al.*	178
	SEM and Auger studies of a PLZT thin film	Kwangsoo No *et al.*	245
	Structural studies on Tl–Ca–Ba–Cu–O superconducting thin films	Bruno Morosin *et al.*	720
	Texture development due to preferential grain growth of Ho–Ba–Cu–O in 1.6-T magnetic field	A. Holloway *et al.*	727
	Extrinsic contributions to the grain size dependence of relaxor ferroelectric $Pb(Mg_{1/3}Nb_{2/3}):PbTiO_3$ ceramics	C. A. Randall *et al.*	880
	Substrate dependence of the crystallinity and mosaic texture of $YBa_2Cu_3O_{7-\delta}$ ultrathin films deposited by laser ablation	C. C. Chin *et al.*	951
	Effect of single crystal substrates on the growth and properties of superconducting $Tl_2Ba_2CaCu_2O_8$ films	W. L. Holstein *et al.*	962
	Transmission electron microscopy study of Co/Pd and Co/Au multilayers	F. Hakkens *et al.*	1019
	Inhomogeneous distribution of Cr impurities in $\alpha-Al_2O_3$ during refractory aging	Laurence Galoisy *et al.*	1153
	Structure and behavior of metal/ceramic interfaces in Ti alloy/SiC metal matrix composites	Ernest L. Hall *et al.*	1158
	Ferroelectric behavior of pulsed laser deposited $Ba_xSr_{1-x}TiO_3$ thin films	Vivek Mehrotra *et al.*	1209
	Domain growth of Dy_2O_3 buffer layers on $SrTiO_3$	A. Catana *et al.*	1373
	Tailored $MoSi_2$/SiC composites by mechanical alloying	S. Jayashankar *et al.*	1428
	Kinetics and mechanism of stacking fault annihilation and grain growth in porous ceramics of $\beta-SiC$	Won-Seon Seo *et al.*	1644
	Transmission electron microscopy of $GeSe_{2+\delta}$ thin films	H. Maghsoudlou *et al.*	1728
	Nucleation of oriented diamond films on nickel substrates	P. C. Yang *et al.*	1773
	XRD characterization of highly dispersed metal catalysts on carbon support	Paolo Scardi *et al.*	1829
	Generation and annihilation of antiphase domain boundaries in GaAs on Si grown by molecular beam epitaxy	A. Georgakilas *et al.*	1908
	Composition/structure/property relations of multi-ion-beam reactive sputtered lead lanthanum titanate thin films: Part II. Textured microstructure development	G. R. Fox *et al.*	2191
	Influence of vibration on grain size and degree of grain refinement in mild steel weldments	S. P. Tewari	2228
	Epitaxial growth of AlN by plasma-assisted, gas-source molecular beam epitaxy	L. B. Rowland *et al.*	2310
	Interfaces in as-extruded *XD* Al/TiC and Al/TiB_2 metal matrix composites	R. Mitra *et al.*	2380
	Interfaces in $\beta-SiC$ whiskers/6061 aluminum composites	Katsuaki Suganuma	2569
	Topographical changes induced by high dose carbon-bombardment of graphite	B. K. Annis *et al.*	2587
	Role of grain boundaries in the epitaxial realignment of undoped and As-doped polycrystalline silicon films	C. Spinella *et al.*	2608
	Characterization of europium-implanted $LiNbO_3$	P. Moretti *et al.*	2679
	Characterization of epitaxial $SrTiO_3/YBa_2Cu_3O_7$ layers deposited on (001) MgO by laser ablation	P. Scardi *et al.*	2780
	Interfacial reaction products and film orientation in $YBa_2Cu_3O_{7-x}$ on zirconia substrates with and without CeO_2 buffer layers	G. L. Skofronick *et al.*	2785
	Morphological changes of poly(tetrafluoroethylene) by heat treatment on NaCl	Sadaatsu Yamaguchi *et al.*	2942
Molecular beam epitaxy (MBE)	Epitaxial growth of BaO and SrO with new crystal structures using mass-separated low-energy O^+ beams	Ryusuke Kita *et al.*	321
	Domain growth of Dy_2O_3 buffer layers on $SrTiO_3$	A. Catana *et al.*	1373
	Generation and annihilation of antiphase domain boundaries in GaAs on Si grown by molecular beam epitaxy	A. Georgakilas *et al.*	1908
	Epitaxial growth of AlN by plasma-assisted, gas-source molecular beam epitaxy	L. B. Rowland *et al.*	2310
	The effect of interruption during the growth of strained GaAs/InGaAs/GaAs quantum wells by molecular beam epitaxy	S. F. Yoon *et al.*	3122
Molecular solid	Fullerenes	M. S. Dresselhaus *et al.*	2054
Nanoclusters	Embedded atom calculations of the equilibrium shapes of 5–60 atom palladium nanocrystals	A. Sachdev *et al.*	455
Nanocrystal	Nanocrystalline $\alpha-Fe$, Fe_3C, and Fe_7C_3, produced by CO_2 laser pyrolysis	Xiang-Xin Bi *et al.*	1666
Nanoindentation	Hardness measurements of Ar^+-beam treated polyimide by depth-sensing ultra low load indentation	E. H. Lee *et al.*	377

Nanoparticle

Narrowing sputtered nanoparticle size distributions . . . F. H. Kaatz *et al.* 995

Nanophase

X-ray and micro-Raman analysis of nanophase ZrO_2 and Y_2O_3–ZrO_2 produced by the gas-phase condensation technique . . . C. M. Foster *et al.* 1977

Optical materials

Ultra-low density aerogel optical applications . . . S. P. Hotaling 352
On the Maxwell–Garnett model of chiral composites . . . Akhlesh Lakhtakia *et al.* 917
High-temperature Hf-site-interchange chemistry in $LiNbO_3$ and $LiTaO_3$ . . . Dunbar P. Birnie, III *et al.* 1379
The influence of microstructure on the electrochromic properties of Li_xWO_3 thin films: Part I. Ion diffusion and electrochromic properties . . . Ji-Guang Zhang *et al.* 2649
The influence of microstructure on the electrochromic properties of Li_xWO_3 films: Part II. Limiting mechanisms in coloring and bleaching processes . . . Ji-Guang Zhang *et al.* 2657

Optical properties

Light-induced defects in aluminum nitride ceramics . . . J. H. Harris *et al.* 154
Model for the temperature dependent transmission of optically transparent poly(methyl methacrylate) composites . . . Hongy Lin *et al.* 364
New fluoroindate glass compositions . . . Y. Messaddeq *et al.* 885
On the Maxwell–Garnett model of chiral composites . . . Akhlesh Lakhtakia *et al.* 917
Low-temperature chemical routes to formation and IR properties of lanthanum sesquisulfide (La_2S_3) ceramics . . . Prashant N. Kumta *et al.* 1394
High refractive index films of polymer nanocomposites . . . Lorenz Zimmermann *et al.* 1742
Effect of surface structures upon ultrathin film interference fringes . . . Lu Taijing *et al.* 2315
The dielectric constant of TCNQ single crystals as deduced by reflection electron energy loss spectroscopy . . . G. Mondio *et al.* 2627
Metal coatings on semiconductor particles in glass . . . Vijay Sukumar *et al.* 2686
Morphology of heavily B-doped diamond films . . . Koichi Miyata *et al.* 2845

Optical spectroscopy

Optical spectroscopic study of the radio frequency oxygen thermal plasma evaporated $YBa_2Cu_3O_{7-x}$ . . . Shigenori Yuhya *et al.* 709
New fluoroindate glass compositions . . . Y. Messaddeq *et al.* 885

Optoelectronic materials

Microstructure of $PbTiO_3$ thin films deposited on (001) MgO by MOCVD . . . Y. Gao *et al.* 145
Raman study of fresnoite-type materials: Polarized single crystal, crystalline powders, and glasses . . . S. A. Markgraf *et al.* 635
Phases and crystallization in the system Li_2O–B_2O_3–H_2O under hydrothermal conditions . . . K. Byrappa *et al.* 864
Electronic structure of high pressure phase of AlN . . . Ravindra Pandey *et al.* 1922
The influence of water of hydrolysis on microstructural development in sol-gel derived $LiNbO_3$ thin films . . . Vikram Joshi *et al.* 2668
Characterization of europium-implanted $LiNbO_3$ . . . P. Moretti *et al.* 2679
Electrical and optical characterization of Sb : SnO_2 . . . Yue-Song He *et al.* 3131

Oxidation

Mechanism of $MoSi_2$ pest during low temperature oxidation . . . T. C. Chou *et al.* 214
Structural and optical properties of laser-synthesized copper oxide films . . . M. Wautelet *et al.* 327
Fabrication of EuO films by oxidation of Eu metal films . . . X. J. Yu *et al.* 462
Evidence of Co/SiO_2 reaction during rapid thermal annealing . . . Herbert L. Ho *et al.* 467
Oxidation behavior of aluminum nitride . . . A. Bellosi *et al.* 565
Effects of Cr^+ ion implantation on the oxidation of Ni_3Al . . . M. Chen *et al.* 734
Wagner oxidation in the nonisothermal regime . . . László Nánai *et al.* 945
High-temperature oxidation of ion-plated TiN and TiAlN films . . . Hiroshi Ichimura *et al.* 1093
Kinetics of $MoSi_2$ pest during low-temperature oxidation . . . T. C. Chou *et al.* 1605
Fundamental studies of the influence of boron on the graphite-oxygen reaction using *in situ* electron microscopy techniques . . . N. M. Rodriguez *et al.* 1886
A novel stable solid formed by C_{60} + oxygen at high $P(O_2)$ . . . D. E. Morris *et al.* 2273
The kinetics of chemical vapor deposited diamond-oxygen reaction . . . M. Alam *et al.* 2870
In situ electron microscopy studies of the inhibition of graphite oxidation by phosphorus . . . S. G. Oh *et al.* 2879
Nucleation and growth of oxide precipitates in CZ–Si wafers . . . Mitsuo Ataka *et al.* 2889
Barium titanate/noble metal laminates prepared by the oxidation of solid metallic precursors . . . M. M. Antony *et al.* 2968
Effects of α-silicon nitride powder processing on surface oxidation kinetics . . . Pu Sen Wang *et al.* 3168

Passivation

Chaotic dynamics in a model of metal passivation . . . J. Kevin McCoy *et al.* 1858

Perturbed angular correlation (PAC)

High-temperature Hf-site-interchange chemistry in $LiNbO_3$ and $LiTaO_3$ . . . Dunbar P. Birnie, III *et al.* 13*

Phase transformation

Chemical interaction of BaO–CuO-rich melts with Y_2O_3 . . . N. Pellerin *et al.* 18
Effects of molybdenum on cellular precipitation in nickel–9 at. % tin alloy . . . Archana Gupta *et al.* 95

Microstructural study of the crystallization product of the $Co_{100-x}P_x$ amorphous system . . . F. Cebollada *et al.* **105**
Effect of chemical and heat treatment on the tetragonal-to-monoclinic transformation of zirconia . . . X. Turrillas *et al.* **163**
On the bcc, fcc, hcp, and amorphous polymorphs of Zr_3Al . . . A. R. Yavari *et al.* **242**
Microstructural characterization of reactions in Al–Zr thin film couples . . . K. P. Mingard *et al.* **274**
Atmosphere effects of the amorphization reaction in NiZr by ball milling . . . K. Aoki *et al.* **307**
Low temperature perovskite formation of lead zirconate titanate thin films by a seeding process . . . Chi Kong Kwok *et al.* **339**
Devitrification inhibitor in binary borosilicate glass composite . . . Jau-Ho Jean *et al.* **356**
Containerless solidification of $YBa_2Cu_3O_{7-x}$ in a drop tube . . . V. R. Todt *et al.* **411**
Phase transformations and microstructure evolution in sol-gel derived yttrium-aluminum garnet films . . . R. S. Hay **578**
On the occurrence of a metastable tetragonal t'-phase in a ZrO_2–13.6 mole % MgO ceramic and its microscopic thermal evolution . . . M. C. Caracoche *et al.* **605**
Epitaxial growth versus nucleation in amorphous Si doped with Cu and Ag . . . J. S. Custer *et al.* **820**
Properties and crystallization of Li_2O–CaO–Al_2O_3–SiO_2–TiO_2 glasses . . . Moo-Chin Wang *et al.* **890**
New tricks in the rapid quench route to high T_c materials . . . A. E. Miller *et al.* **973**
Comment on "Transient kinetics of nucleation and crystallization: Part I. Nucleation" [J. Mater. Res. **6**, 2091 (1991)] . . . Vitaly A. Shneidman **1190**
Reply to Comment of V. A. Shneidman . . . Frank G. Shi *et al.* **1191**
Structural transformations and metastable phases produced by mechanical deformations in the Bi–Sr–Ca–Cu–O superconducting system . . . P. Tessier *et al.* **1258**
The influence of mill energy and temperature on the structure of the TiNi intermetallic after mechanical attrition . . . Kenjiro Yamada *et al.* **1317**
Topotactic synthesis of vanadium nitride solid foams . . . S. Ted Oyama *et al.* **1450**
High-pressure phase transformation of $BeGa_2O_4$ . . . K. Nakamura *et al.* **1721**
Cristobalite growth inhibitor in Pyrex borosilicate glass—gallium oxide . . . Jau-Ho Jean *et al.* **1767**
Electron-beam-induced structural changes in crystalline C_{60} and C_{70} . . . Supapan Seraphin *et al.* **1895**
X-ray and micro-Raman analysis of nanophase ZrO_2 and Y_2O_3–ZrO_2 produced by the gas-phase condensation technique . . . C. M. Foster *et al.* **1977**
The structure of aperiodic, metamict $(Ca, Th)ZrTi_2O_7$ (zirconolite): An EXAFS study of the Zr, Th, and U sites . . . François Farges *et al.* **1983**
^{27}Al MAS-NMR spectra of alumina aerogels . . . Yasuyuki Mizushima *et al.* **2109**
Controlled heterogeneous nucleation of melt-textured $YBa_2Cu_3O_{6+x}$ by addition of Al_2O_3 particles . . . Yan L. Chen *et al.* **2128**
Solidification of $Bi_2Sr_2CaCu_2O_y$ and $Bi_2Sr_{1.75}Ca_{0.25}CuO_y$ . . . T. G. Holesinger *et al.* **2149**
From imperfect to perfect $Bi_2Sr_2CaCu_2O_x$ (Bi–2212) grains . . . B. Heeb *et al.* **2170**
Phase evolution in silver-doped BiPbSrCaCuO(2223)/Ag superconducting composites . . . Y. C. Guo *et al.* **2187**
Intercalation of pentane into the stage 2 to 4 cesium graphitides: Relation between cesium density in the intercalated layers and the stage of the parent binary . . . H. Pilliere *et al.* **2288**
Crystal growth and morphology of hydrothermally grown lithium borates . . . K. Byrappa *et al.* **2319**
Reaction study of cobalt and silicon nitride . . . Tue Nguyen *et al.* **2354**
Effect of gallium oxide in preventing cristobalite formation in binary borosilicate glass composite . . . Jau-Ho Jean *et al.* **2393**
Processing characteristics and properties of BiSrCaCuO superconducting glass ceramics prepared by melt-quenching . . . Y. Massalker *et al.* **2445**
Experimental and theoretical investigation of the order-disorder transformation in Ni_3Al . . . Francesco Cardellini *et al.* **2504**
An electron microscopy study of the precipitation of rhenium in the B2 nickel aluminide . . . D. C. Van Aken *et al.* **2524**
First-principles study of phase stability of Ti–Al intermetallic compounds . . . Mark Asta *et al.* **2554**
Structural characterization and thermal stability of W/Si multilayers . . . M. Brunel *et al.* **2600**
Interaction between SiC and Ti powder . . . I. Gotman *et al.* **2725**
Influence of Y_2BaCuO_5 particles on the growth morphology of peritectically solidified $YBa_2Cu_3O_{7-x}$ . . . G. J. Schmitz *et al.* **2774**
The formation of metastable Ti–Al solid solutions by mechanical alloying and ball milling . . . M. Oehring *et al.* **2819**
The $\alpha \rightarrow \beta$ polytypic transformation in high-temperature indented SiC . . . J. W. Yang *et al.* **2902**
Structural transformations of alumina by high energy ball milling . . . P. A. Zieliński *et al.* **2985**
Influence of rare earth element additions on phase transformations in the Zn–27% Al alloy . . . Yao Hua Zhu *et al.* **3043**
Calorimetric analysis of the system Ag_2S–Ag_2Se between 25 and 250 °C . . . N. E. Pingitore *et al.* **3126**

Photo-oxidation

Photoassisted oxygen doping of C_{60} films . . . A. M. Rao *et al.* **2277**

Photochemical processing

An investigation of photoassisted diffusion of oxygen in solid C_{60} films using resonant alpha-scattering . . . Corinne C. Eloi *et al.* **3085**

Photoelectron spectroscopy

Ion bombardment-induced changes in oxide-metal interactions studied by photoelectron spectroscopy . . . Sharmila M. Mukhopadhyay *et al.* **1958**

Photoemission spectroscopy

Measurement of the work function of $Y_1Ba_2Cu_3O_{7-\delta}$ under ambient conditions . . . Jon DeVries *et al.* **1497**

Photoluminescence

The effect of interruption during the growth of strained GaAs/InGaAs/GaAs quantum wells by molecular beam epitaxy . . . S. F. Yoon *et al.* **3122**

Photon emission

Recombination on fractal networks: Photon and electron emission following fracture of materials . . . J. T. Dickinson *et al.* **2921**

Physical vapor deposition (PVD)

The formation of fullerenes and nanotubules . . . P. Byszewski *et al.* **118**
Hydride precipitation in vapor deposited Ti thin films . . . S. R. Peddada *et al.* **291**
Narrowing sputtered nanoparticle size distributions . . . F. H. Kaatz *et al.* **995**
Solid solutions of AlN and SiC grown by plasma-assisted, gas-source molecular beam epitaxy . . . R. S. Kern *et al.* **1477**
Epitaxial growth of Fe/Mo/Fe(111) and Fe/Cr/Fe(111) on Si(111) . . . Yang-Tse Cheng *et al.* **1567**
Macro-effects of resputtering due to negative ion bombardment of growing thin films . . . Daniel J. Kester *et al.* **1928**
Micro-effects of resputtering due to negative ion bombardment of growing thin films . . . Daniel J. Kester *et al.* **1938**
Pulsed laser deposition of amorphous diamond-like carbon films with ArF (193 nm) excimer laser . . . Fulin Xiong *et al.* **2265**
Chemistry and localization effects in the C-KVV Auger line shapes of transition metal carbides and related compounds . . . Pehr E. Pehrsson *et al.* **2716**
Gas-source molecular beam epitaxy of monocrystalline β–SiC on vicinal α–(6H)–SiC . . . L. B. Rowland *et al.* **2753**
Deposition of diamond phase carbon films on surface pretreated stainless steel substrate . . . Ebrahim Heidarpour *et al.* **2840**
Nanoindentation studies of sublimed fullerene films using atomic force microscopy . . . Juai Ruan *et al.* **3019**
Ion beam sputter deposition of $YBa_2Cu_3O_{7-\delta}$ thin films . . . B. J. Kellett *et al.* **3032**
Protective films of nanophase diamond deposited directly on zinc sulfide infrared optics . . . F. Davanloo *et al.* **3090**
Effect of dose stoichiometry on the structure of vapor-deposited polyimide thin films . . . R. G. Pethe *et al.* **3218**

Piezoelectric materials

Crystal growth and morphology of hydrothermally grown lithium borates . . . K. Byrappa *et al.* **2319**

Plasma deposition

Relationship between the structural organization and the physical properties of PECVD nitrogenated carbons . . . M. Ricci *et al.* **480**
Optical spectroscopic study of the radio frequency oxygen thermal plasma evaporated $YBa_2Cu_3O_{7-x}$ . . . Shigenori Yuhya *et al.* **709**
Structure and behavior of metal/ceramic interfaces in Ti alloy/SiC metal matrix composites . . . Ernest L. Hall *et al.* **1158**
Modeling of diamond growth from a microwave plasma: C_2H as growth species . . . Hans Rau *et al.* **2250**
Single crystal wurtzite GaN on (111) GaAs with AlN buffer layers grown by reactive magnetron sputter deposition . . . Jennifer Ross *et al.* **2613**

Plasma pyrolysis

Synthesis of ceramic oxide powders in a microwave plasma device . . . Dieter Vollath *et al.* **2978**

Plasma spray

A structural investigation of a plasma sprayed Ni–Cr based alloy coating . . . S. Sampath *et al.* **78**

Polycrystal

New method for fabrication of superconducting pipes in the Bi–Sr–Ca–Cu–O system . . . Yoshihiro Abe *et al.* **1**
A direct determination of fractal dimension of fracture surfaces using scanning electron microscopy and stereoscopy . . . J. J. Friel *et al.* **100**
The effect of $Y_2Ba_1Cu_1O_5$ addition on microstructure and formation of microcracks in the partially melted Y–Ba–Cu–O oxides . . . Chan-Joong Kim *et al.* **699**
Resistive transition broadening in two-phase polycrystalline YBaCuO . . . J. C. Abele *et al.* **957**
Electrical properties of silica-alumina ceramics in nitrogen atmosphere . . . Yoshihiro Hirata *et al.* **1116**
Isothermal capacitance transient spectroscopy study on trap levels in polycrystalline SnO_2 ceramics . . . Myung Chul Kim *et al.* **1368**
On the morphological properties of tungsta-titania de-NO_xing catalysts . . . C. Cristiani *et al.* **2019**
Effect of partial vacuum on YBCO thick films on Y_2BaCuO_5 and ZrO_2 substrates . . . Indu Dhingra *et al.* **2433**
Densification behaviors and piezoelectric properties of MnO_2, SiO_2-doped $Pb(Ni_{1/3}Nb_{2/3})O_3$–$PbTiO_3$–$PbZrO_3$ ceramics . . . Jong H. Moon *et al.* **3184**

Polymers

Molecular CO emission accompanying fracture of polycarbonate: Evidence for chain cleavage . . . J. T. Dickinson *et al.* 14
Structural and textural changes from polyimide Upilex to graphite: Part III . . . C. Bourgerette *et al.* 121
Hardness measurements of Ar^+-beam treated polyimide by depth-sensing ultra low load indentation . . . E. H. Lee *et al.* 377
Modification of high temperature and high performance polymers by ion implantation . . . Yongqiang Wang *et al.* 388
Determination of the dependence of the surface force induced contact radius on particle radius: Cross-linked polystyrene spheres on SiO_2/silicon . . . D. S. Rimai *et al.* 662
Ionic conductivity and thermal analysis of a high-temperature polymer . . . Y. S. Pak *et al.* 923
Microstructural effects on surface mechanical properties of ion-implanted polymers . . . G. R. Rao *et al.* 927
Morphological changes of poly(tetrafluoroethylene) by heat treatment on NaCl . . . Sadaatsu Yamaguchi *et al.* 2942
Fracture toughness of PMMA as measured with indentation cracks . . . S. R. Choi *et al.* 3210
Effect of dose stoichiometry on the structure of vapor-deposited polyimide thin films . . . R. G. Pethe *et al.* 3218

Powder

The formation of fullerenes and nanotubules . . . P. Byszewski *et al.* 118
Texture evolution of SnO_2 synthesized by pyrolysis of an aerosol . . . M. Vallet-Regí *et al.* 138
Selective exchange of divalent transition metal ions in cryptomelane-type manganic acid with tunnel structure . . . Masamichi Tsuji *et al.* 611
Investigation of cured hydridopolysilazane-derived ceramic fibers via dynamic nuclear polarization . . . Russel H. Lewis *et al.* 649
Determination of the dependence of the surface force induced contact radius on particle radius: Cross-linked polystyrene spheres on SiO_2/silicon . . . D. S. Rimai *et al.* 662
Synthesis of microcrystalline $BaZrO_3$ via molecular precursor route . . . H. S. Potdar *et al.* 948
Effect of internal fission-fragment irradiation on critical currents and flux creep in Bi–Sr–Ca–Cu–O superconductors doped with UO_2 . . . F. E. Luborsky *et al.* 1277
Influence of boron content on the amorphization rate of Co–B mixtures by mechanical alloying . . . A. Corrias *et al.* 1327
Chemistry and structure of mixed magnesium ferric oxide aerogels . . . R. J. Willey *et al.* 1418
Synthesis of superconductors from soluble metal oxo alkoxide precursors . . . M. W. Rupich *et al.* 1487
Hydrothermal synthesis and sintering of ultrafine CeO_2 powders . . . Y. C. Zhou *et al.* 1680
Evidence for self-sustained $MoSi_2$ formation during room-temperature high-energy ball milling of elemental powders . . . E. Ma *et al.* 1836
Solidification of $CaCO_3$ containing $SrCO_3$ by hydrothermal hot-pressing . . . Nakamichi Yamasaki *et al.* 1972
A novel stable solid formed by C_{60} + oxygen at high $P(O_2)$ . . . D. E. Morris *et al.* 2273
Selection of structural type and particle size in titanium (IV) oxide . . . M. Vallet-Regí *et al.* 2336
Formation of V_2O_5-based mixed oxides in flames . . . Philippe F. Miquel *et al.* 2404
Rapid solidification by unstable combustion synthesis . . . H. P. Li *et al.* 2515
Preparation of ultrafine tungsten carbide powder by CVD method from WCl_6–C_2H_2–H_2 mixtures . . . Chang-Whan Won *et al.* 2702
Study of the anatase-rutile transformation in TiO_2 powders obtained by laser-induced synthesis . . . Laura E. Depero *et al.* 2709
Synthesis and characterization of zinc ferrite particles prepared by hydrothermal decomposition of zinc chelate solutions . . . M. Andrés Vergés *et al.* 2916
Synthesis of ceramic oxide powders in a microwave plasma device . . . Dieter Vollath *et al.* 2978
Powder x-ray diffraction study of a cryptomelane-type manganic acid and its alkali cation exchanged forms . . . Masamichi Tsuji *et al.* 3145

Powder metallurgy

Effects of iron impurities in mechanical alloying using steel media . . . P. J. Yvon *et al.* 239
On the bcc, fcc, hcp, and amorphous polymorphs of Zr_3Al . . . A. R. Yavari *et al.* 242
Influence of long-range order on tensile properties of Ni_3Fe and Ni_3Fe–Y_2O_3 composites . . . A. Bose *et al.* 430
Creep of a niobium beryllide, Ni_2Be_{17} . . . T. G. Nieh *et al.* 757
Interface control and design for SiC fiber-reinforced titanium aluminide composites . . . Hsing-Pang Chiu *et al.* 2040
The formation of metastable Ti–Al solid solutions by mechanical alloying and ball milling . . . M. Oehring *et al.* 2819

Pulsed laser deposition

Characterization of pulsed laser deposited MoS_2 by transmission electron microscopy . . . S. D. Walck *et al.* 2933

Pyrolysis

Selection of structural type and particle size in titanium (IV) oxide . . . M. Vallet-Regí *et al.* 2336
Study of the anatase-rutile transformation in TiO_2 powders obtained by laser-induced synthesis . . . Laura E. Depero *et al.* 2709

Quasicrystal

Synthesis of stable quasicrystalline particle-dispersed Al base composite alloys . . . An Pang Tsai *et al.* 5
High resolution electron microscopy of Al–Cu–Fe quasicrystals: Atomic structure and modeling . . . William Krakow *et al.* 24
Thermal diffusivity of quasicrystalline and related crystalline alloys . . . J. M. Dubois *et al.* 38

	An approximant to the Al–Cu–Ru icosahedral phase . . . . . J. E. Shield *et al.*	44
	Transmission electron microscope observations of rectangular dislocation networks in an $Al_{70}Co_{15}Ni_{15}$ decagonal quasicrystal . . . . . Yanfa Yan *et al.*	286
	Formation of quasicrystalline phases in an Al–Cu–Co–Fe alloy obtained by using a gravity chill-casting technique . . . . . R. Perez *et al.*	985
	Plastic deformation in an Al–Cu–Fe icosahedral alloy . . . . . J. E. Shield *et al.*	1199
	A study of the high-Cu Al–Cu–Co decagonal phase . . . . . B. Grushko	1473
	Transformation of Al–Ni–(Si) decagonal quasicrystals to 1-D quasicrystal and crystalline approximants . . . . . X. Z. Li *et al.*	2499
Radiation damage	The structure of aperiodic, metamict $(Ca, Th)ZrTi_2O_7$ (zirconolite): An EXAFS study of the Zr, Th, and U sites . . . . . François Farges *et al.*	1983
Raman spectroscopy	Raman study of fresnoite-type materials: Polarized single crystal, crystalline powders, and glasses . . . . . S. A. Markgraf *et al.*	635
Rutherford backscattering spectroscopy (RBS)	Formation of buried Sb dopant profiles in silicon by pulsed laser epitaxy . . . . . R. J. Carolissen *et al.*	841
	On the use of ion scattering to examine the role of hydrogen in the reduction of TiO_2 . . . . . W. E. Wallace *et al.*	1629
	Protective films of nanophase diamond deposited directly on zinc sulfide infrared optics . . . . . F. Davanloo *et al.*	3090
Scanning electron microscopy (SEM)	Evidence for nonclassical nucleation at solid surfaces in diamond deposition from the gas phase . . . . . Massimo Tomellini	1596
	Friction and wear studies of silicon in sliding contact with thin-film magnetic rigid disks . . . . . Bharat Bhushan *et al.*	1611
	Quantitative image analysis of superconductor thin film microstructure: The use of conditional, multiparametric, shape-analysis algorithms . . . . . Philip A. Amato *et al.*	2799
Scanning tunneling microscopy (STM)	Scanning tunneling microscope observations of metallic glass fracture surfaces . . . . . D. M. Kulawansa *et al.*	2543
Self-propagating high-temperature synthesis (SHS)	Effect of chemical and heat treatment on the tetragonal-to-monoclinic transformation of zirconia . . . . . X. Turrillas *et al.*	163
	A time-resolved diffraction study of the Ta–C solid combustion system . . . . . E. M. Larson *et al.*	1533
	Ignition criteria for self-propagating combustion synthesis . . . . . Yangsheng Zhang *et al.*	1703
	Combustion-synthesized functionally gradient refractory materials . . . . . Scott E. Niedzialek *et al.*	2026
	Rapid solidification by unstable combustion synthesis . . . . . H. P. Li *et al.*	2515
	Investigation of Ni_3Al-matrix composites strengthened by TiC . . . . . Bingchu Mei *et al.*	2830
	Effect of iron and cobalt addition on TiC combustion synthesis . . . . . Yoon Choi *et al.*	3202
Semiconductors	Conversion of single crystal Si(100) to SiC film by C_2H_2 . . . . . Chien C. Chiu *et al.*	535
	The effects of natural convection and conduction in a zone-melting-recrystallization chamber . . . . . Bradley D. Heilman *et al.*	551
	Photoconductivity of carbon aerogels . . . . . M. Hosoya *et al.*	811
	Observation, analysis, and simulation of the hysteresis of silicon using ultra-micro-indentation with spherical indenters . . . . . E. R. Weppelmann *et al.*	830
	Reply to Comment of V. A. Shneidman . . . . . Frank G. Shi *et al.*	1191
	Speculation on the reconstruction of vicinal {100} faces of vapor-deposited diamond . . . . . M. A. Tamor *et al.*	1770
	Generation and annihilation of antiphase domain boundaries in GaAs on Si grown by molecular beam epitaxy . . . . . A. Georgakilas *et al.*	1908
	Fullerenes . . . . . M. S. Dresselhaus *et al.*	2054
	Effect of surface structures upon ultrathin film interference fringes . . . . . Lu Taijing *et al.*	2315
Sintering	Syntheses and some physical properties of solid solutions $Sr_2Cu_{1-x}Li_xMo_6$ with perovskite type of structure . . . . . M. Jansen *et al.*	324
	On the occurrence of a metastable tetragonal t'-phase in a ZrO_2–13.6 mole % MgO ceramic and its microscopic thermal evolution . . . . . M. C. Caracoche *et al.*	605
	The effect of porosity development on the removal of organic vehicle from ceramic or metal moldings . . . . . S. A. Matar *et al.*	617

	Texture development due to preferential grain growth of Ho–Ba–Cu–O in 1.6-T magnetic field	A. Holloway *et al.*	727
	Structure property relationships in core-shell $BaTiO_3$–LiF ceramics	C. A. Randall *et al.*	871
	The effect of Li-salt additions on the densification of tin oxide	D. W. Yuan *et al.*	1675
	Hydrothermal synthesis and sintering of ultrafine CeO_2 powders	Y. C. Zhou *et al.*	1680
	Cristobalite growth inhibitor in Pyrex borosilicate glass—gallium oxide	Jau-Ho Jean *et al.*	1767
	An internal synthesis method for producing a mullite–chromium carbide composite	C. T. Ho	2035
	Reactive liquid phase sintering of solution-derived $YBa_2Cu_3O_{7-x}$ superconducting thin films: Part I. Ambient and precursor effects on BaO–CuO liquid phase formation	Peir-Yung Chu *et al.*	2134
	Effect of gallium oxide in preventing cristobalite formation in binary borosilicate glass composite	Jau-Ho Jean *et al.*	2393
	Effect of partial vacuum on YBCO thick films on Y_2BaCuO_5 and ZrO_2 substrates	Indu Dhingra *et al.*	2433
	Grain size of MgO and polymorphic phases of ZrO_2 in zirconia-toughened MgO	Yasuro Ikuma *et al.*	2757
	The synthesis, sintering, and thermal properties of $(Ca_{1-x}, Mg_x)Zr_4(PO_4)_6$ (CMZP) ceramics	T. K. Li *et al.*	2954
Sol-gel	Epitaxial zirconia thin films from aqueous precursors	K. T. Miller *et al.*	169
	The influence of steam on mullite formation from sol-gel precursors	Yong Wang *et al.*	195
	SEM and Auger studies of a PLZT thin film	Kwangsoo No *et al.*	245
	Phase transformations and microstructure evolution in sol-gel derived yttrium-aluminum garnet films	R. S. Hay	578
	Glass-metal nanocomposites in bulk form by sol-gel route followed by hot pressing	S. Roy *et al.*	689
	The effect of residual carbon on the superconducting properties of $YBa_2Cu_3O_{7-x}$ powders	Yoshio Masuda *et al.*	693
	Closed porosity aluminosilicate for electronic packaging applications	S. L. Hietala *et al.*	1122
	Synthesis, characterization, and properties of new polystyrene-SiO_2 hybrid sol-gel materials	Yen Wei *et al.*	1143
	Solution-based synthesis routes to $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_{10+\delta}$	M. T. Ruiz *et al.*	1268
	Chemistry and structure of mixed magnesium ferric oxide aerogels	R. J. Willey *et al.*	1418
	Conductivity relaxation studies on sol-gel-derived Li_2O–SiO_2 glasses by a heterogeneous conductor model	S. K. Saha *et al.*	1442
	Sol-gel coating of $YBa_2Cu_3O_{7-x}$ with TiO_2 for enhanced anisotropic grain growth	James G. Fagan *et al.*	1501
	Phase development in Si modified sol-gel-derived lead titanate	John S. Wright *et al.*	1712
	The influence of water of hydrolysis on microstructural development in sol-gel derived $LiNbO_3$ thin films	Vikram Joshi *et al.*	2668
	The synthesis, sintering, and thermal properties of $(Ca_{1-x}, Mg_x)Zr_4(PO_4)_6$ (CMZP) ceramics	T. K. Li *et al.*	2954
	Preparation of heat-resistant alumina aerogels	Yasuyuki Mizushima *et al.*	2993
	Gas permeability of carbon aerogels	F-M. Kong *et al.*	3100
	Indium-tin oxide thin films by metal-organic decomposition	Dennis Gallagher *et al.*	3135
	Dip coating of alumina films by the sol-gel method	Jung-Won Lee *et al.*	3151
	Nanocomposite aerogels: The SiO_2–Al_2O_3 system	Sridhar Komarneni *et al.*	3163
Spray pyrolysis	Growth of highly oriented SnO_2 thin films on glass substrate from tetra-*n*-butyltin by the spray pyrolysis technique	I. Yagi *et al.*	1481
Sputtering	Superconducting $Ba_{0.6}K_{0.4}BiO_3$: Thin film preparation by RF magnetron sputtering	C. J. Hou *et al.*	1798
	Formation of ultrathin $CoSi_2$ films using a two-step limited reaction process	R. J. Schreutelkamp *et al.*	3111
Stress/strain relationship measurements	A new method for tensile testing of thin films	J. A. Ruud *et al.*	112
	Pressurized internal lenticular cracks at healed mica interfaces	K-T. Wan *et al.*	1128
	Mechanical properties of nylon 6-clay hybrid	Yoshitsugu Kojima *et al.*	1185
Structural materials	Substitutional solutes in AlCo: Part I. Effects of solute on moduli, lattice parameters, and vacancy production	Robert L. Fleischer	49
	Substitutional solutes in AlCo: Part II. Hardening and correlations with defect structure	Robert L. Fleischer	59
	Environmental effect on mechanical properties of TiAl base alloys	Morihiko Nakamura *et al.*	68
	Properties and microstructure of continuous oxynitride glass fiber and its application to aluminum matrix composite	Katsuaki Suganuma *et al.*	178
	The solidification of large sections in ceramic injection molding: Part I. Conventional molding	T. Zhang *et al.*	187
	Mechanism of $MoSi_2$ pest during low temperature oxidation	T. C. Chou *et al.*	214
	A simple predictive model for spherical indentation	J. S. Field *et al.*	297

On the first-matrix-cracking stress in unidirectional fiber-reinforced brittle materials . . . X. F. Yang *et al.* 371
TEM study on laser processed intermetallic phases: $Al_{16}Ti_6(Fe \text{ or } Ni)_7$ . . . Y. Ma *et al.* 421
Bonding-property relationships in intermetallic alloys . . . M. E. Eberhart *et al.* 438
Investigation of cured hydridopolysilazane-derived ceramic fibers via dynamic nuclear polarization . . . Russel H. Lewis *et al.* 649
Atomistic considerations on the fracture toughness of brittle materials . . . M. Sakai 668
Effect of fiber coating on the mechanical behavior of SiC fiber-reinforced titanium aluminide composites . . . S. M. Jeng *et al.* 905
Chemical vapor infiltration of SiC with microwave heating . . . José I. Morell *et al.* 1057
Kinetics of $MoSi_2$ pest during low-temperature oxidation . . . T. C. Chou *et al.* 1605
Deposition of silicon carbide using the chemical vapor composites process: Process characterization and comparison with RASSPVDN model predictions . . . M. D. Allendorf *et al.* 1651
Hot corrosion of alumina . . . M. G. Lawson *et al.* 1964
Combustion-synthesized functionally gradient refractory materials . . . Scott E. Niedzialek *et al.* 2026
High temperature mechanical properties of Cr_2Nb-based intermetallics . . . T. Takasugi *et al.* 3069
Erratum: "Chemical vapor infiltration of SiC with microwave heating" [J. Mater. Res. **8**, 1057 (1993)] . . . José I. Morell *et al.* 3251

Structural properties

Hot-hardness comparisons among isostructural $Be_{12}X$ intermetallic compounds . . . S. M. Bruemmer *et al.* 1550

Superconductors

New method for fabrication of superconducting pipes in the Bi–Sr–Ca–Cu–O system . . . Yoshihiro Abe *et al.* 1
Chemical interaction of BaO–CuO-rich melts with Y_2O_3 . . . N. Pellerin *et al.* 18
Enhancement of critical current density in $YBa_2Cu_3O_x$ superconductor by mechanical deformation . . . V. Selvamanickam *et al.* 249
Thermoelectric power of $YBa_2Cu_3O_{7-\delta}$ superconductive thin films as a function of oxygen contents . . . Iván A. Cornejo *et al.* 255
Processing effects on high T_c properties of $YBa_2Cu_3O_{7-x}$ films from carboxylate solution precursors . . . Peir-Yung Chu *et al.* 261
Extrusion of superconducting wires of $YBa_2Cu_3O_{7-x}$ . . . D. Ponnusamy *et al.* 268
Containerless solidification of $YBa_2Cu_3O_{7-x}$ in a drop tube . . . V. R. Todt *et al.* 411
The $Y_1Ba_4Cu_2CO_3O_{5.5\pm\delta}$ oxycarbonate—An interesting nonsuperconductor . . . Mark A. Rodriguez *et al.* 415
The effect of residual carbon on the superconducting properties of $YBa_2Cu_3O_{7-x}$ powders . . . Yoshio Masuda *et al.* 693
The effect of $Y_2Ba_1Cu_1O_5$ addition on microstructure and formation of microcracks in the partially melted Y–Ba–Cu–O oxides . . . Chan-Joong Kim *et al.* 699
Resistivity measurement of an *a*-axis-oriented $YBa_2Cu_3O_{7-\delta}$ thin film at 450–650 °C . . . Toshio Usui *et al.* 705
Optical spectroscopic study of the radio frequency oxygen thermal plasma evaporated $YBa_2Cu_3O_{7-x}$ . . . Shigenori Yuhya *et al.* 709
Characteristics of $TiBa_2Ca_2Cu_3O_{9+\delta}$ powder as synthesized and after grinding . . . P. J. Kung *et al.* 713
Structural studies on Tl–Ca–Ba–Cu–O superconducting thin films . . . Bruno Morosin *et al.* 720
Texture development due to preferential grain growth of Ho–Ba–Cu–O in 1.6-T magnetic field . . . A. Holloway *et al.* 727
Degradation of YBC critical current as a result of annealing in air . . . Judith Bransky 943
Substrate dependence of the crystallinity and mosaic texture of $YBa_2Cu_3O_{7-\delta}$ ultrathin films deposited by laser ablation . . . C. C. Chin *et al.* 951
Resistive transition broadening in two-phase polycrystalline YBaCuO . . . J. C. Abele *et al.* 957
Effect of single crystal substrates on the growth and properties of superconducting $Tl_2Ba_2CaCu_2O_8$ films . . . W. L. Holstein *et al.* 962
New tricks in the rapid quench route to high T_c materials . . . A. E. Miller *et al.* 973
(110)-oriented Bi–Sr–Ca–Cu–O superconducting thin films prepared by metalorganic chemical vapor deposition . . . Nobuhiko Kubota *et al.* 978
Synthesis of $YBa_2Cu_3O_{7-x}$ thin films by three-stage oxidation process from metallic Y–Ba–Cu precursors . . . Takashi Hase *et al.* 1220
Effects of silver additions on resistance to thermal shock and delayed failure of $YBa_2Cu_3O_{7-\delta}$ superconductors . . . J. P. Singh *et al.* 1226
Microstructure and properties of Cu-rich 123: Part II. Homogeneous copper and high magnetic J_c . . . J. P. Zhang *et al.* 1232
Doping effects on coarsening of Y_2BaCuO_5 phase in liquid . . . Teruo Izumi *et al.* 1240
Rapidly textured $Bi_2Sr_2CaCu_2O_8$ . . . S. R. Arrasmith *et al.* 1247
Structural transformations and metastable phases produced by mechanical deformations in the Bi–Sr–Ca–Cu–O superconducting system . . . P. Tessier *et al.* 1258
Solution-based synthesis routes to $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_{10+\delta}$ . . . M. T. Ruiz *et al.* 1268
Effect of internal fission-fragment irradiation on critical currents and flux creep in Bi–Sr–Ca–Cu–O superconductors doped with UO_2 . . . F. E. Luborsky *et al.* 1277
Synthesis of superconductors from soluble metal oxo alkoxide precursors . . . M. W. Rupich *et al.* 1487
Measurement of the work function of $Y_1Ba_2Cu_3O_{7-\delta}$ under ambient conditions . . . Jon DeVries *et al.* 1497

Sol-gel coating of $YBa_2Cu_3O_{7-x}$ with TiO_2 for enhanced anisotropic grain growth . . . James G. Fagan *et al.* **1501**
Thermodynamic stability and superconductivity of the Bi–Sr–Ca(Y)–Cu–Li–O system . . . Chen Xianhui *et al.* **1510**
The effect of cracks on the superconducting transport current in thin films: The analogy with two-dimensional elasticity and plasticity . . . David R. Clarke *et al.* **1515**
Superconducting fibers from organometallic precursors: Part III. Pyrolytic processing of precursor fibers . . . Zhi-Fan Zhang *et al.* **1777**
Composition and crystal structure parameters of single crystals $(Bi, Pb)_2Sr_2(Ca_{1-x}R_x)Cu_2O_{8+\delta}$ (R = Y, Er, Ho, Tm, and Yb) . . . A. S. Ilyushin *et al.* **1791**
Superconducting $Ba_{0.6}K_{0.4}BiO_3$: Thin film preparation by RF magnetron sputtering . . . C. J. Hou *et al.* **1798**
High-resolution electron microscopy of epitaxial YBCO/Y_2O_3/YSZ on Si(001) . . . A. Bardal *et al.* **2112**
Controlled heterogeneous nucleation of melt-textured $YBa_2Cu_3O_{6+x}$ by addition of Al_2O_3 particles . . . Yan L. Chen *et al.* **2128**
Reactive liquid phase sintering of solution-derived $YBa_2Cu_3O_{7-x}$ superconducting thin films: Part I. Ambient and precursor effects on BaO–CuO liquid phase formation . . . Peir-Yung Chu *et al.* **2134**
Preparation and comparison of $YBa_2Cu_4O_8$ films on MgO(100) and $SrTiO_3$(100) by MOCVD . . . H. Sakai *et al.* **2143**
Solidification of $Bi_2Sr_2CaCu_2O_y$ and $Bi_2Sr_{1.75}Ca_{0.25}CuO_y$ . . . T. G. Holesinger *et al.* **2149**
The effect of post-annealing on laser-deposited superconducting Bi–Sr–Ca–Cu–O thin films . . . P. J. Kung *et al.* **2162**
From imperfect to perfect $Bi_2Sr_2CaCu_2O_x$ (Bi–2212) grains . . . B. Heeb *et al.* **2170**
Annealing of pressure-induced structural damage in superconducting Bi–Pb–Sr–Ca–Cu–O ceramic . . . I. Maartense *et al.* **2177**
Phase evolution in silver-doped BiPbSrCaCuO(2223)/Ag superconducting composites . . . Y. C. Guo *et al.* **2187**
Erratum: "(110)-oriented Bi–Sr–Ca–Cu–O superconducting thin films prepared by metalorganic chemical vapor deposition" [J. Mater. Res. **8**, 978 (1993)] . . . Nobuhiko Kubota *et al.* **2414**
Nd:YAG laser patterning of plasma-deposited high T_c superconducting thick films . . . Usha Varshney *et al.* **2429**
Effect of partial vacuum on YBCO thick films on Y_2BaCuO_5 and ZrO_2 substrates . . . Indu Dhingra *et al.* **2433**
Aligned gadolinium barium copper oxide thick films formed by *in situ* crystallization in a magnetic field . . . Joanna McKittrick *et al.* **2440**
Processing characteristics and properties of BiSrCaCuO superconducting glass ceramics prepared by melt-quenching . . . Y. Massalker *et al.* **2445**
Role of Ag additions in the microstructural development, strain tolerance, and critical current density of Ag-sheathed BSCCO superconducting tapes . . . J. P. Singh *et al.* **2458**
Diffusion of Sr in $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$ . . . Nan Chen *et al.* **2465**
Synthesis of $YBa_2Cu_3O_{7-x}$ powder by autoignition of citrate-nitrate gel . . . Sukumar Roy *et al.* **2761**
TEM studies of dislocations in deformed melt-textured $YBa_2Cu_3O_x$ superconductors . . . M. Mironova *et al.* **2767**
Influence of Y_2BaCuO_5 particles on the growth morphology of peritectically solidified $YBa_2Cu_3O_{7-x}$ . . . G. J. Schmitz *et al.* **2774**
Characterization of epitaxial $SrTiO_3/YBa_2Cu_3O_7$ layers deposited on (001) MgO by laser ablation . . . P. Scardi *et al.* **2780**
Interfacial reaction products and film orientation in $YBa_2Cu_3O_{7-x}$ on zirconia substrates with and without CeO_2 buffer layers . . . G. L. Skofronick *et al.* **2785**
Thermodynamic stability field of the 123 and 124 phases in the Y_2O_3–BaO–Cu–O system . . . Zhigang Zhou *et al.* **3023**
Ion beam sputter deposition of $YBa_2Cu_3O_{7-\delta}$ thin films . . . B. J. Kellett *et al.* **3032**

Supercritical drying

Preparation of heat-resistant alumina aerogels . . . Yasuyuki Mizushima *et al.* **2993**

Theory

Atomistic considerations on the fracture toughness of brittle materials . . . M. Sakai **668**
Comment on "Transient kinetics of nucleation and crystallization: Part I. Nucleation" [J. Mater. Res. **6**, 2091 (1991)] . . . Vitaly A. Shneidman **1190**
Theory of the time-lag diffusion method for the case of an outgassing solid . . . James K. Baird *et al.* **1455**
Stabilization of strained multilayers by thin interlayers . . . J. P. Hirth **1572**
A model for disorder in fluorine-intercalated graphite . . . S. L. di Vittorio *et al.* **1578**
Ignition criteria for self-propagating combustion synthesis . . . Yangsheng Zhang *et al.* **1703**
Dislocation emission criterion: Grain boundary effect . . . Sham-Tsong Shiue *et al.* **1853**
Chaotic dynamics in a model of metal passivation . . . J. Kevin McCoy *et al.* **1858**
Space groups of the diamond polytypes . . . A. W. Phelps *et al.* **2835**
Thermodynamic stability field of the 123 and 124 phases in the Y_2O_3–BaO–Cu–O system . . . Zhigang Zhou *et al.* **3023**
A note on the elastic contact stiffness of a layered medium . . . Huajian Gao *et al.* **3229**

Thermal diffusivity

Thermal diffusivity of quasicrystalline and related crystalline alloys . . . J. M. Dubois *et al.* **38**

Thermal properties

Investigation of the thermal anisotropy of unidirectional carbon fiber reinforced composite plates using optically generated thermal waves and a noncontact optical detection technique . . . W. Lauriks *et al.* **3106**

Thermodynamic properties

Determination of the dependence of the surface force induced contact radius on particle radius: Cross-linked polystyrene spheres on SiO_2/silicon . . . D. S. Rimai *et al.* **662**
Energetics of the oxygen vacancy order-disorder transition in $Ba_2In_2O_5$ . . . T. R. S. Prasanna *et al.* **1484**
Thermodynamic stability and superconductivity of the Bi–Sr–Ca(Y)–Cu–Li–O system . . . Chen Xianhui *et al.* **1510**
Decomposition temperatures of $Cu_2Ln_2O_5$ (Ln = Tb, Dy, Ho, Er, Tm, Yb, and Lu) compounds . . . Tom Mathews *et al.* **3015**
Thermodynamic stability field of the 123 and 124 phases in the Y_2O_3–BaO–Cu–O system . . . Zhigang Zhou *et al.* **3023**

Thin film

Fatigue of ferroelectric $PbZr_xTi_yO_3$ (PZT) capacitors with Ru and RuO_x electrodes . . . S. D. Bernstein *et al.* **12**
A new method for tensile testing of thin films . . . J. A. Ruud *et al.* **112**
Structural and textural changes from polyimide Upilex to graphite: Part III . . . C. Bourgerette *et al.* **121**
Transport-reaction controlled chemical vapor deposition of epitaxial $Si_{(1-x)}Ge_x$ thin films and thermodynamic equilibrium composition . . . H. Kühne *et al.* **131**
Epitaxial zirconia thin films from aqueous precursors . . . K. T. Miller *et al.* **169**
Crystal reorientation and wear mechanisms in MoS_2 lubricating thin films investigated by TEM . . . J. Moser *et al.* **206**
Methyl halides as carbon sources in a hot-filament diamond CVD reactor: A new gas phase growth species . . . Benjamin J. Bai *et al.* **233**
The yield stress of polycrystalline thin films . . . C. V. Thompson **237**
Thermoelectric power of $YBa_2Cu_3O_{7-\delta}$ superconductive thin films as a function of oxygen contents . . . Iván A. Cornejo *et al.* **255**
Processing effects on high T_c properties of $YBa_2Cu_3O_{7-x}$ films from carboxylate solution precursors . . . Peir-Yung Chu *et al.* **261**
Microstructural characterization of reactions in Al–Zr thin film couples . . . K. P. Mingard *et al.* **274**
Epitaxial growth of BaO and SrO with new crystal structures using mass-separated low-energy O^+ beams . . . Ryusuke Kita *et al.* **321**
Structural and optical properties of laser-synthesized copper oxide films . . . M. Wautelet *et al.* **327**
Sol-gel synthesis of ferroelectric lithium tantalate ceramics: FTIR investigation of the molecular modification of tantalum ethoxide . . . Pradeep P. Phulé **334**
Growth defects in diamond films . . . D. Shechtman *et al.* **473**
Relationship between the structural organization and the physical properties of PECVD nitrogenated carbons . . . M. Ricci *et al.* **480**
Microstructure of $CuInS_2$ films prepared by sulfuration of Cu–In–O films . . . Takahiro Wada *et al.* **545**
The effects of natural convection and conduction in a zone-melting-recrystallization chamber . . . Bradley D. Heilman *et al.* **551**
Resistivity measurement of an *a*-axis-oriented $YBa_2Cu_3O_{7-\delta}$ thin film at 450–650 °C . . . Toshio Usui *et al.* **705**
Structural studies on Tl–Ca–Ba–Cu–O superconducting thin films . . . Bruno Morosin *et al.* **720**
X-ray tensile testing of thin films . . . I. C. Noyan *et al.* **764**
Diamond nucleation from the gas phase: A kinetic approach . . . E. Molinari *et al.* **785**
Patterns of diamond nucleation from the gas phase . . . E. Molinari *et al.* **798**
Epitaxial growth versus nucleation in amorphous Si doped with Cu and Ag . . . J. S. Custer *et al.* **820**
Growth kinetics and characterizations of gallium nitride thin films by remote PECVD . . . S. W. Choi *et al.* **847**
Substrate dependence of the crystallinity and mosaic texture of $YBa_2Cu_3O_{7-\delta}$ ultrathin films deposited by laser ablation . . . C. C. Chin *et al.* **951**
Effect of single crystal substrates on the growth and properties of superconducting $Tl_2Ba_2CaCu_2O_8$ films . . . W. L. Holstein *et al.* **962**
(110)-oriented Bi–Sr–Ca–Cu–O superconducting thin films prepared by metalorganic chemical vapor deposition . . . Nobuhiko Kubota *et al.* **978**
Microstructural characterization of $Al_{98.5wt.\%}Si_{1.0wt.\%}Cu_{0.5wt.\%}$ on chemical-vapor-deposited W . . . Carey A. Pico *et al.* **1001**
The properties of thermal hillocks as a function of linewidth and process parameter in Al-on-chemical-vapor-deposited W films . . . Carey A. Pico *et al.* **1010**
Dopant induced modifications in the physical properties of sprayed ZnO : In films . . . D. J. Goyal *et al.* **1052**
Closed porosity aluminosilicate for electronic packaging applications . . . S. L. Hietala *et al.* **1122**
Reply to Comment of V. A. Shneidman . . . Frank G. Shi *et al.* **1191**
Ferroelectric behavior of pulsed laser deposited $Ba_xSr_{1-x}TiO_3$ thin films . . . Vivek Mehrotra *et al.* **1209**
Phase evolution in boron nitride thin films . . . D. J. Kester *et al.* **1213**
Synthesis of $YBa_2Cu_3O_{7-x}$ thin films by three-stage oxidation process from metallic Y–Ba–Cu precursors . . . Takashi Hase *et al.* **1220**
Highly oriented, textured diamond films on silicon via bias-enhanced nucleation and textured growth . . . B. R. Stoner *et al.* **1334**
Tungsten nitride thin films prepared by MOCVD . . . Hsin-Tien Chiu *et al.* **1353**

Deposition and characterization of ZrO_2 thin films on silicon substrate by MOCVD . . . Cheol Seong Hwang *et al.* **1361**
Domain growth of Dy_2O_3 buffer layers on $SrTiO_3$ . . . A. Catana *et al.* **1373**
Growth of highly oriented SnO_2 thin films on glass substrate from tetra-*n*-butyltin by the spray pyrolysis technique . . . I. Yagi *et al.* **1481**
The effect of cracks on the superconducting transport current in thin films: The analogy with two-dimensional elasticity and plasticity . . . David R. Clarke *et al.* **1515**
A new method for measuring the strength and ductility of thin films . . . David T. Read *et al.* **1542**
Friction and wear studies of silicon in sliding contact with thin-film magnetic rigid disks . . . Bharat Bhushan *et al.* **1611**
Transmission electron microscopy of $GeSe_{2+\delta}$ thin films . . . H. Maghsoudlou *et al.* **1728**
High refractive index films of polymer nanocomposites . . . Lorenz Zimmermann *et al.* **1742**
Nucleation of oriented diamond films on nickel substrates . . . P. C. Yang *et al.* **1773**
Superconducting $Ba_{0.6}K_{0.4}BiO_3$: Thin film preparation by RF magnetron sputtering . . . C. J. Hou *et al.* **1798**
Solid-state reactions of the Ag–Cu–Ti thin film–Al_2O_3 substrate system . . . Seiichi Suenaga *et al.* **1805**
Stress development and relaxation in copper films during thermal cycling . . . M. D. Thouless *et al.* **1845**
Macro-effects of resputtering due to negative ion bombardment of growing thin films . . . Daniel J. Kester *et al.* **1928**
Micro-effects of resputtering due to negative ion bombardment of growing thin films . . . Daniel J. Kester *et al.* **1938**
High-resolution electron microscopy of epitaxial YBCO/Y_2O_3/YSZ on Si(001) . . . A. Bardal *et al.* **2112**
Reactive liquid phase sintering of solution-derived $YBa_2Cu_3O_{7-x}$ superconducting thin films: Part I. Ambient and precursor effects on BaO–CuO liquid phase formation . . . Peir-Yung Chu *et al.* **2134**
Preparation and comparison of $YBa_2Cu_4O_8$ films on MgO(100) and $SrTiO_3$(100) by MOCVD . . . H. Sakai *et al.* **2143**
Composition/structure/property relations of multi-ion-beam reactive sputtered lead lanthanum titanate thin films: Part II. Textured microstructure development . . . G. R. Fox *et al.* **2191**
Composition/structure/property/relations of multi-ion-beam reactive sputtered lead lanthanum titanate thin films: Part III. Electrical properties . . . G. R. Fox *et al.* **2203**
Identification of hydrocarbon precursors to diamond in chemical vapor deposition using carbon monoxide reagent . . . Curtis E. Johnson *et al.* **2245**
Modeling of diamond growth from a microwave plasma: C_2H as growth species . . . Hans Rau *et al.* **2250**
Pulsed laser deposition of amorphous diamond-like carbon films with ArF (193 nm) excimer laser . . . Fulin Xiong *et al.* **2265**
Photoassisted oxygen doping of C_{60} films . . . A. M. Rao *et al.* **2277**
Effect of surface structures upon ultrathin film interference fringes . . . Lu Taijing *et al.* **2315**
$Ca_{(1-x)}Ni_xO$ catalytic thin films prepared by pulsed laser deposition . . . X. L. Mao *et al.* **2400**
Erratum: "(110)-oriented Bi–Sr–Ca–Cu–O superconducting thin films prepared by metalorganic chemical vapor deposition" [J. Mater. Res. **8**, 978 (1993)] . . . Nobuhiko Kubota *et al.* **2414**
Structural characterization and thermal stability of W/Si multilayers . . . M. Brunel *et al.* **2600**
Low pressure chemical vapor deposition (LPCVD) of β–SiC on Si(100) using MTS in a hot wall reactor . . . Chien C. Chiu *et al.* **2617**
Epitaxy, microstructure, and processing-structure relationships of TiO_2 thin films grown on sapphire (0001) by MOCVD . . . H. L. M. Chang *et al.* **2634**
RuO_2 films by metal-organic chemical vapor deposition . . . Jie Si *et al.* **2644**
The influence of microstructure on the electrochromic properties of Li_xWO_3 thin films: Part I. Ion diffusion and electrochromic properties . . . Ji-Guang Zhang *et al.* **2649**
The influence of water of hydrolysis on microstructural development in sol-gel derived $LiNbO_3$ thin films . . . Vikram Joshi *et al.* **2668**
Characterization of epitaxial $SrTiO_3/YBa_2Cu_3O_7$ layers deposited on (001) MgO by laser ablation . . . P. Scardi *et al.* **2780**
Interfacial reaction products and film orientation in $YBa_2Cu_3O_{7-x}$ on zirconia substrates with and without CeO_2 buffer layers . . . G. L. Skofronick *et al.* **2785**
Quantitative image analysis of superconductor thin film microstructure: The use of conditional, multiparametric, shape-analysis algorithms . . . Philip A. Amato *et al.* **2799**
Deposition of diamond phase carbon films on surface pretreated stainless steel substrate . . . Ebrahim Heidarpour *et al.* **2840**
The kinetics of chemical vapor deposited diamond-oxygen reaction . . . M. Alam *et al.* **2870**
The composition and structure of SIPOS: A high spatial resolution electron microscopy study . . . M. Catalano *et al.* **2893**
Characterization of the mechanical properties of a–SiC:H films . . . M. J. Loboda *et al.* **2908**
Characterization of pulsed laser deposited MoS_2 by transmission electron microscopy . . . S. D. Walck *et al.* **2933**
Ion beam sputter deposition of $YBa_2Cu_3O_{7-\delta}$ thin films . . . B. J. Kellett *et al.* **3032**
An investigation of photoassisted diffusion of oxygen in solid C_{60} films using resonant alpha-scattering . . . Corinne C. Eloi *et al.* **3085**
Electrical and optical characterization of Sb:SnO_2 . . . Yue-Song He *et al.* **3131**
Effect of dose stoichiometry on the structure of vapor-deposited polyimide thin films . . . R. G. Pethe *et al.* **3218**

Transmission electron microscopy (TEM)

High resolution electron microscopy of Al–Cu–Fe quasicrystals: Atomic structure and modeling . . . William Krakow *et al.* **24**
Epitaxial nucleation of polycrystalline silicon carbide during chemical vapor deposition . . . Brian W. Sheldon *et al.* **1086**
Fundamental studies of the influence of boron on the graphite-oxygen reaction using *in situ* electron microscopy techniques . . . N. M. Rodriguez *et al.* **1886**
High-resolution electron microscopy of epitaxial YBCO/Y_2O_3/YSZ on Si(001) . . . A. Bardal *et al.* **2112**
Erratum: "Epitaxical nucleation of polycrystalline silicon carbide during chemical vapor deposition" [J. Mater. Res. **8**, 1086 (1993)] . . . Brian W. Sheldon *et al.* **2416**
An electron microscopy study of the precipitation of rhenium in the B2 nickel aluminide . . . D. C. Van Aken *et al.* **2524**
TEM studies of dislocations in deformed melt-textured $YBa_2Cu_3O_x$ superconductors . . . M. Mironova *et al.* **2767**
An investigation of ductility and microstructural evolution in an Al–3% Mg alloy with submicron grain size . . . Jingtao Wang *et al.* **2810**

Tribological properties

Friction and wear studies of silicon in sliding contact with thin-film magnetic rigid disks . . . Bharat Bhushan *et al.* **1611**

Waste management

Selective exchange of divalent transition metal ions in cryptomelane-type manganic acid with tunnel structure . . . Masamichi Tsuji *et al.* **611**
The structure of aperiodic, metamict $(Ca, Th)ZrTi_2O_7$ (zirconolite): An EXAFS study of the Zr, Th, and U sites . . . François Farges *et al.* **1983**
Powder x-ray diffraction study of a cryptomelane-type manganic acid and its alkali cation exchanged forms . . . Masamichi Tsuji *et al.* **3145**

Welding

Influence of vibration on grain size and degree of grain refinement in mild steel weldments . . . S. P. Tewari **2228**

X-ray diffraction (XRD)

Growth of (110)-oriented diamond films by electron-assisted chemical vapor deposition . . . Kazuo Kumagai *et al.* **314**
The $Y_1Ba_4Cu_2CO_3O_{5.5\pm\delta}$ oxycarbonate—An interesting nonsuperconductor . . . Mark A. Rodriguez *et al.* **415**
Site selectivities and magnetic moments of V, Cr, and Mn doped in γ–TiAl alloys . . . V. Suresh Babu *et al.* **989**
Structural transformations and metastable phases produced by mechanical deformations in the Bi–Sr–Ca–Cu–O superconducting system . . . P. Tessier *et al.* **1258**
Thermodynamic stability and superconductivity of the Bi–Sr–Ca(Y)–Cu–Li–O system . . . Chen Xianhui *et al.* **1510**
A time-resolved diffraction study of the Ta–C solid combustion system . . . E. M. Larson *et al.* **1533**
High-pressure phase transformation of $BeGa_2O_4$ . . . K. Nakamura *et al.* **1721**
Composition and crystal structure parameters of single crystals $(Bi, Pb)_2Sr_2(Ca_{1-x}R_x)Cu_2O_{8+\delta}$ (R = Y, Er, Ho, Tm, and Yb) . . . A. S. Ilyushin *et al.* **1791**
Change of thermal expansion coefficient and electrical conductivity of $LaCo_{1-x}M_xO_3$ (M = Fe,Ni) . . . H. Nagamoto *et al.* **3158**

X-ray photoelectron spectroscopy (XPS)

Deposition of diamond phase carbon films on surface pretreated stainless steel substrate . . . Ebrahim Heidarpour *et al.* **2840**

Zone melting

The effects of natural convection and conduction in a zone-melting-recrystallization chamber . . . Bradley D. Heilman *et al.* **551**

MATERIALS INDEX TO VOLUME 8

This table is a cumulative listing of all the articles in Volume 8 classified according to the specific material(s) for which data and/or calculations are reported. For materials studied in physical combination the type of combinations is indicated using several formats. Components of a true alloy are separated by dashes (i.e., Al–Zn or W–Ti–Cu). In general, the most abundant component is listed first. The notation (AB) or (ABC) is used to denote A_xB_{1-x} or $(A_xB_{1-x})_yC_{1-y}$, respectively, as well as for the more general pseudoalloys and mixtures. Symbols for trace elements are appended to the host material by a colon such as in CdS:Na for sodium-doped cadmium sulfide. Elements within parentheses separated by a comma indicate the simultaneous presence of both as in Si:(Ga, B) for silicon doped with both gallium and boron. A semicolon refers to each item in the set separately so that Al_2O_3:(Cr; Fe) indicates alumina doped with chromium or alumina doped with iron. The intimate juxtaposition of components, such as in thin-film couples, is indicated by a slash as in SiO_2/Si or Au/Ni/Cu. When the allotropic form of a material is vital to its identification, a parenthetic reference is provided [e.g., C(diamond) versus C(graphite)].

Ag

- A new method for tensile testing of thin films.–J. A. Ruud, D. Josell, F. Spaepen, and A. L. Greer; **8** (1), 112–117.
- Influence of the irradiation temperature on the intracascade ion mixing.–M. Alurralde, A. Caro, and M. Victoria; **8** (3), 449–454.

Ag/GaP

- Effect of surface structures upon ultrathin film interference fringes.–Lu Taijing, Tomoya Ogawa, Koichi Toyoda, and Zhenguo Wang; **8** (9), 2315–2318.

Ag–Cu–Ti/Al_2O_3(sapphire)

- Solid-state reactions of the Ag–Cu–Ti thin film–Al_2O_3 substrate system.–Seiichi Suenaga, Miho Koyama, Shinji Arai, and Masako Nakahashi; **8** (8), 1805–1811.

Ag_2(S,Se)

- Calorimetric analysis of the system Ag_2S–Ag_2Se between 25 and 250 °C.–N. E. Pingitore, B. F. Ponce, L. Estrada, M. P. Eastman, H. L. Yuan, L. C. Porter, and G. Estrada; **8** (12), 3126–3130.

Al

- The yield stress of polycrystalline thin films.–C. V. Thompson; **8** (2), 237–238.

2024 Al

- Temperature and annealing dependence of the longitudinal ultrasonic velocity in aluminum alloys.–Ward Johnson, F. Mauer, D. Pitchure, S. J. Norton, Y. Grinberg, and F. Bendec; **8** (7), 1558–1566.

Al:(Si,Cu)

- Microstructural characterization of $Al_{98.5wt.\%}Si_{1.0wt.\%}Cu_{0.5wt.\%}$ on chemical-vapor-deposited W.–Carey A. Pico and Tom D. Bonifield; **8** (5), 1001–1009.

Al:(Si,Cu)/W

- The properties of thermal hillocks as a function of linewidth and process parameter in Al-on-chemical-vapor-deposited W films.–Carey A. Pico and Tom D. Bonifield; **8** (5), 1010–1018.

Al/Cu

- A novel brazing technique for aluminum and other metals.–R. S. Timsit and B. J. Janeway; **8** (11), 2749–2752.

Al/Cu/C

- Mechanical properties and metallography of aluminum matrix composites reinforced by the Cu- or Ni-plating carbon multifilament.–Takakazu Suzuki, Hiroyuki Umehara, Ryuichi Hayashi, and Shuichiro Watanabe; **8** (10), 2492–2498.

Al/Ni/C

- Mechanical properties and metallography of aluminum matrix composites reinforced by the Cu- or Ni-plating carbon multifilament.–Takakazu Suzuki, Hiroyuki Umehara, Ryuichi Hayashi, and Shuichiro Watanabe; **8** (10), 2492–2498.

Al/Si

- A novel brazing technique for aluminum and other metals.–R. S. Timsit and B. J. Janeway; **8** (11), 2749–2752.

Al/Ti

- A new method for measuring the strength and ductility of thin films.–David T. Read and James W. Dally; **8** (7), 1542–1549.

Al/TiC

- Chemical reaction strengthening of Al/TiC metal matrix composites by isothermal heat treatment at 913 K.–R. Mitra, M. E. Fine, and J. R. Weertman; **8** (9), 2370–2379.
- Interfaces in as-extruded *XD* Al/TiC and Al/TiB_2 metal matrix composites.–R. Mitra, W. A. Chiou, M. E. Fine, and J. R. Weertman; **8** (9), 2380–2392.

Al/Zr

- Microstructural characterization of reactions in Al–Zr thin film couples.–K. P. Mingard and B. Cantor; **8** (2), 274–285.

Al–Co–Ni

- Transmission electron microscope observations of rectangular dislocation networks in an $Al_{70}Co_{15}Ni_{15}$ decagonal quasicrystal.–Yanfa Yan and Renhui Wang; **8** (2), 286–290.

Al–Cu/Zr

- Microstructural characterization of reactions in Al–Zr thin film couples.–K. P. Mingard and B. Cantor; **8** (2), 274–285.

Al–Cu–Co

- A study of the high-Cu Al–Cu–Co decagonal phase.–B. Grushko; **8** (7), 1473–1476.

Al–Cu–Co–Fe

- Formation of quasicrystalline phases in an Al–Cu–Co–Fe alloy obtained by using a gravity chill-casting technique.–R. Perez, A. Arizmendi, J. A. Juarez-Islas, and L. Martinez; **8** (5), 985–988.

Al–Cu–Co–Si

- Thermal diffusivity of quasicrystalline and related crystalline alloys.–J. M. Dubois, S. S. Kang, P. Archambault, and B. Colleret; **8** (1), 38–43.

Al–Cu–Fe

- Synthesis of stable quasicrystalline particle-dispersed Al base composite alloys.–An Pang Tsai, Kiyoshi Aoki, Akihisa Inoue, and Tsuyoshi Masumoto; **8** (1), 5–7.
- High resolution electron microscopy of Al–Cu–Fe quasicrystals: Atomic structure and modeling.–William Krakow, David P. DiVincenzo, Peter A. Bancel, Eric Cockayne, and Veit Elser; **8** (1), 24–37.
- Thermal diffusivity of quasicrystalline and related crystalline alloys.–J. M. Dubois, S. S. Kang, P. Archambault, and B. Colleret; **8** (1), 38–43.
- Plastic deformation in an Al–Cu–Fe icosahedral alloy.–J. E. Shield, M. J. Kramer, and R. W. McCallum; **8** (6), 1199–1202.
- Temperature and annealing dependence of the longitudinal ultrasonic velocity in aluminum alloys.–Ward Johnson, F. Mauer,

D. Pitchure, S. J. Norton, Y. Grinberg, and F. Bendec; **8** (7), 1558–1566.

Al–Cu–Fe–Cr

– Thermal diffusivity of quasicrystalline and related crystalline alloys.–J. M. Dubois, S. S. Kang, P. Archambault, and B. Colleret; **8** (1), 38–43.

– Tribological properties of quasicrystalline coatings.–S. S. Kang, J. M. Dubois, and J. von Stebut; **8** (10), 2471–2481.

Al–Cu–Ru

– An approximant to the Al–Cu–Ru icosahedral phase.–J. E. Shield, L. S. Chumbley, R. W. McCallum, and A. I. Goldman; **8** (1), 44–48.

Al–Li–Cu

– Determining fracture facet crystallography using electron backscatter patterns and quantitative tilt fractography.–D. C. Slavik, J. A. Wert, and R. P. Gangloff; **8** (10), 2482–2491.

Al–Li–Cu–Zn

– Determining fracture facet crystallography using electron backscatter patterns and quantitative tilt fractography.–D. C. Slavik, J. A. Wert, and R. P. Gangloff; **8** (10), 2482–2491.

Al–Mg

– An investigation of ductility and microstructural evolution in an Al–3% Mg alloy with submicron grain size.–Jingtao Wang, Zenji Horita, Minoru Furukawa, Minoru Nemoto, Nikolai K. Tsenev, Ruslan Z. Valiev, Yan Ma, and Terence G. Langdon; **8** (11), 2810–2818.

Al–Ni

– Transformation of Al–Ni–(Si) decagonal quasicrystals to 1-D quasicrystal and crystalline approximants.–X. Z. Li and K. H. Kuo; **8** (10), 2499–2503.

Al–Ni–Si

– Transformation of Al–Ni–(Si) decagonal quasicrystals to 1-D quasicrystal and crystalline approximants.–X. Z. Li and K. H. Kuo; **8** (10), 2499–2503.

Al–Si

– Temperature and annealing dependence of the longitudinal ultrasonic velocity in aluminum alloys.–Ward Johnson, F. Mauer, D. Pitchure, S. J. Norton, Y. Grinberg, and F. Bendec; **8** (7), 1558–1566.

Al–Ti

– Mechanical alloying of Al–Ti powder mixtures and their subsequent consolidation.–T. Itsukaichi, K. Masuyama, M. Umemoto, I. Okane, and J. G. Cabañas-Moreno; **8** (8), 1817–1828.

AlCo

– Substitutional solutes in AlCo: Part I. Effects of solute on moduli, lattice parameters, and vacancy production.–Robert L. Fleischer; **8** (1), 49–58.

– Substitutional solutes in AlCo: Part II. Hardening and correlations with defect structure.–Robert L. Fleischer; **8** (1), 59–67.

AlCo–Re

– Substitutional solutes in AlCo: Part I. Effects of solute on moduli, lattice parameters, and vacancy production.–Robert L. Fleischer; **8** (1), 49–58.

– Substitutional solutes in AlCo: Part II. Hardening and correlations with defect structure.–Robert L. Fleischer; **8** (1), 59–67.

AlCo–Ti

– Substitutional solutes in AlCo: Part I. Effects of solute on moduli, lattice parameters, and vacancy production.–Robert L. Fleischer; **8** (1), 49–58.

– Substitutional solutes in AlCo: Part II. Hardening and correlations with defect structure.–Robert L. Fleischer; **8** (1), 59–67.

AlN

– Light-induced defects in aluminum nitride ceramics.–J. H. Harris and R. A. Youngman; **8** (1), 154–162.

– Oxidation behavior of aluminum nitride.–A. Bellosi, E. Landi, and A. Tampieri; **8** (3), 565–572.

– Kinetics and mechanisms of high-temperature creep in polycrystalline aluminum nitride.–A. Vasudev, K. L. More, K. S. Ailey-Trent, and R. F. Davis; **8** (5), 1101–1108.

– Electronic structure of high pressure phase of AlN.–Ravindra Pandey, Amin Sutjianto, Max Seel, and John E. Jaffe; **8** (8), 1922–1927.

AlN : O

– UV induced dielectric loss in AlN ceramics.–J. H. Harris and R. C. Enck; **8** (10), 2734–2740.

AlN/SiC

– Epitaxial growth of AlN by plasma-assisted, gas-source molecular beam epitaxy.–L. B. Rowland, R. S. Kern, S. Tanaka, and Robert F. Davis; **8** (9), 2310–2314.

AlN–SiC

– Solid solutions of AlN and SiC grown by plasma-assisted, gas-source molecular beam epitaxy.–R. S. Kern, L. B. Rowland, S. Tanaka, and R. F. Davis; **8** (7), 1477–1480.

$(AlN)_x(SiC)_{1-x}$

– Solid solutions of AlN and SiC grown by plasma-assisted, gas-source molecular beam epitaxy.–R. S. Kern, L. B. Rowland, S. Tanaka, and R. F. Davis; **8** (7), 1477–1480.

Al_2O_3

– The effect of porosity development on the removal of organic vehicle from ceramic or metal moldings.–S. A. Matar, M. J. Edirisinghe, J. R. G. Evans, and E. H. Twizell; **8** (3), 617–625.

– Postfailure subsidiary cracking from indentation flaws in brittle materials.–Nitin P. Padture; **8** (6), 1411–1417.

– Hot corrosion of alumina.–M. G. Lawson, F. S. Pettit, and J. R. Blachere; **8** (8), 1964–1971.

– ^{27}Al MAS-NMR spectra of alumina aerogels.–Yasuyuki Mizushima, Makoto Hori, and Minoru Sasaki; **8** (9), 2109–2111.

– Synthesis of ceramic oxide powders in a microwave plasma device.–Dieter Vollath and Kurt E. Sickafus; **8** (11), 2978–2984.

– Structural transformations of alumina by high energy ball milling.–P. A. Zieliński, R. Schulz, S. Kaliaguine, and A. Van Neste; **8** (11), 2985–2992.

– Preparation of heat-resistant alumina aerogels.–Yasuyuki Mizushima and Makoto Hori; **8** (11), 2993–2999.

Al_2O_3(sapphire)

– Energy principle of indentation contact: The application to sapphire.–Roman Nowak and Mototsugu Sakai; **8** (5), 1068–1078.

– Hot corrosion of alumina.–M. G. Lawson, F. S. Pettit, and J. R. Blachere; **8** (8), 1964–1971.

α–Al_2O_3 : Cr

– Inhomogeneous distribution of Cr impurities in α–Al_2O_3 during refractory aging.–Laurence Galoisy and Georges Calas; **8** (5), 1153–1157.

Al_2O_3/Ni

– Ion bombardment-induced changes in oxide-metal interactions studied by photoelectron spectroscopy.–Sharmila M. Mukhopadhyay and Tim C. S. Chen; **8** (8), 1958–1963.

– Control of strength and toughness of ceramic/metal laminates using interface design.–Z. Chen and J. J. Mecholsky, Jr.; **8** (9), 2362–2369.

Al_2O_3/Polypropylene

– The solidification of large sections in ceramic injection molding: Part I. Conventional molding.–T. Zhang and J. R. G. Evans; **8** (1), 187–194.

– The solidification of large sections in ceramic injection molding: Part II. Modulated pressure molding.–T. Zhang and J. R. G. Evans; **8** (2), 345–351.

Al_2O_3/Silica glass

– Dip coating of alumina films by the sol-gel method.–Jung-Won Lee, Chang-Whan Won, Byong-Sun Chun, and H. Y. Sohn; **8** (12), 3151–3157.

Al_2O_3/Stainless steel

– Dip coating of alumina films by the sol-gel method.–Jung-Won Lee, Chang-Whan Won, Byong-Sun Chun, and H. Y. Sohn; **8** (12), 3151–3157.

Al_2O_3–SiO_2

– Preparation of heat-resistant alumina aerogels.–Yasuyuki Mizushima and Makoto Hori; **8** (11), 2993–2999.

Al_2O_3–SiO_2(xerogel)

– Closed porosity aluminosilicate for electronic packaging applications.–S. L. Hietala, D. M. Smith, V. M. Hietala, and C. J. Brinker; **8** (5), 1122–1127.

$3Al_2O_3 \cdot 2SiO_2$(mullite)

– The influence of steam on mullite formation from sol-gel precursors.–Yong Wang, Dong X. Li, and William J. Thomson; **8** (1), 195–205.

$3Al_2O_3 \cdot 2SiO_2/Cr_3C_2$

– An internal synthesis method for producing a mullite–chromium carbide composite.–C. T. Ho; **8** (8), 2035–2039.

$3Al_2O_3 \cdot 2SiO_2/Cr_7C_3$

– An internal synthesis method for producing a mullite–chromium carbide composite.–C. T. Ho; **8** (8), 2035–2039.

$Al(OH)_3$

– Synthesis of aluminum hydroxide nanoparticles in spontaneously generated vesicles.–Iskandar I. Yaacob, Suhas Bhandarkar, and Arijit Bose; **8** (3), 573–577.

$Al_{66}Ti_{25}Cr_9$

– Fracture toughness of the $L1_2$ compounds $Al_{66}Ti_{25}Mn_9$ and $Al_{66}Ti_{25}Cr_9$.–S. A. Brown and K. S. Kumar; **8** (8), 1763–1766.

$Al_{16}Ti_6Fe_7$

– TEM study on laser processed intermetallic phases: $Al_{16}Ti_6$(Fe or Ni)$_7$.–Y. Ma and J. Gjønnes; **8** (3), 421–429.

$Al_{66}Ti_{25}Mn_9$

– Fracture toughness of the $L1_2$ compounds $Al_{66}Ti_{25}Mn_9$ and $Al_{66}Ti_{25}Cr_9$.–S. A. Brown and K. S. Kumar; **8** (8), 1763–1766.

$Al_{16}Ti_6Ni_7$

– TEM study on laser processed intermetallic phases: $Al_{16}Ti_6$(Fe or Ni)$_7$.–Y. Ma and J. Gjønnes; **8** (3), 421–429.

B–N

– Crystal structure of new composition boron-rich boron nitride using Raman spectroscopy.–Hidetoshi Saitoh, Katsuhito Yoshida, and Walter A. Yarbrough; **8** (1), 8–11.

BN/Si

– Phase evolution in boron nitride thin films.–D. J. Kester, K. S. Ailey, R. F. Davis, and K. L. More; **8** (6), 1213–1216.

$Ba_2In_2O_5$

– Energetics of the oxygen vacancy order-disorder transition in $Ba_2In_2O_5$.–T. R. S. Prasanna and Alexandra Navrotsky; **8** (7), 1484–1486.

$Ba_{0.6}K_{0.4}BiO_3$

– Superconducting $Ba_{0.6}K_{0.4}BiO_3$: Thin film preparation by RF magnetron sputtering.–C. J. Hou, H. Steinfink, L. Rabenberg, Claude Hilbert, and Harry Kroger; **8** (8), 1798–1804.

BaO/$SrTiO_3$

– Epitaxial growth of BaO and SrO with new crystal structures using mass-separated low-energy O^+ beams.–Ryusuke Kita, Takashi Hase, Hiromi Takahashi, Kenichi Kawaguchi, and Tadataka Morishita; **8** (2), 321–323.

$BaO \cdot 6Al_2O_3$

– Preparation of heat-resistant alumina aerogels.–Yasuyuki Mizushima and Makoto Hori; **8** (11), 2993–2999.

(BaSr)TiO_3

– Ferroelectric behavior of pulsed laser deposited $Ba_xSr_{1-x}TiO_3$ thin films.–Vivek Mehrotra, Simon Kaplan, Albert J. Sievers, and Emmanuel P. Giannelis; **8** (6), 1209–1212.

$BaTiO_3$

– Macro-effects of resputtering due to negative ion bombardment of growing thin films.–Daniel J. Kester and Russell Messier; **8** (8), 1928–1937.

– Micro-effects of resputtering due to negative ion bombardment of growing thin films.–Daniel J. Kester and Russell Messier; **8** (8), 1938–1957.

– Microwave-hydrothermal processing for synthesis of electroceramic powders.–Sridhar Komarneni, Q. Li, Karin M. Stefansson, and Rustum Roy; **8** (12), 3176–3183.

$BaTiO_3$: LiF

– Structure property relationships in core-shell $BaTiO_3$–LiF ceramics.–C. A. Randall, S. F. Wang, D. Laubscher, J. P. Dougherty, and W. Huebner; **8** (4), 871–879.

$BaTiO_3$/Ag

– Barium titanate/noble metal laminates prepared by the oxidation of solid metallic precursors.–M. M. Antony and K. H. Sandhage; **8** (11), 2968–2977.

$BaTiO_3$/Pd

– Raman study of fresnoite-type materials: Polarized single crystal, crystalline powders, and glasses.–S. A. Markgraf, S. K. Sharma, and A. S. Bhalla; **8** (3), 635–648.

– Barium titanate/noble metal laminates prepared by the oxidation of solid metallic precursors.–M. M. Antony and K. H. Sandhage; **8** (11), 2968–2977.

$BaZrO_3$

– Synthesis of microcrystalline $BaZrO_3$ via molecular precursor route.–H. S. Potdar, S. B. Deshpande, P. D. Godbole, and S. K. Date; **8** (5), 948–950.

$BeGa_2O_4$

– High-pressure phase transformation of $BeGa_2O_4$.–K. Nakamura, M. Machida, M. E. Brito, and H. Tabata; **8** (7), 1721–1727.

$Be_{12}Nb$

– Hot-hardness comparisons among isostructural $Be_{12}X$ intermetallic compounds.–S. M. Bruemmer, B. W. Arey, J. L. Brimhall, and J. P. Hirth; **8** (7), 1550–1557.

$Be_{12}Ti$

– Hot-hardness comparisons among isostructural $Be_{12}X$ intermetallic compounds.–S. M. Bruemmer, B. W. Arey, J. L. Brimhall, and J. P. Hirth; **8** (7), 1550–1557.

$Be_{12}V$

– Hot-hardness comparisons among isostructural $Be_{12}X$ intermetallic compounds.–S. M. Bruemmer, B. W. Arey, J. L. Brimhall, and J. P. Hirth; **8** (7), 1550–1557.

Bi–Pb–Sr–Ca–Cu–O

– New tricks in the rapid quench route to high T_c materials.–A. E. Miller, K. Nassau, and D. J. Werder; **8** (5), 973–977.

Bi–Pb–Sr–Ca–Cu–O:Ag

– Phase evolution in silver-doped BiPbSrCaCuO(2223)/Ag superconducting composites.–Y. C. Guo, H. K. Liu, and S. X. Dou; **8** (9), 2187–2190.

Bi–Pb–Sr–Ca–Er–Cu–O

– Composition and crystal structure parameters of single crystals $(Bi, Pb)_2Sr_2(Ca_{1-x}R_x)Cu_2O_{8+\delta}$ (R = Y, Er, Ho, Tm, and Yb).–A. S. Ilyushin, L. Shi, L. I. Leonyuk, B. M. Mustafa, I. A. Nikanorova, S. V. Red'ko, Y. Jia, A. G. Vetkin, G. Zhou, and I. V. Zubov; **8** (8), 1791–1797.

Bi–Pb–Sr–Ca–Ho–Cu–O

– Composition and crystal structure parameters of single crystals $(Bi, Pb)_2Sr_2(Ca_{1-x}R_x)Cu_2O_{8+\delta}$ (R = Y, Er, Ho, Tm, and Yb).–A. S. Ilyushin, L. Shi, L. I. Leonyuk, B. M. Mustafa, I. A. Nikanorova, S. V. Red'ko, Y. Jia, A. G. Vetkin, G. Zhou, and I. V. Zubov; **8** (8), 1791–1797.

Bi–Pb–Sr–Ca–Y–Cu–O

– Composition and crystal structure parameters of single crystals $(Bi, Pb)_2Sr_2(Ca_{1-x}R_x)Cu_2O_{8+\delta}$ (R = Y, Er, Ho, Tm, and Yb).–A. S. Ilyushin, L. Shi, L. I. Leonyuk, B. M. Mustafa, I. A. Nikanorova, S. V. Red'ko, Y. Jia, A. G. Vetkin, G. Zhou, and I. V. Zubov; **8** (8), 1791–1797.

Bi–Sr–Ca–Cu–O

– New method for fabrication of superconducting pipes in the Bi–Sr–Ca–Cu–O system.–Yoshihiro Abe, Hideo Hosono, Won-Hyuk Lee, Masahiro Hosoe, Koichi Nakamura, and Eikichi Inukai; **8** (1), 1–4.

– (110)-oriented Bi–Sr–Ca–Cu–O superconducting thin films prepared by metalorganic chemical vapor deposition.–Nobuhiko Kubota, Tsunemi Sugimoto, Yuh Shiohara, and Shoji Tanaka; **8** (5), 978–984.

– Structural transformations and metastable phases produced by mechanical deformations in the Bi–Sr–Ca–Cu–O superconducting system.–P. Tessier, M. L. Trudeau, J. O. Ström-Olsen, and R. Schulz; **8** (6), 1258–1267.

– Solution-based synthesis routes to $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_{10+\delta}$.–M. T. Ruiz, G. F. de la Fuente, A. Badía, J. Blasco, M. Castro, A. Sotelo, A. Larrea, F. Lera, C. Rillo, and R. Navarro; **8** (6), 1268–1276.

– Solidification of $Bi_2Sr_2CaCu_2O_y$ and $Bi_2Sr_{1.75}Ca_{0.25}CuO_y$.–T. G. Holesinger, D. J. Miller, H. K. Viswanathan, and L. S. Chumbley; **8** (9), 2149–2161.

– The effect of post-annealing on laser-deposited superconducting Bi–Sr–Ca–Cu–O thin films.–P. J. Kung, X. D. Wu, R. E. Muenchausen, K. V. Salazar, S. R. Foltyn, D. E. Peterson, and A. R. Garcia; **8** (9), 2162–2169.

– Erratum: "(110)-oriented Bi–Sr–Ca–Cu–O superconducting thin films prepared by metalorganic chemical vapor deposition" [J. Mater. Res. **8**, 978 (1993)].–Nobuhiko Kubota, Tsunemi Sugimoto, Yuh Shiohara, and Shoji Tanaka; **8** (9), 2414–2415.

– Processing characteristics and properties of BiSrCaCuO superconducting glass ceramics prepared by melt-quenching.–Y. Massalker, A. N. Sembira, and J. Baram; **8** (10), 2445–2457.

– Diffusion of Sr in $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$.–Nan Chen, S. J. Rothman, and J. L. Routbort; **8** (10), 2465–2470.

Bi–Sr–Ca–Cu–O : UO_2

– Effect of internal fission-fragment irradiation on critical currents and flux creep in Bi–Sr–Ca–Cu–O superconductors doped with UO_2.–F. E. Luborsky, R. H. Arendt, R. L. Fleischer, H. R. Hart, Jr., J. E. Tkaczyk, and D. A. Orsini; **8** (6), 1277–1284.

Bi–Sr–Ca–Cu–O/Ag

– Role of Ag additions in the microstructural development, strain tolerance, and critical current density of Ag-sheathed BSCCO superconducting tapes.–J. P. Singh, J. Joo, N. Vasanthamohan, and R. B. Poeppel; **8** (10), 2458–2464.

Bi–Sr–Ca–O

– Solidification of $Bi_2Sr_2CaCu_2O_y$ and $Bi_2Sr_{1.75}Ca_{0.25}CuO_y$.–T. G. Holesinger, D. J. Miller, H. K. Viswanathan, and L. S. Chumbley; **8** (9), 2149–2161.

Bi–Sr–Ca–Y–Cu–Li–O

– Thermodynamic stability and superconductivity of the Bi–Sr–Ca(Y)–Cu–Li–O system.–Chen Xianhui, Lin Chun, Lu Bin, Qian Yitai, Cao Liezhao, Chen Zhaojia, and Chen Zuyao; **8** (7), 1510–1514.

(Bi,Pb)–Sr–Ca–Cu–O

– Annealing of pressure-induced structural damage in superconducting Bi–Pb–Sr–Ca–Cu–O ceramic.–I. Maartense and Asok K. Sarkar; **8** (9), 2177–2186.

$Bi_2Sr_2CaCu_2O_8$

– Rapidly textured $Bi_2Sr_2CaCu_2O_8$.–S. R. Arrasmith, M. J. Kramer, B. D. Merkle, T. G. Holesinger, and R. W. McCallum; **8** (6), 1247–1257.

$Bi_2Sr_2CaCu_2O_x$

– From imperfect to perfect $Bi_2Sr_2CaCu_2O_x$ (Bi–2212) grains.–B. Heeb, L. J. Gauckler, H. Heinrich, and G. Kostorz; **8** (9), 2170–2176.

$Bi_2Sr_2CuO_6$

– Rapidly textured $Bi_2Sr_2CaCu_2O_8$.–S. R. Arrasmith, M. J. Kramer, B. D. Merkle, T. G. Holesinger, and R. W. McCallum; **8** (6), 1247–1257.

Borosilicate glass/(CdS, Ag)

– Metal coatings on semiconductor particles in glass.–Vijay Sukumar, Shou-Chen Kao, Pratima G. N. Rao, and Robert H. Doremus; **8** (10), 2686–2693.

Borosilicate glass/High silica glass

– Devitrification inhibitor in binary borosilicate glass composite.–Jau-Ho Jean and Tapan K. Gupta; **8** (2), 356–363.

Borosilicate glass–Ga_2O_3

– Cristobalite growth inhibitor in Pyrex borosilicate glass—gallium oxide.–Jau-Ho Jean and Tapan K. Gupta; **8** (8), 1767–1769.

– Effect of gallium oxide in preventing cristobalite formation in binary borosilicate glass composite.–Jau-Ho Jean and Tapan K. Gupta; **8** (9), 2393–2399.

C

– Characterization of carbon aerogels by transport measurements.–A. W. P. Fung, Z. H. Wang, K. Lu, M. S. Dresselhaus, and R. W. Pekala; **8** (8), 1875–1885.

– Nanoindentation studies of sublimed fullerene films using atomic force microscopy.–Juai Ruan and Bharat Bhushan; **8** (12), 3019–3022.

– Gas permeability of carbon aerogels.–F-M. Kong, J. D. LeMay, S. S. Hulsey, C. T. Alviso, and R. W. Pekala; **8** (12), 3100–3105.

C_{60}

– Electron-beam-induced structural changes in crystalline C_{60} and C_{70}.–Supapan Seraphin, Dan Zhou, and Jun Jiao; **8** (8), 1895–1899.

C_{70}

– Electron-beam-induced structural changes in crystalline C_{60} and C_{70}.–Supapan Seraphin, Dan Zhou, and Jun Jiao; **8** (8), 1895–1899.

C(aerogel)

– Photoconductivity of carbon aerogels.–M. Hosoya, G. Reynolds, M. S. Dresselhaus, and R. W. Pekala; **8** (4), 811–819.

C(amorphous)

– Friction and wear studies of silicon in sliding contact with thin-film magnetic rigid disks.–Bharat Bhushan and Sreekanth Venkatesan; **8** (7), 1611–1628.

– Combined surface characterization and tribological (friction and wear) studies of CVD diamond films.–Scott S. Perry, Joel W. Ager, III, and Gabor A. Somorjai; **8** (10), 2577–2586.

C(diamond)

- Methyl halides as carbon sources in a hot-filament diamond CVD reactor: A new gas phase growth species.–Benjamin J. Bai, C. Judith Chu, Donald E. Patterson, Robert H. Hauge, and John L. Margrave; **8** (2), 233–236.
- Growth of (110)-oriented diamond films by electron-assisted chemical vapor deposition.–Kazuo Kumagai, Koichi Miyata, Kozo Nishimura, and Koji Kobashi; **8** (2), 314–320.
- Growth defects in diamond films.–D. Shechtman, J. L. Hutchison, L. H. Robins, E. N. Farabaugh, and A. Feldman; **8** (3), 473–479.
- Etch-delineation of defects in diamond by exposure to an oxidizing flame.–D. P. Malta, J. B. Posthill, R. A. Rudder, G. C. Hudson, and R. J. Markunas; **8** (6), 1217–1219.
- Highly oriented, textured diamond films on silicon via bias-enhanced nucleation and textured growth.–B. R. Stoner, S. R. Sahaida, J. P. Bade, P. Southworth, and P. J. Ellis; **8** (6), 1334–1340.
- Speculation on the reconstruction of vicinal {100} faces of vapor-deposited diamond.–M. A. Tamor and M. P. Everson; **8** (8), 1770–1772.
- Identification of hydrocarbon precursors to diamond in chemical vapor deposition using carbon monoxide reagent.–Curtis E. Johnson and Wayne A. Weimer; **8** (9), 2245–2249.
- Modeling of diamond growth from a microwave plasma: C_2H as growth species.–Hans Rau and Friederike Picht; **8** (9), 2250–2264.
- Combined surface characterization and tribological (friction and wear) studies of CVD diamond films.–Scott S. Perry, Joel W. Ager, III, and Gabor A. Somorjai; **8** (10), 2577–2586.
- Space groups of the diamond polytypes.–A. W. Phelps, W. Howard, and D. K. Smith; **8** (11), 2835–2839.
- Deposition of diamond phase carbon films on surface pretreated stainless steel substrate.–Ebrahim Heidarpour and Yoshikatsu Namba; **8** (11), 2840–2844.
- Morphology of heavily B-doped diamond films.–Koichi Miyata, Kazuo Kumagai, Kozo Nishimura, and Koji Kobashi; **8** (11), 2845–2857.

C(diamond-like)

- Pulsed laser deposition of amorphous diamond-like carbon films with ArF (193 nm) excimer laser.–Fulin Xiong, Y. Y. Wang, V. Leppert, and R. P. H. Chang; **8** (9), 2265–2272.

C(fiber)

- Raman scattering and electrical conductivity in highly disordered activated carbon fibers.–A. W. P. Fung, A. M. Rao, K. Kuriyama, M. S. Dresselhaus, G. Dresselhaus, M. Endo, and N. Shindo; **8** (3), 489–500.
- Electrical resistivity, magnetoresistance, and morphology of vapor-grown carbon fibers prepared in a mixture of benzene and Linz–Donawitz converter gas by floating catalyst method.–Munehiro Ishioka, Toshihiko Okada, Kenji Matsubara, Michio Inagaki, and Yoshihiro Hishiyama; **8** (8), 1866–1874.
- ESR study of activated carbon fibers: preliminary results.–S. L. di Vittorio, A. Nakayama, T. Enoki, M. S. Dresselhaus, M. Endo, and N. Shindo; **8** (9), 2282–2287.

C(graphite)

- The formation of fullerenes and nanotubules.–P. Byszewski, P. Dluzewski, and R. Diduszko; **8** (1), 118–120.
- Topographical changes induced by high dose carbon-bombardment of graphite.–B. K. Annis, D. F. Pedraza, and S. P. Withrow; **8** (10), 2587–2599.
- *In situ* electron microscopy studies of the inhibition of graphite oxidation by phosphorus.–S. G. Oh and N. M. Rodriguez; **8** (11), 2879–2888.
- A review of catalytically grown carbon nanofibers.–N. M. Rodriguez; **8** (12), 3233–3250.

C : H : N(amorphous)

- Relationship between the structural organization and the physical properties of PECVD nitrogenated carbons.–M. Ricci, M. Trinquecoste, F. Auguste, R. Canet, P. Delhaes, C. Guimon, G. Pfister-Guillouzo, B. Nysten, and J. P. Issi; **8** (3), 480–488.

C_{60} : O

- An investigation of photoassisted diffusion of oxygen in solid C_{60} films using resonant alpha-scattering.–Corinne C. Eloi, J. David Robertson, A. M. Rao, Ping Zhou, K-A. Wang, and Peter C. Eklund; **8** (12), 3085–3089.

C(diamond)/Al

- Diamond/Al metal matrix composites formed by the pressureless metal infiltration process.–William B. Johnson and B. Sonuparlak; **8** (5), 1169–1173.

C(fiber)/Al

- The effect of siloxane spin-on-glass and reaction bonded silicon oxycarbide coatings with a self-propagating interfacial reaction treatment (ASPIRE) in the synthesis of carbon/graphite fiber-reinforced aluminum metal matrix composites.–Willy M. Balaba, Douglas A. Weirauch, Jr., Anthony J. Perrotta, George H. Armstrong, Princewill N. Anyalebechi, Suzanne Kauffman, Andrew N. MacInnes, Angela M. Winner, and Andrew R. Barron; **8** (12), 3192–3201.

C(graphite)/B_2O_3

- Fundamental studies of the influence of boron on the graphite-oxygen reaction using *in situ* electron microscopy techniques.–N. M. Rodriguez and R. T. K. Baker; **8** (8), 1886–1894.

C(graphite)/Br

- A model for disorder in fluorine-intercalated graphite.–S. L. di Vittorio, M. S. Dresselhaus, and G. Dresselhaus; **8** (7), 1578–1585.

C(diamond)/C

- The kinetics of chemical vapor deposited diamond-oxygen reaction.–M. Alam and Q. Sun; **8** (11), 2870–2878.

C(fiber)/C

- Fiber strength utilization in carbon/carbon composites.–Rafael J. Zaldivar, Gerald S. Rellick, and J. M. Yang; **8** (3), 501–511.

C(fiber)/Epoxy resin

- Investigation of the thermal anisotropy of unidirectional carbon fiber reinforced composite plates using optically generated thermal waves and a noncontact optical detection technique.–W. Lauriks, C. Desmet, C. Glorieux, and J. Thoen; **8** (12), 3106–3110.

C(graphite)/F

- Image analysis of TEM pictures of fluorine-intercalated graphite fibers.–K. Oshida, M. Endo, T. Nakajima, S. L. di Vittorio, M. S. Dresselhaus, and G. Dresselhaus; **8** (3), 512–522.
- A model for disorder in fluorine-intercalated graphite.–S. L. di Vittorio, M. S. Dresselhaus, and G. Dresselhaus; **8** (7), 1578–1585.

C(diamond)/Ni

- Nucleation of oriented diamond films on nickel substrates.–P. C. Yang, J. T. Glass, and W. Zhu; **8** (8), 1773–1776.

C(diamond)/Si

- Evidence for nonclassical nucleation at solid surfaces in diamond deposition from the gas phase.–Massimo Tomellini; **8** (7), 1596–1604.
- Quantitative nucleation and growth studies of PACVD diamond film formation on (100) silicon.–R. A. Bauer, N. M. Sbrockey, and W. E. Brower, Jr.; **8** (11), 2858–2869.

C(diamond)/Si(100)

- Diamond nucleation from the gas phase: A kinetic approach.–E. Molinari, R. Polini, V. Sessa, M. L. Terranova, and M. Tomellini; **8** (4), 785–797.
- Patterns of diamond nucleation from the gas phase.–E. Molinari, R. Polini, and M. Tomellini; **8** (4), 798–810.

C(diamond)/ZnS
– Protective films of nanophase diamond deposited directly on zinc sulfide infrared optics.–F. Davanloo, T. J. Lee, H. Park, J. H. You, and C. B. Collins; **8** (12), 3090–3099.

C(graphite)–$FeCl_3$–H_2SO_4
– Bi-intercalation of H_2SO_4 into stages 4–6 $FeCl_3$–graphite intercalation compounds.–Yasuo Mizutani, Takeshi Abe, Mitsuru Asano, and Toshio Harada; **8** (7), 1586–1595.

(C(graphite)$FeCl_4^-$)
– Effect of $FeCl_4^-$ intercalation on the transport properties of a graphitized polyimide film.–B. Nysten, J-P. Issi, H. Shioyama, M. Crespin, R. Setton, F. Béguin, and M. Inagaki; **8** (9), 2299–2304.

($C_{60}O$)
– A novel stable solid formed by C_{60} + oxygen at high $P(O_2)$.–D. E. Morris, K. K. Singh, and A. P. B. Sinha; **8** (9), 2273–2276.

$C_{60}O_x$
– Photoassisted oxygen doping of C_{60} films.–A. M. Rao, K-A. Wang, J. M. Holden, Y. Wang, P. Zhou, P. C. Eklund, C. C. Eloi, and J. D. Robertson; **8** (9), 2277–2281.

$CaCO_3$–$SrCO_3$
– Solidification of $CaCO_3$ containing $SrCO_3$ by hydrothermal hot-pressing.–Nakamichi Yamasaki, Tang Weiping, and Kazumichi Yanagisawa; **8** (8), 1972–1976.

$Ca_9(HPO_4)(PO_4)_5OH$(hydroxyapatite)
– Effects of temperature on the formation of hydroxyapatite.–M. T. Fulmer and P. W. Brown; **8** (7), 1687–1696.

(Ca, Mg)$Zr_4(PO_4)_6$
– The synthesis, sintering, and thermal properties of (Ca_{1-x}, Mg_x)-$Zr_4(PO_4)_6$ (CMZP) ceramics.–T. K. Li, D. A. Hirschfeld, S. VanAken, Y. Yang, and J. J. Brown; **8** (11), 2954–2967.

CaO–TiO_2
– Microstructural characterization, mechanical properties, and corrosion resistance of the CaO–TiO_2 system.–P. S. Maiya, R. Russell, D. S. Poa, A. S. Wagh, and R. B. Poeppel; **8** (6), 1387–1393.

$Ca_2SiO_4 \cdot H_2O$(hillebrandite)
– TEM study of synthetic hillebrandite ($Ca_2SiO_4 \cdot H_2O$).–Youn Joong Kim, Waltraud M. Kriven, and Takeshi Mitsuda; **8** (11), 2948–2953.

(Ca, Th)$_2Zr_2Ti_4O_{14}$
– The structure of aperiodic, metamict (Ca, Th)$ZrTi_2O_7$ (zirconolite): An EXAFS study of the Zr, Th, and U sites.–François Farges, Rodney C. Ewing, and Gordon E. Brown, Jr.; **8** (8), 1983–1995.

(Cd, Fe)Se
– Microscopic phase stability of the dilute magnetic semiconductor $Cd_{1-x}Fe_xSe$.–E. Klein, M. Homyonfer, W. Giriat, and R. Tenne; **8** (6), 1348–1352.

CeO_2
– Hydrothermal synthesis and sintering of ultrafine CeO_2 powders.–Y. C. Zhou and M. N. Rahaman; **8** (7), 1680–1686.

CeO_2 : Y_2O_3
– Hydrothermal synthesis and sintering of ultrafine CeO_2 powders.–Y. C. Zhou and M. N. Rahaman; **8** (7), 1680–1686.

Co/Au
– Transmission electron microscopy study of Co/Pd and Co/Au multilayers.–F. Hakkens, A. De Veirman, W. Coene, and F. J. A. den Broeder; **8** (5), 1019–1027.

Co/Gd
– TEM analysis of Co–Gd and Cr–Gd multilayer structures.–G. A. Bertero, T. C. Hufnagel, B. M. Clemens, and R. Sinclair; **8** (4), 771–774.

Co/Pd
– Transmission electron microscopy study of Co/Pd and Co/Au multilayers.–F. Hakkens, A. De Veirman, W. Coene, and F. J. A. den Broeder; **8** (5), 1019–1027.

Co/SiC
– Reaction study of cobalt and silicon nitride.–Tue Nguyen, Herbert L. Ho, David E. Kotecki, and Tai D. Nguyen; **8** (9), 2354–2361.

Co/SiO_2
– Evidence of Co/SiO_2 reaction during rapid thermal annealing.–Herbert L. Ho, Tue Nguyen, Julius C. Chang, Brian Machesney, and Peter Geiss; **8** (3), 467–472.

Co–B
– Influence of boron content on the amorphization rate of Co–B mixtures by mechanical alloying.–A. Corrias, G. Ennas, G. Marongiu, A. Musinu, and G. Paschina; **8** (6), 1327–1333.

Co–Gd
– TEM analysis of Co–Gd and Cr–Gd multilayer structures.–G. A. Bertero, T. C. Hufnagel, B. M. Clemens, and R. Sinclair; **8** (4), 771–774.

Co–P
– Microstructural study of the crystallization product of the $Co_{100-x}P_x$ amorphous system.–F. Cebollada, J. M. González, and P. Adeva; **8** (1), 105–111.

$Co_{69}Fe_4Ni_1Mo_2B_{12}Si_{12}$
– Scanning tunneling microscope observations of metallic glass fracture surfaces.–D. M. Kulawansa, J. T. Dickinson, S. C. Langford, and Yoshihisa Watanabe; **8** (10), 2543–2553.

$CoSi_2$/Si
– Formation of ultrathin $CoSi_2$ films using a two-step limited reaction process.–R. J. Schreutelkamp, W. Coppye, W. De Bosscher, R. van Meirhaeghe, L. van Meirhaeghe, J. Vanhellemont, B. Deweerdt, A. Lauwers, and K. Maex; **8** (12), 3111–3121.

Concrete
– Study of wave attenuation in concrete.–J-M. Berthelot, M. Ben Souda, and J. L. Robert; **8** (9), 2344–2353.

Cordierite
– Synthesis and characterization of cordierite from acetylacetonate/alkoxide precursors.–Lawrence D. David, Ronald M. Anderson, Joseph M. Dynys, Charles C. Goldsmith, and Andrew Szule; **8** (7), 1697–1702.

Cr/Fe(III)
– Epitaxial growth of Fe/Mo/Fe(111) and Fe/Cr/Fe(111) on Si(111).–Yang-Tse Cheng and Yen-Lung Chen; **8** (7), 1567–1571.

Cr/Gd
– TEM analysis of Co–Gd and Cr–Gd multilayer structures.–G. A. Bertero, T. C. Hufnagel, B. M. Clemens, and R. Sinclair; **8** (4), 771–774.

CrN
– Wear resistance of arc ion-plated chromium nitride coatings.–Yuji Chiba, Toshio Omura, and Hiroshi Ichimura; **8** (5), 1109–1115.

Cr_2N
– Wear resistance of arc ion-plated chromium nitride coatings.–Yuji Chiba, Toshio Omura, and Hiroshi Ichimura; **8** (5), 1109–1115.

Cr_2Nb
– High temperature mechanical properties of Cr_2Nb-based intermetallics.–T. Takasugi, S. Hanada, and K. Miyamoto; **8** (12), 3069–3077.

CsC_{24}
– Intercalation of pentane into the stage 2 to 4 cesium graphitides: Relation between cesium density in the intercalated layers and the stage of the parent binary.–H. Pilliere, M. Goldmann, and F. Béguin; **8** (9), 2288–2298.

CsC_{36}

– Intercalation of pentane into the stage 2 to 4 cesium graphitides: Relation between cesium density in the intercalated layers and the stage of the parent binary.–H. Pilliere, M. Goldmann, and F. Béguin; **8** (9), 2288–2298.

Cu

– A new method for tensile testing of thin films.–J. A. Ruud, D. Josell, F. Spaepen, and A. L. Greer; **8** (1), 112–117.

– Structural and optical properties of laser-synthesized copper oxide films.–M. Wautelet, A. Roos, R. Lazzaroni, F. Hanus, and G. Lambin; **8** (2), 327–333.

– Influence of the irradiation temperature on the intracascade ion mixing.–M. Alurralde, A. Caro, and M. Victoria; **8** (3), 449–454.

Cu/Ni

– X-ray tensile testing of thin films.–I. C. Noyan and G. Sheikh; **8** (4), 764–770.

Cu/Si

– Stress development and relaxation in copper films during thermal cycling.–M. D. Thouless, J. Gupta, and J. M. E. Harper; **8** (8), 1845–1852.

– A novel brazing technique for aluminum and other metals.–R. S. Timsit and B. J. Janeway; **8** (11), 2749–2752.

Cu/SiO_2

– Glass-metal nanocomposites in bulk form by sol-gel route followed by hot pressing.–S. Roy, A. Chatterjee, and D. Chakravorty; **8** (4), 689–692.

CuAu

– Bonding-property relationships in intermetallic alloys.–M. E. Eberhart, D. P. Clougherty, and J. M. MacLaren; **8** (3), 438–448.

Cu_2DyO_5

– Decomposition temperatures of $Cu_2Ln_2O_5$ (Ln = Tb, Dy, Ho, Er, Tm, Yb, and Lu) compounds.–Tom Mathews and K. T. Jacob; **8** (12), 3015–3018.

Cu_2HoO_5

– Decomposition temperatures of $Cu_2Ln_2O_5$ (Ln = Tb, Dy, Ho, Er, Tm, Yb, and Lu) compounds.–Tom Mathews and K. T. Jacob; **8** (12), 3015–3018.

$CuInS_2$

– Microstructure of $CuInS_2$ films prepared by sulfuration of Cu–In–O films.–Takahiro Wada, Takayuki Negami, and Mikihiko Nishitani; **8** (3), 545–550.

Cu_2O

– Structural and optical properties of laser-synthesized copper oxide films.–M. Wautelet, A. Roos, R. Lazzaroni, F. Hanus, and G. Lambin; **8** (2), 327–333.

Cu_2TbO_5

– Decomposition temperatures of $Cu_2Ln_2O_5$ (Ln = Tb, Dy, Ho, Er, Tm, Yb, and Lu) compounds.–Tom Mathews and K. T. Jacob; **8** (12), 3015–3018.

$Dy_2O_3/SrTiO_3$

– Domain growth of Dy_2O_3 buffer layers on $SrTiO_3$.–A. Catana and J-P. Locquet; **8** (6), 1373–1378.

Epoxy resin

– Recombination on fractal networks: Photon and electron emission following fracture of materials.–J. T. Dickinson, S. C. Langford, and L. C. Jensen; **8** (11), 2921–2932.

Eu

– Fabrication of EuO films by oxidation of Eu metal films.–X. J. Yu, E. Batalla, and L. S. Wright; **8** (3), 462–466.

EuO

– Fabrication of EuO films by oxidation of Eu metal films.–X. J. Yu, E. Batalla, and L. S. Wright; **8** (3), 462–466.

α–Fe

– Nanocrystalline α–Fe, Fe_3C, and Fe_7C_3, produced by CO_2 laser pyrolysis.–Xiang-Xin Bi, B. Ganguly, G. P. Huffman, F. E. Huggins, M. Endo, and P. C. Eklund; **8** (7), 1666–1674.

Fe

– The frictional component of the indentation size effect in low load microhardness testing.–H. Li, A. Ghosh, Y. H. Han, and R. C. Bradt; **8** (5), 1028–1032.

Fe–B–Si–C

– Effect of pulsed excimer laser irradiation on the magnetic anisotropy of iron-base and nickel-iron-base metallic glasses.–M. Sorescu and E. T. Knobbe; **8** (12), 3078–3084.

Fe–C

– Influence of vibration on grain size and degree of grain refinement in mild steel weldments.–S. P. Tewari; **8** (9), 2228–2230.

Fe–Ni–Mo–B

– Exoelectron emission from unexcited metallic glasses $Fe_{40}Ni_{38}Mo_4B_{18}$ during heat treatment.–Yoshihisa Watanabe, Yoshikazu Nakamura, and Tadayoshi Kubozoe; **8** (5), 1041–1044.

– Effect of pulsed excimer laser irradiation on the magnetic anisotropy of iron-base and nickel-iron-base metallic glasses.–M. Sorescu and E. T. Knobbe; **8** (12), 3078–3084.

Fe–Ni–P–B

– Effect of pulsed excimer laser irradiation on the magnetic anisotropy of iron-base and nickel-iron-base metallic glasses.–M. Sorescu and E. T. Knobbe; **8** (12), 3078–3084.

Fe–Si

– Continuous microindentation of passivating surfaces.–Shankar K. Venkataraman, David L. Kohlstedt, and William W. Gerberich; **8** (4), 685–688.

– Microscopy and microindentation mechanics of single crystal Fe–3 wt. % Si: Part I. Atomic force microscopy of a small indentation.–S. Harvey, H. Huang, S. Venkataraman, and W. W. Gerberich; **8** (6), 1291–1299.

– Microscopy and microindentation mechanics of single crystal Fe–3 wt. % Si: Part II. TEM of the indentation plastic zone.–W. Zielinski, H. Huang, and W. W. Gerberich; **8** (6), 1300–1310.

Fe–Ti

– Amorphous and nanocrystalline Fe–Ti prepared by ball milling.–L. Zaluski, P. Tessier, D. H. Ryan, C. B. Doner, A. Zaluska, J. O. Ström-Olsen, M. L. Trudeau, and R. Schulz; **8** (12), 3059–3068.

$Fe_{78}B_{13}Si_9$

– Magnetic domains along shear bands in amorphous metals observed by spin-polarized scanning electron microscopy.–W. J. Tseng, K. Koike, and J. C. M. Li; **8** (4), 775–784.

$Fe_{78}B_{13}Si_{19}$

– Scanning tunneling microscope observations of metallic glass fracture surfaces.–D. M. Kulawansa, J. T. Dickinson, S. C. Langford, and Yoshihisa Watanabe; **8** (10), 2543–2553.

Fe_3C

– Nanocrystalline α–Fe, Fe_3C, and Fe_7C_3, produced by CO_2 laser pyrolysis.–Xiang-Xin Bi, B. Ganguly, G. P. Huffman, F. E. Huggins, M. Endo, and P. C. Eklund; **8** (7), 1666–1674.

Fe_7C_3

– Nanocrystalline α–Fe, Fe_3C, and Fe_7C_3, produced by CO_2 laser pyrolysis.–Xiang-Xin Bi, B. Ganguly, G. P. Huffman, F. E. Huggins, M. Endo, and P. C. Eklund; **8** (7), 1666–1674.

$Fe_{67}Ce_{33}$

– Diffusion of ^{57}Co in amorphous Fe–RE (RE = Dy, Tb, and Ce) and Fe–Si–B alloys.–Kazumasa Yamada, Yoshiaki Iijima, and Kazuaki Fukamichi; **8** (9), 2231–2238.

(FeDy)

– Diffusion of ^{57}Co in amorphous Fe–RE (RE = Dy, Tb, and Ce) and Fe–Si–B alloys.–Kazumasa Yamada, Yoshiaki Iijima, and Kazuaki Fukamichi; **8** (9), 2231–2238.

α–Fe_2O_3

– Spherical iron oxide particles synthesized by an aerosol technique.–M. V. Cabañas, M. Vallet-Regí, M. Labeau, and J. M. González-Calbet; **8** (10), 2694–2701.

γ–Fe_2O_3

– Spherical iron oxide particles synthesized by an aerosol technique.–M. V. Cabañas, M. Vallet-Regí, M. Labeau, and J. M. González-Calbet; **8** (10), 2694–2701.

Fe_3O_4

– Spherical iron oxide particles synthesized by an aerosol technique.–M. V. Cabañas, M. Vallet-Regí, M. Labeau, and J. M. González-Calbet; **8** (10), 2694–2701.

$Fe_{75}Tb_{25}$

– Diffusion of ^{57}Co in amorphous Fe–RE (RE = Dy, Tb, and Ce) and Fe–Si–B alloys.–Kazumasa Yamada, Yoshiaki Iijima, and Kazuaki Fukamichi; **8** (9), 2231–2238.

Fullerenes

– Fullerenes.–M. S. Dresselhaus, G. Dresselhaus, and P. C. Eklund; **8** (8), 2054–2097.

GaAlAs/GaAs

– Effect of surface structures upon ultrathin film interference fringes.–Lu Taijing, Tomoya Ogawa, Koichi Toyoda, and Zhenguo Wang; **8** (9), 2315–2318.

GaAs/(In,Ga)As/GaAs

– The effect of interruption during the growth of strained GaAs/InGaAs/GaAs quantum wells by molecular beam epitaxy.–S. F. Yoon, H. M. Li, K. Radhakrishnan, and D. H. Zhang; **8** (12), 3122–3125.

GaAs/Si

– Generation and annihilation of antiphase domain boundaries in GaAs on Si grown by molecular beam epitaxy.–A. Georgakilas, J. Stoemenos, K. Tsagaraki, Ph. Komninou, N. Flevaris, P. Panayotatos, and A. Christou; **8** (8), 1908–1921.

GaN

– Growth kinetics and characterizations of gallium nitride thin films by remote PECVD.–S. W. Choi, K. J. Bachmann, and G. Lucovsky; **8** (4), 847–854.

GaN/AlN/GaAs

– Single crystal wurtzite GaN on (111) GaAs with AlN buffer layers grown by reactive magnetron sputter deposition.–Jennifer Ross, Mike Rubin, and T. K. Gustafson; **8** (10), 2613–2616.

$GdBa_2Cu_3O_{7-x}$

– Aligned gadolinium barium copper oxide thick films formed by *in situ* crystallization in a magnetic field.–Joanna McKittrick, Ramiro Contreras, and Dennis Clougherty; **8** (10), 2440–2444.

Ge

– High purity isotopically enriched ^{70}Ge and ^{74}Ge single crystals: Isotope separation, growth, and properties.–Kohei Itoh, W. L. Hansen, E. E. Haller, J. W. Farmer, V. I. Ozhogin, A. Rudnev, and A. Tikhomirov; **8** (6), 1341–1347.

Ge–Al–Fe

– Effects of iron impurities in mechanical alloying using steel media.–P. J. Yvon and R. B. Schwarz; **8** (2), 239–241.

$GeSe_2$

– Transmission electron microscopy of $GeSe_{2+\delta}$ thin films.–H. Maghsoudlou, L. Salamanca-Riba, and E. Haro-Poniatowski; **8** (7), 1728–1735.

(GeSi)/Si : Cu

– Cu precipitation in oxidized wafers with and without a Ge_xSi_{1-x} heteroepitaxial layer.–G. Kissinger, G. Morgenstern, and H. Richter; **8** (8), 1900–1907.

$HMnO_4$

– Selective exchange of divalent transition metal ions in cryptomelane-type manganic acid with tunnel structure.–Masamichi Tsuji and Sridhar Komarneni; **8** (3), 611–616.

$H_2Mn_7O_{16} \cdot 2.4H_2O$

– Powder x-ray diffraction study of a cryptomelane-type manganic acid and its alkali cation exchanged forms.–Masamichi Tsuji and Sridhar Komarneni; **8** (12), 3145–3150.

(HgCd)Te

– A study of the local atomic structure in $Hg_{0.80}Cd_{0.20}Te$ using x-ray diffuse scattering.–J. P. Quintana and J. B. Cohen; **8** (4), 855–863.

$HoBa_2Cu_3O_{7-x}$

– Texture development due to preferential grain growth of Ho–Ba–Cu–O in 1.6-T magnetic field.–A. Holloway, R. W. McCallum, and S. R. Arrasmith; **8** (4), 727–733.

Hydrotalcite

– Hydrotalcites with an extended Al^{3+}-substitution: Synthesis, simultaneous TG-DTA-MS study, and their CO_2 adsorption behaviors.–Masamichi Tsuji, Gang Mao, Takashi Yoshida, and Yutaka Tamaura; **8** (5), 1137–1142.

In–Ba–Gd–Zn–Sr–Ca–Y–F

– New fluoroindate glass compositions.–Y. Messaddeq, A. Delben, M. A. Aegerter, A. Soufiane, and M. Poulain; **8** (4), 885–889.

In–Ba–Gd–Zn–Sr–Na–La–F

– New fluoroindate glass compositions.–Y. Messaddeq, A. Delben, M. A. Aegerter, A. Soufiane, and M. Poulain; **8** (4), 885–889.

In_2O_3 : Sn

– Indium-tin oxide thin films by metal-organic decomposition.–Dennis Gallagher, Francis Scanlan, Raymond Houriet, Hans Jörg Mathieu, and Terry A. Ring; **8** (12), 3135–3144.

Kapton

– Hardness measurements of Ar^+-beam treated polyimide by depth-sensing ultra low load indentation.–E. H. Lee, Y. Lee, W. C. Oliver, and L. K. Mansur; **8** (2), 377–387.

$LaCoO_3$

– Change of thermal expansion coefficient and electrical conductivity of $LaCo_{1-x}M_xO_3$ (M = Fe,Ni).–H. Nagamoto, I. Mochida, K. Kagotani, H. Inoue, and A. Negishi; **8** (12), 3158–3162.

$LaCrO_3$: (Ca, Co)

– Coprecipitation synthesis of doped lanthanum chromite.–M. R. De Guire, S. E. Dorris, R. B. Poeppel, S. Morissette, and U. Balachandran; **8** (9), 2327–2335.

$LaFeO_3$

– Change of thermal expansion coefficient and electrical conductivity of $LaCo_{1-x}M_xO_3$ (M = Fe,Ni).–H. Nagamoto, I. Mochida, K. Kagotani, H. Inoue, and A. Negishi; **8** (12), 3158–3162.

$LaNiO_3$

– Change of thermal expansion coefficient and electrical conductivity of $LaCo_{1-x}M_xO_3$ (M = Fe,Ni).–H. Nagamoto, I. Mochida, K. Kagotani, H. Inoue, and A. Negishi; **8** (12), 3158–3162.

La_2S_3

– Low-temperature chemical routes to formation and IR properties of lanthanum sesquisulfide (La_2S_3) ceramics.–Prashant N. Kumta and Subhash H. Risbud; **8** (6), 1394–1410.

Li–Ca–Al–Si–Ti–O

– Properties and crystallization of Li_2O–CaO–Al_2O_3–SiO_2–TiO_2 glasses.–Moo-Chin Wang and Min-Hsiung Hon; **8** (4), 890–898.

$LiNbO_3$

- High-temperature Hf-site-interchange chemistry in $LiNbO_3$ and $LiTaO_3$.–Dunbar P. Birnie, III and Gary L. Catchen; **8** (6), 1379–1386.
- The influence of water of hydrolysis on microstructural development in sol-gel derived $LiNbO_3$ thin films.–Vikram Joshi and Martha L. Mecartney; **8** (10), 2668–2678.

$LiNbO_3$: Eu

- Characterization of europium-implanted $LiNbO_3$.–P. Moretti, B. Canut, S. M. M. Ramos, R. Brenier, P. Thévenard, D. Poker, J. B. M. DaCunha, L. Amaral, and A. Vasquez; **8** (10), 2679–2685.

$Li_2O–B_2O_3–H_2O$

- Phases and crystallization in the system $Li_2O–B_2O_3–H_2O$ under hydrothermal conditions.–K. Byrappa and K. V. K. Shekar; **8** (4), 864–870.
- Crystal growth and morphology of hydrothermally grown lithium borates.–K. Byrappa, K. V. K. Shekar, and R. Rodriguez-Clemente; **8** (9), 2319–2326.

$Li_2O–SiO_2$

- Conductivity relaxation studies on sol-gel-derived $Li_2O–SiO_2$ glasses by a heterogeneous conductor model.–S. K. Saha and D. Chakravorty; **8** (6), 1442–1449.

$LiTaO_3$

- Sol-gel synthesis of ferroelectric lithium tantalate ceramics: FTIR investigation of the molecular modification of tantalum ethoxide.–Pradeep P. Phulé; **8** (2), 334–338.
- High-temperature Hf-site-interchange chemistry in $LiNbO_3$ and $LiTaO_3$.–Dunbar P. Birnie, III and Gary L. Catchen; **8** (6), 1379–1386.

Melamine-formaldehyde

- Dielectric properties of aerogels.–L. W. Hrubesh, L. E. Keene, and V. R. Latorre; **8** (7), 1736–1741.

$MgFe_2O_4$

- Chemistry and structure of mixed magnesium ferric oxide aerogels.–R. J. Willey, S. A. Oliver, G. Oliveri, and G. Busca; **8** (6), 1418–1427.

MgO

- Postfailure subsidiary cracking from indentation flaws in brittle materials.–Nitin P. Padture; **8** (6), 1411–1417.
- Recombination on fractal networks: Photon and electron emission following fracture of materials.–J. T. Dickinson, S. C. Langford, and L. C. Jensen; **8** (11), 2921–2932.

MgO/Ni

- Ion bombardment-induced changes in oxide-metal interactions studied by photoelectron spectroscopy.–Sharmila M. Mukhopadhyay and Tim C. S. Chen; **8** (8), 1958–1963.

$MgO–Fe_2O_3$

- Chemistry and structure of mixed magnesium ferric oxide aerogels.–R. J. Willey, S. A. Oliver, G. Oliveri, and G. Busca; **8** (6), 1418–1427.

$MgO–ZrO_2$

- Grain size of MgO and polymorphic phases of ZrO_2 in zirconia-toughened MgO.–Yasuro Ikuma, Toshio Sugiyama, and Junko Okano; **8** (11), 2757–2760.

Mica

- Pressurized internal lenticular cracks at healed mica interfaces.–K-T. Wan, R. G. Horn, S. Courmont, and B. R. Lawn; **8** (5), 1128–1136.

Mo

- Narrowing sputtered nanoparticle size distributions.–F. H. Kaatz, G. M. Chow, and A. S. Edelstein; **8** (5), 995–1000.

Mo/Fe(III)

- Epitaxial growth of Fe/Mo/Fe(111) and Fe/Cr/Fe(111) on Si(111).–Yang-Tse Cheng and Yen-Lung Chen; **8** (7), 1567–1571.

MoS_2

- Crystal reorientation and wear mechanisms in MoS_2 lubricating thin films investigated by TEM.–J. Moser and F. Lévy; **8** (1), 206–213.
- Characterization of pulsed laser deposited MoS_2 by transmission electron microscopy.–S. D. Walck, M. S. Donley, J. S. Zabinski, and V. J. Dyhouse; **8** (11), 2933–2941.

$MoSi_2$

- Mechanism of $MoSi_2$ pest during low temperature oxidation.–T. C. Chou and T. G. Nieh; **8** (1), 214–226.
- Precipitation of Mo_5Si_3 in $MoSi_2$.–S. A. Maloy, S-Q. Xiao, A. H. Heuer, and J. Garrett; **8** (5), 1079–1085.
- The mechanism of mechanical alloying of $MoSi_2$.–S. N. Patankar, S-Q. Xiao, J. J. Lewandowski, and A. H. Heuer; **8** (6), 1311–1316.
- Kinetics of $MoSi_2$ pest during low-temperature oxidation.–T. C. Chou and T. G. Nieh; **8** (7), 1605–1610.
- Evidence for self-sustained $MoSi_2$ formation during room-temperature high-energy ball milling of elemental powders.–E. Ma, J. Pagán, G. Cranford, and M. Atzmon; **8** (8), 1836–1844.

Mo_5Si_3

- Precipitation of Mo_5Si_3 in $MoSi_2$.–S. A. Maloy, S-Q. Xiao, A. H. Heuer, and J. Garrett; **8** (5), 1079–1085.
- Evidence for self-sustained $MoSi_2$ formation during room-temperature high-energy ball milling of elemental powders.–E. Ma, J. Pagán, G. Cranford, and M. Atzmon; **8** (8), 1836–1844.

$MoSi_2$/SiC

- Tailored $MoSi_2$/SiC composites by mechanical alloying.–S. Jayashankar and M. J. Kaufman; **8** (6), 1428–1441.

Montmorillonite/Caprolactam

- Swelling behavior of montmorillonite cation exchanged for ω-amino acids by ϵ-caprolactam.–Arimitsu Usuki, Masaya Kawasumi, Yoshitsugu Kojima, Akane Okada, Toshio Kurauchi, and Osami Kamigaito; **8** (5), 1174–1178.

Nb–Be

- Creep of a niobium beryllide, Nb_2Be_{17}.–T. G. Nieh, J. Wadsworth, T. C. Chou, D. Owen, and A. H. Chokshi; **8** (4), 757–763.

NbC

- Chemistry and localization effects in the C-KVV Auger line shapes of transition metal carbides and related compounds.–Pehr E. Pehrsson and David Ramaker; **8** (10), 2716–2724.

Ni

- A new method for tensile testing of thin films.–J. A. Ruud, D. Josell, F. Spaepen, and A. L. Greer; **8** (1), 112–117.

Ni/SiO_2

- Glass-metal nanocomposites in bulk form by sol-gel route followed by hot pressing.–S. Roy, A. Chatterjee, and D. Chakravorty; **8** (4), 689–692.

Ni–Al–Fe

- Rapid solidification by unstable combustion synthesis.–H. P. Li and J. A. Sekhar; **8** (10), 2515–2523.

Ni–Cr–W–Mo–B

- A structural investigation of a plasma sprayed Ni–Cr based alloy coating.–S. Sampath, R. A. Neiser, H. Herman, J. P. Kirkland, and W. T. Elam; **8** (1), 78–86.

Ni–Mo–Sn

- Effects of molybdenum on cellular precipitation in nickel–9 at. % tin alloy.–Archana Gupta, R. R. Nagarajan, A. K. Jena, and M. C. Chaturvedi; **8** (1), 95–99.

Ni–Sn

- Effects of molybdenum on cellular precipitation in nickel–9 at. % tin alloy.–Archana Gupta, R. R. Nagarajan, A. K. Jena, and M. C. Chaturvedi; **8** (1), 95–99.

NiAl
- Planar fault energies and dislocation core spreading in B2 NiAl.–Diana Farkas and Christophe Vailhe; **8** (12), 3050–3058.

$NiAl_3$
- Rapid solidification by unstable combustion synthesis.–H. P. Li and J. A. Sekhar; **8** (10), 2515–2523.

Ni_2Al_3
- Rapid solidification by unstable combustion synthesis.–H. P. Li and J. A. Sekhar; **8** (10), 2515–2523.

Ni_3Al
- Experimental and theoretical investigation of the order-disorder transformation in Ni_3Al.–Francesco Cardellini, Fabrizio Cleri, Giorgio Mazzone, Amelia Montone, and Vittorio Rosato; **8** (10), 2504–2509.

$Ni_{76}Al_{24}$: B
- X-ray diffraction study of the effect of boron on lattice properties of $Ni_{76}Al_{24}$.–P. V. Mohan Rao, K. Satyanarayana Murthy, S. V. Suryanarayana, and S. V. Nagender Naidu; **8** (4), 741–744.

Ni_3Al : (B; C)
- NMR study of Ni_3Al with B and C additions.–T. Shinohara and T. Takasugi; **8** (6), 1285–1290.

Ni_3Al : Cr
- Effects of Cr^+ ion implantation on the oxidation of Ni_3Al.–M. Chen, S. Patu, J. N. Shen, and C. X. Shi; **8** (4), 734–740.

NiAl : Re
- An electron microscopy study of the precipitation of rhenium in the B2 nickel aluminide.–D. C. Van Aken, D. P. Mason, S. G. Malhotra, and J. G. Webber; **8** (10), 2524–2533.

Ni_3Al/TiC
- Investigation of Ni_3Al-matrix composites strengthened by TiC.–Bingchu Mei, Runzhang Yuan, and Xinlong Duan; **8** (11), 2830–2834.

NiAl–Al_2O_3
- Fabrication and properties of functionally graded NiAl/Al_2O_3 composites.–D. P. Miller, J. J. Lannutti, and R. D. Noebe; **8** (8), 2004–2013.

Ni_3Al(Ta, B)
- High temperature creep transitions in single crystalline Ni_3Al-(Ta, B).–J. Wolfenstine, H. K. Kim, and J. C. Earthman; **8** (10), 2510–2514.

(NiCa)O
- $Ca_{(1-x)}Ni_xO$ catalytic thin films prepared by pulsed laser deposition.–X. L. Mao, D. L. Perry, and R. E. Russo; **8** (9), 2400–2403.

$Ni_{56}Cr_{18}Si_{22}B_4$
- Scanning tunneling microscope observations of metallic glass fracture surfaces.–D. M. Kulawansa, J. T. Dickinson, S. C. Langford, and Yoshihisa Watanabe; **8** (10), 2543–2553.

Ni_3Fe
- Influence of long-range order on tensile properties of Ni_3Fe and Ni_3Fe–Y_2O_3 composites.–A. Bose, G. Camus, R. M. German, D. J. Duquette, and N. S. Stoloff; **8** (3), 430–437.

Ni_3Fe–Y_2O_3
- Influence of long-range order on tensile properties of Ni_3Fe and Ni_3Fe–Y_2O_3 composites.–A. Bose, G. Camus, R. M. German, D. J. Duquette, and N. S. Stoloff; **8** (3), 430–437.

Ni_3(SiTi) : H
- Environmental embrittlement of boron-doped Ni_3(Al, Ti) single crystals at room temperature.–T. Takasugi and S. Hanada; **8** (10), 2534–2542.

Ni_3(SiTi) : (H, B)
- Environmental embrittlement of boron-doped Ni_3(Al, Ti) single crystals at room temperature.–T. Takasugi and S. Hanada; **8** (10), 2534–2542.

NiZr
- Atmosphere effects of the amorphization reaction in NiZr by ball milling.–K. Aoki, A. Memezawa, and T. Masumoto; **8** (2), 307–313.

Nylon 6/Montmorillonite
- Synthesis of nylon 6-clay hybrid.–Arimitsu Usuki, Yoshitsugu Kojima, Masaya Kawasumi, Akane Okada, Yoshiaki Fukushima, Toshio Kurauchi, and Osami Kamigaito; **8** (5), 1179–1184.
- Mechanical properties of nylon 6-clay hybrid.–Yoshitsugu Kojima, Arimitsu Usuki, Masaya Kawasumi, Akane Okada, Yoshiaki Fukushima, Toshio Kurauchi, and Osami Kamigaito; **8** (5), 1185–1189.

PLZT
- SEM and Auger studies of a PLZT thin film.–Kwangsoo No, Dae Sung Yoon, and Jae Myung Kim; **8** (2), 245–248.

Pb–Sn
- Ultramicrotomy: A unique method for preparation of composite solder for transmission electron microscopy.–Elizabeth G. Jacobs, L. Ann Foster, Yujing Wu, Angela R. Wilson, and Russell F. Pinizzotto; **8** (1), 87–94.
- A model of thermomechanical fatigue in a lead-base alloy.–Larry Lawson; **8** (4), 745–756.
- Erratum: "A model of thermomechanical fatigue in a lead-base alloy" [J. Mater. Res. **8**, 745 (1993)].–Larry Lawson; **8** (7), 1758.

(Pb–Sn)/Cu
- Ultramicrotomy: A unique method for preparation of composite solder for transmission electron microscopy.–Elizabeth G. Jacobs, L. Ann Foster, Yujing Wu, Angela R. Wilson, and Russell F. Pinizzotto; **8** (1), 87–94.

(PbLa)TiO_3
- Composition/structure/property/relations of multi-ion-beam reactive sputtered lead lanthanum titanate thin films: Part III. Electrical properties.–G. R. Fox and S. B. Krupanidhi; **8** (9), 2203–2215.

$Pb(Mg_{1/2}Nb_{2/3})O_3$: $PbTiO_3$
- Extrinsic contributions to the grain size dependence of relaxor ferroelectric $Pb(Mg_{1/3}Nb_{2/3})$: $PbTiO_3$ ceramics.–C. A. Randall, A. D. Hilton, D. J. Barber, and T. R. Shrout; **8** (4), 880–884.

$Pb(Ni,Nb)O_3$–$PbTiO_3$–$PbZrO_3$
- Densification behaviors and piezoelectric properties of MnO_2, SiO_2-doped $Pb(Ni_{1/3}Nb_{2/3})O_3$–$PbTiO_3$–$PbZrO_3$ ceramics.–Jong H. Moon, Hyun M. Jang, and Beoung D. You; **8** (12), 3184–3191.

PbS/Gelatin
- High refractive index films of polymer nanocomposites.–Lorenz Zimmermann, Martin Weibel, Walter Caseri, and Ulrich W. Suter; **8** (7), 1742–1748.

(PbTa)TiO_3
- Composition/structure/property relations of multi-ion-beam reactive sputtered lead lanthanum titanate thin films: Part II. Textured microstructure development.–G. R. Fox, S. B. Krupanidhi, and K. L. More; **8** (9), 2191–2202.

$PbTiO_3$
- Microstructure of $PbTiO_3$ thin films deposited on (001) MgO by MOCVD.–Y. Gao, G. Bai, K. L. Merkle, Y. Shi, H. L. M. Chang, Z. Shen, and D. J. Lam; **8** (1), 145–153.
- Phase development in Si modified sol-gel-derived lead titanate.–John S. Wright and Lorraine Falter Francis; **8** (7), 1712–1720.
- Microwave-hydrothermal processing for synthesis of electroceramic powders.–Sridhar Komarneni, Q. Li, Karin M. Stefansson, and Rustum Roy; **8** (12), 3176–3183.

Pb($ZrTi$)O_3
- Microwave-hydrothermal processing for synthesis of electroceramic powders.–Sridhar Komarneni, Q. Li, Karin M. Stefansson, and Rustum Roy; **8** (12), 3176–3183.

$Pb(Zr,Ti)O_3$(PZT)

– Low temperature perovskite formation of lead zirconate titanate thin films by a seeding process.–Chi Kong Kwok and Seshu B. Desu; **8** (2), 339–344.

Pd

– Embedded atom calculations of the equilibrium shapes of 5–60 atom palladium nanocrystals.–A. Sachdev and R. I. Masel; **8** (3), 455–461.

Pd/AuGe/Ag/Au

– Formation and characterization of ohmic contacts to *n*–AlGaAs using Pd/AuGe/Ag/Au.–L. R. Zheng, D. J. Lawrence, and T. N. Blanton; **8** (5), 1045–1051.

Polyamic acid

– Hardness measurements of Ar^+-beam treated polyimide by depth-sensing ultra low load indentation.–E. H. Lee, Y. Lee, W. C. Oliver, and L. K. Mansur; **8** (2), 377–387.

Polyamide-imide

– Modification of high temperature and high performance polymers by ion implantation.–Yongqiang Wang, S. S. Mohite, L. B. Bridwell, R. E. Giedd, and C. J. Sofield; **8** (2), 388–402.

Polybutadiene

– Recombination on fractal networks: Photon and electron emission following fracture of materials.–J. T. Dickinson, S. C. Langford, and L. C. Jensen; **8** (11), 2921–2932.

Polycarbonate

– Molecular CO emission accompanying fracture of polycarbonate: Evidence for chain cleavage.–J. T. Dickinson, L. C. Jensen, S. C. Langford, R. P. Dion, and L. Nick; **8** (1), 14–17.

Polyether-etherketone

– Modification of high temperature and high performance polymers by ion implantation.–Yongqiang Wang, S. S. Mohite, L. B. Bridwell, R. E. Giedd, and C. J. Sofield; **8** (2), 388–402.

Polyethersulfone

– Modification of high temperature and high performance polymers by ion implantation.–Yongqiang Wang, S. S. Mohite, L. B. Bridwell, R. E. Giedd, and C. J. Sofield; **8** (2), 388–402.

Polyimide

– Structural and textural changes from polyimide Upilex to graphite: Part III.–C. Bourgerette, A. Oberlin, and M. Inagaki; **8** (1), 121–130.

– Hardness measurements of Ar^+-beam treated polyimide by depth-sensing ultra low load indentation.–E. H. Lee, Y. Lee, W. C. Oliver, and L. K. Mansur; **8** (2), 377–387.

– Effect of dose stoichiometry on the structure of vapor-deposited polyimide thin films.–R. G. Pethe, C. M. Carlin, H. H. Patterson, and W. N. Unertl; **8** (12), 3218–3228.

Polyimide : Li

– Ionic conductivity and thermal analysis of a high-temperature polymer.–Y. S. Pak and G. Xu; **8** (4), 923–926.

Poly(methyl methacrylate)

– Fracture toughness of PMMA as measured with indentation cracks.–S. R. Choi and J. A. Salem; **8** (12), 3210–3217.

Poly(methyl methacrylate)/Glass(fiber)

– Model for the temperature dependent transmission of optically transparent poly(methyl methacrylate) composites.–Hongy Lin, Delbert E. Day, and James O. Stoffer; **8** (2), 364–370.

Polystyrene/SiO_2

– Determination of the dependence of the surface force induced contact radius on particle radius: Cross-linked polystyrene spheres on SiO_2/silicon.–D. S. Rimai, R. S. Moore, R. C. Bowen, V. K. Smith, and P. E. Woodgate; **8** (3), 662–667.

Polystyrene–SiO_2

– Synthesis, characterization, and properties of new polystyrene-SiO_2 hybrid sol-gel materials.–Yen Wei, Dachuan Yang, Liguang Tang, and MaryGail K. Hutchins; **8** (5), 1143–1152.

Poly(tetrafluoroethylene)/NaCl

– Morphological changes of poly(tetrafluoroethylene) by heat treatment on NaCl.–Sadaatsu Yamaguchi and Masaki Tsuji; **8** (11), 2942–2947.

Poly(tetrafluorethylene-ethylene)

– Microstructural effects on surface mechanical properties of ion-implanted polymers.–G. R. Rao, Z. L. Wang, and E. H. Lee; **8** (4), 927–933.

Pt/C

– XRD characterization of highly dispersed metal catalysts on carbon support.–Paolo Scardi and Pier Luigi Antonucci; **8** (8), 1829–1835.

Resorcinol-formaldehyde

– Dielectric properties of aerogels.–L. W. Hrubesh, L. E. Keene, and V. R. Latorre; **8** (7), 1736–1741.

(Ru–O)/PZT

– Fatigue of ferroelectric $PbZr_xTi_yO_3$ (PZT) capacitors with Ru and RuO_x electrodes.–S. D. Bernstein, T. Y. Wong, Yanina Kisler, and R. W. Tustison; **8** (1), 12–13.

(RuO)

– RuO_2 films by metal-organic chemical vapor deposition.–Jie Si and Seshu B. Desu; **8** (10), 2644–2648.

$(Sb,Sn)O_2$

– Electrical and optical characterization of $Sb:SnO_2$.–Yue-Song He, Joe C. Campbell, Robert C. Murphy, M. F. Arendt, and John S. Swinnea; **8** (12), 3131–3134.

Si

– Analysis of buried oxide layer formation and mechanism of threading dislocation generation in the substoichiometric oxygen dose region.–Sadao Nakashima and Katsutoshi Izumi; **8** (3), 523–534.

– The effects of natural convection and conduction in a zone-melting-recrystallization chamber.–Bradley D. Heilman, Matthew A. Marston, Peter Y. Wong, and Ioannis N. Miaoulis; **8** (3), 551–557.

– Observation, analysis, and simulation of the hysteresis of silicon using ultra-micro-indentation with spherical indenters.–E. R. Weppelmann, J. S. Field, and M. V. Swain; **8** (4), 830–840.

– Friction and wear studies of silicon in sliding contact with thin-film magnetic rigid disks.–Bharat Bhushan and Sreekanth Venkatesan; **8** (7), 1611–1628.

– Damage-to-dose ratio after low energy silicon ion implantation into crystalline silicon.–Y. Levin, N. Herbots, and S. Dunham; **8** (9), 2305–2309.

– Role of grain boundaries in the epitaxial realignment of undoped and As-doped polycrystalline silicon films.–C. Spinella, F. Benyaïch, A. Cacciato, E. Rimini, G. Fallico, and P. Waid; **8** (10), 2608–2612.

– Nucleation and growth of oxide precipitates in CZ–Si wafers.–Mitsuo Ataka and Tomoya Ogawa; **8** (11), 2889–2892.

Si : Cu

– Cu precipitation in oxidized wafers with and without a Ge_xSi_{1-x} heteroepitaxial layer.–G. Kissinger, G. Morgenstern, and H. Richter; **8** (8), 1900–1907.

Si : (Cu,Ag)

– Epitaxial growth versus nucleation in amorphous Si doped with Cu and Ag.–J. S. Custer, Michael O. Thompson, D. J. Eaglesham, D. C. Jacobson, and J. M. Poate; **8** (4), 820–829.

Si : Sb

– Formation of buried Sb dopant profiles in silicon by pulsed laser epitaxy.–R. J. Carolissen, D. K. Knoesen, W. C. Sinke, and R. Pretorius; **8** (4), 841–846.

Si : (SiO_2)
- Nucleation and growth of oxide precipitates in CZ–Si wafers.–Mitsuo Ataka and Tomoya Ogawa; **8** (11), 2889–2892.

Si–Ca–Al–O–N/Al
- Properties and microstructure of continuous oxynitride glass fiber and its application to aluminum matrix composite.–Katsuaki Suganuma, Hiroyoshi Minakuchi, Katsuhiko Kada, Tetsushi Kitamura, Haruo Osafune, and Hiroyuki Fujii; **8** (1), 178–186.

(Si–Ge)/Si
- Transport-reaction controlled chemical vapor deposition of epitaxial $Si_{(1-x)}Ge_x$ thin films and thermodynamic equilibrium composition.–H. Kühne and H. Richter; **8** (1), 131–137.

SiC
- Conversion of single crystal Si(100) to SiC film by C_2H_2.–Chien C. Chiu and Seshu B. Desu; **8** (3), 535–544.
- Epitaxial nucleation of polycrystalline silicon carbide during chemical vapor deposition.–Brian W. Sheldon, Theodore M. Besmann, Karren L. More, and Thomas S. Moss; **8** (5), 1086–1092.
- Solid solutions of AlN and SiC grown by plasma-assisted, gas-source molecular beam epitaxy.–R. S. Kern, L. B. Rowland, S. Tanaka, and R. F. Davis; **8** (7), 1477–1480.
- The plasma arc production of Si-based ceramic whiskers.–C. A. Pickles and J. M. Toguri; **8** (8), 1996–2003.
- Erratum: "Epitaxical nucleation of polycrystalline silicon carbide during chemical vapor deposition" [J. Mater. Res. **8**, 1086 (1993)].–Brian W. Sheldon, Theodore M. Besmann, Karren L. More, and Thomas S. Moss; **8** (9), 2416–2418.
- The $\alpha \rightarrow \beta$ polytypic transformation in high-temperature indented SiC.–J. W. Yang and P. Pirouz; **8** (11), 2902–2907.

SiC : (Al,B,C)
- Correlation between microstructure and mechanical properties in silicon carbide with alumina addition.–S. S. Shinozaki, J. Hangas, K. R. Carduner, M. J. Rokosz, K. Suzuki, and N. Shinohara; **8** (7), 1635–1643.

SiC : Al_2O_3
- Correlation between microstructure and mechanical properties in silicon carbide with alumina addition.–S. S. Shinozaki, J. Hangas, K. R. Carduner, M. J. Rokosz, K. Suzuki, and N. Shinohara; **8** (7), 1635–1643.

β–SiC : C
- Kinetics and mechanism of stacking fault annihilation and grain growth in porous ceramics of β–SiC.–Won-Seon Seo and Kunihito Koumoto; **8** (7), 1644–1650.

***a*–SiC : H**
- Characterization of the mechanical properties of *a*–SiC : H films.–M. J. Loboda and M. K. Ferber; **8** (11), 2908–2915.

SiC/Al–Si–Mg
- Interfaces in β–SiC whiskers/6061 aluminum composites.–Katsuaki Suganuma; **8** (10), 2569–2576.

SiC/C(graphite)
- Deposition of silicon carbide using the chemical vapor composites process: Process characterization and comparison with RASSPVDN model predictions.–M. D. Allendorf, R. H. Hurt, N. Yang, P. Reagan, and M. Robbins; **8** (7), 1651–1665.

SiC/Si
- Effect of surface structures upon ultrathin film interference fringes.–Lu Taijing, Tomoya Ogawa, Koichi Toyoda, and Zhenguo Wang; **8** (9), 2315–2318.
- Low pressure chemical vapor deposition (LPCVD) of β–SiC on Si(100) using MTS in a hot wall reactor.–Chien C. Chiu, Seshu B. Desu, and Ching Yi Tsai; **8** (10), 2617–2626.

β–SiC/α–SiC
- Gas-source molecular beam epitaxy of monocrystalline β–SiC on vicinal α–(6H)–SiC.–L. B. Rowland, R. S. Kern, S. Tanaka, and Robert F. Davis; **8** (11), 2753–2756.

SiC/Ti
- Interaction between SiC and Ti powder.–I. Gotman, E. Y. Gutmanas, and P. Mogilevsky; **8** (10), 2725–2733.

SiC(fiber)/Ti_3Al
- Interface control and design for SiC fiber-reinforced titanium aluminide composites.–Hsing-Pang Chiu, S. M. Jeng, and J-M. Yang; **8** (8), 2040–2053.

Si_3N_4
- Mechanical properties of hot isostatically pressed Si_3N_4 and Si_3N_4/SiC composites.–O. Unal, J. J. Petrovic, and T. E. Mitchell; **8** (3), 626–634.
- The plasma arc production of Si-based ceramic whiskers.–C. A. Pickles and J. M. Toguri; **8** (8), 1996–2003.
- Effects of α-silicon nitride powder processing on surface oxidation kinetics.–Pu Sen Wang, Subhas G. Malghan, Stephen M. Hsu, and T. N. Wittberg; **8** (12), 3168–3175.

Si_3N_4 : SiC
- Investigation of cured hydridopolysilazane-derived ceramic fibers via dynamic nuclear polarization.–Russel H. Lewis, Robert A. Wind, and G. E. Maciel; **8** (3), 649–654.

Si_3N_4/SiC
- Mechanical properties of hot isostatically pressed Si_3N_4 and Si_3N_4/SiC composites.–O. Unal, J. J. Petrovic, and T. E. Mitchell; **8** (3), 626–634.

Si_2N_2O
- The plasma arc production of Si-based ceramic whiskers.–C. A. Pickles and J. M. Toguri; **8** (8), 1996–2003.

SiO_2
- Dielectric properties of aerogels.–L. W. Hrubesh, L. E. Keene, and V. R. Latorre; **8** (7), 1736–1741.

SiO_2(aerogel)
- Ultra-low density aerogel optical applications.–S. P. Hotaling; **8** (2), 352–355.

SiO_x(SIPOS)
- The composition and structure of SIPOS: A high spatial resolution electron microscopy study.–M. Catalano, M. J. Kim, R. W. Carpenter, K. Das Chowdhury, and Joe Wong; **8** (11), 2893–2901.

SiO_2/Si
- Friction and wear studies of silicon in sliding contact with thin-film magnetic rigid disks.–Bharat Bhushan and Sreekanth Venkatesan; **8** (7), 1611–1628.

SiO_2–Al_2O_3
- Electrical properties of silica-alumina ceramics in nitrogen atmosphere.–Yoshihiro Hirata, Mitsunori Kawabata, and Yoshimi Ishihara; **8** (5), 1116–1121.
- Nanocomposite aerogels: The SiO_2–Al_2O_3 system.–Sridhar Komarneni, Rustum Roy, Ulagaraj Selvaraj, Prakash B. Malla, and Else Breval; **8** (12), 3163–3167.

SiO_2–ZnO–Li_2O–P_2O_5/Ag
- High dielectric permittivity in glass-ceramic metal nanocomposites.–B. Roy and D. Chakravorty; **8** (6), 1206–1208.

Silicone elastomer/Al_2O_3
- Processing of electroceramic-polymer composites using the electrorheological effect.–C. A. Randall, D. V. Miller, J. H. Adair, and A. S. Bhalla; **8** (4), 899–904.

Silicone elastomer/$BaTiO_3$
- Processing of electroceramic-polymer composites using the electrorheological effect.–C. A. Randall, D. V. Miller, J. H. Adair, and A. S. Bhalla; **8** (4), 899–904.

Sn–Pb–Ni
- Nickel-alloyed tin-lead eutectic solder for surface mount technology.–Sung K. Kang and Thomas G. Ference; **8** (5), 1033–1040.

SnO_2

- Isothermal capacitance transient spectroscopy study on trap levels in polycrystalline SnO_2 ceramics.–Myung Chul Kim, Kug Hyun Song, and Soon Ja Park; **8** (6), 1368–1372.
- Growth of highly oriented SnO_2 thin films on glass substrate from tetra-*n*-butyltin by the spray pyrolysis technique.–I. Yagi, Y. Hagiwara, K. Murakami, and S. Kaneko; **8** (7), 1481–1483.

SnO_2(cassiterite)

- Texture evolution of SnO_2 synthesized by pyrolysis of an aerosol.–M. Vallet-Regí, V. Ragel, J. Román, J.L. Martínez, M. Labeau, and J.M. González-Calbet; **8** (1), 138–144.

SnO_2–$LiNO_3$

- The effect of Li-salt additions on the densification of tin oxide.–D.W. Yuan, S.F. Wang, W. Huebner, and G. Simkovich; **8** (7), 1675–1679.

Soda-Lime-Silica glass

- Postfailure subsidiary cracking from indentation flaws in brittle materials.–Nitin P. Padture; **8** (6), 1411–1417.

Sr–Ca–Cu–O

- Solidification of $Bi_2Sr_2CaCu_2O_y$ and $Bi_2Sr_{1.75}Ca_{0.25}CuO_y$.–T.G. Holesinger, D.J. Miller, H.K. Viswanathan, and L.S. Chumbley; **8** (9), 2149–2161.

Sr_2CuWO_6 : Li

- Syntheses and some physical properties of solid solutions $Sr_2Cu_{1-x}Li_xMo_6$ with perovskite type of structure.–M. Jansen and S. Kucheiko; **8** (2), 324–326.

Sr_2LiMoO_6 : Cu

- Syntheses and some physical properties of solid solutions $Sr_2Cu_{1-x}Li_xMo_6$ with perovskite type of structure.–M. Jansen and S. Kucheiko; **8** (2), 324–326.

SrO/$SrTiO_3$

- Epitaxial growth of BaO and SrO with new crystal structures using mass-separated low-energy O^+ beams.–Ryusuke Kita, Takashi Hase, Hiromi Takahashi, Kenichi Kawaguchi, and Tadataka Morishita; **8** (2), 321–323.

Stainless steel

- Nondestructive detection of fatigue cracks in PM 304 stainless steel by internal friction and elasticity.–S.M. McGuire, M.E. Fine, O. Buck, and J.D. Achenbach; **8** (9), 2216–2223.

Steel/Cd

- Electro-chemo-mechanical treatment: Facilitating steel grinding under electrochemical reduction of active cations.–I.V. Vidensky, I.V. Petrova, and E.D. Shchukin; **8** (9), 2224–2227.

Steel/Zn

- Electro-chemo-mechanical treatment: Facilitating steel grinding under electrochemical reduction of active cations.–I.V. Vidensky, I.V. Petrova, and E.D. Shchukin; **8** (9), 2224–2227.

TaC

- A time-resolved diffraction study of the Ta–C solid combustion system.–E.M. Larson, Joe Wong, J.B. Holt, P.A. Waide, G. Nutt, B. Rupp, and L.J. Terminello; **8** (7), 1533–1541.

Ta_2C

- A time-resolved diffraction study of the Ta–C solid combustion system.–E.M. Larson, Joe Wong, J.B. Holt, P.A. Waide, G. Nutt, B. Rupp, and L.J. Terminello; **8** (7), 1533–1541.

Tetracyanoquinodimethane (TCNQ)

- The dielectric constant of TCNQ single crystals as deduced by reflection electron energy loss spectroscopy.–G. Mondio, F. Neri, G. Curró, S. Patané, and G. Compagnini; **8** (10), 2627–2633.

Ti

- A direct determination of fractal dimension of fracture surfaces using scanning electron microscopy and stereoscopy.–J.J. Friel and C.S. Pande; **8** (1), 100–104.

Ti : H/Al_2O_3

- Hydride precipitation in vapor deposited Ti thin films.–S.R. Peddada, I.M. Robertson, and H.K. Birnbaum; **8** (2), 291–296.

Ti/SiC

- Structure and behavior of metal/ceramic interfaces in Ti alloy/SiC metal matrix composites.–Ernest L. Hall and Ann M. Ritter; **8** (5), 1158–1168.

Ti–Al

- First-principles study of phase stability of Ti–Al intermetallic compounds.–Mark Asta, Didier de Fontaine, and Mark van Schilfgaarde; **8** (10), 2554–2568.
- The formation of metastable Ti–Al solid solutions by mechanical alloying and ball milling.–M. Oehring, T. Klassen, and R. Bormann; **8** (11), 2819–2829.

Ti–Al–N

- High-temperature oxidation of ion-plated TiN and TiAlN films.–Hiroshi Ichimura and Atsuo Kawana; **8** (5), 1093–1100.

TiAl

- Environmental effect on mechanical properties of TiAl base alloys.–Morihiko Nakamura, Kennki Hashimoto, and Tokuzo Tsujimoto; **8** (1), 68–77.
- Bonding-property relationships in intermetallic alloys.–M.E. Eberhart, D.P. Clougherty, and J.M. MacLaren; **8** (3), 438–448.
- Deformation behavior and high-temperature stability of unidirectionally solidified, twin phase TiAl.–G.H. Fair, J.V. Wood, T. Nakano, and Y. Umakoshi; **8** (8), 1812–1816.

Ti_3Al

- Deformation behavior and high-temperature stability of unidirectionally solidified, twin phase TiAl.–G.H. Fair, J.V. Wood, T. Nakano, and Y. Umakoshi; **8** (8), 1812–1816.

TiAl : (V;Cr)

- Site selectivities and magnetic moments of V, Cr, and Mn doped in γ–TiAl alloys.–V. Suresh Babu, Arthur S. Pavlovic, and Mohindar S. Seehra; **8** (5), 989–994.

Ti_3Al/Ag/Ta/SiC(fiber)

- Effect of fiber coating on the mechanical behavior of SiC fiber-reinforced titanium aluminide composites.–S.M. Jeng, J-M. Yang, and J.A. Graves; **8** (4), 905–916.

Ti_3Al/SiC

- Structure and behavior of metal/ceramic interfaces in Ti alloy/SiC metal matrix composites.–Ernest L. Hall and Ann M. Ritter; **8** (5), 1158–1168.

Ti_3Al/TiB_2/SiC(fiber)

- Effect of fiber coating on the mechanical behavior of SiC fiber-reinforced titanium aluminide composites.–S.M. Jeng, J-M. Yang, and J.A. Graves; **8** (4), 905–916.

TiC

- Chemistry and localization effects in the C-KVV Auger line shapes of transition metal carbides and related compounds.–Pehr E. Pehrsson and David Ramaker; **8** (10), 2716–2724.
- Effect of iron and cobalt addition on TiC combustion synthesis.–Yoon Choi and Shi-Woo Rhee; **8** (12), 3202–3209.

TiC–Co

- Effect of iron and cobalt addition on TiC combustion synthesis.–Yoon Choi and Shi-Woo Rhee; **8** (12), 3202–3209.

TiC–Fe

- Effect of iron and cobalt addition on TiC combustion synthesis.–Yoon Choi and Shi-Woo Rhee; **8** (12), 3202–3209.

TiC–NiAl

- Combustion-synthesized functionally gradient refractory materials.–Scott E. Niedzialek, Gregory C. Stangle, and Yoshinari Kaieda; **8** (8), 2026–2034.

TiC–Ni_3Al

– Combustion-synthesized functionally gradient refractory materials.–Scott E. Niedzialek, Gregory C. Stangle, and Yoshinari Kaieda; **8** (8), 2026–2034.

TiN/SiO_2

– Preparation and properties of uniform coated colloidal particles. VIII. Titanium nitride on silica.–Richard E. Partch, Yuming Xie, S. T. Oyama, and Egon Matijević; **8** (8), 2014–2018.

TiN/W

– Nucleation of CVD–TiN on tungsten.–K. Glejbøl, N. H. Pryds, and A. R. Thölén; **8** (9), 2239–2244.

TiNi

– The influence of mill energy and temperature on the structure of the TiNi intermetallic after mechanical attrition.–Kenjiro Yamada and Carl C. Koch; **8** (6), 1317–1326.

TiO_2

– On the use of ion scattering to examine the role of hydrogen in the reduction of TiO_2.–W. E. Wallace, Q. Zhong, J. Genzer, R. J. Composto, and D. A. Bonnell; **8** (7), 1629–1634.

– On the morphological properties of tungsta-titania de-NO_xing catalysts.–C. Cristiani, M. Bellotto, P. Forzatti, and F. Bregani; **8** (8), 2019–2025.

– Selection of structural type and particle size in titanium (IV) oxide.–M. Vallet-Regí, J. Peña, A. Martínez, and J. M. González-Calbet; **8** (9), 2336–2343.

– Study of the anatase-rutile transformation in TiO_2 powders obtained by laser-induced synthesis.–Laura E. Depero, Paolo Bonzi, Marcello Zocchi, Cristina Casale, and Gennaro De Michele; **8** (10), 2709–2715.

TiO_2/Al_2O_3(sapphire)

– Epitaxy, microstructure, and processing-structure relationships of TiO_2 thin films grown on sapphire (0001) by MOCVD.–H. L. M. Chang, T. J. Zhang, H. Zhang, J. Guo, H. K. Kim, and D. J. Lam; **8** (10), 2634–2643.

Tl–Ba–Ca–Cu–O

– Characteristics of $TiBa_2Ca_2Cu_3O_{9+\delta}$ powder as synthesized and after grinding.–P. J. Kung, M. P. Maley, P. G. Wahlbeck, and D. E. Peterson; **8** (4), 713–719.

Tl–Ca–Ba–Cu–O

– Structural studies on Tl–Ca–Ba–Cu–O superconducting thin films.–Bruno Morosin, M. Grant Norton, C. Barry Carter, E. L. Venturini, and D. S. Ginley; **8** (4), 720–726.

$Tl_2Ba_2CaCu_2O_8/LaAlO_3$

– Effect of single crystal substrates on the growth and properties of superconducting $Tl_2Ba_2CaCu_2O_8$ films.–W. L. Holstein, L. A. Parisi, R. B. Flippen, and D. G. Swartzfager; **8** (5), 962–972.

$Tl_2Ba_2CaCu_2O_8/NdCaO_3$

– Effect of single crystal substrates on the growth and properties of superconducting $Tl_2Ba_2CaCu_2O_8$ films.–W. L. Holstein, L. A. Parisi, R. B. Flippen, and D. G. Swartzfager; **8** (5), 962–972.

V

– Wagner oxidation in the nonisothermal regime.–László Nánai, Daniel A. Jelski, Imre Hevesi, and Thomas F. George; **8** (5), 945–947.

VN

– Topotactic synthesis of vanadium nitride solid foams.–S. Ted Oyama, Rajat Kapoor, Hideko T. Oyama, David J. Hofmann, and Egon Matijević; **8** (6), 1450–1454.

VO_2

– Filament formation in switching devices based on V_2O_5 gel films.–J-G. Zhang and P. C. Eklund; **8** (3), 558–564.

V_2O_5

– Filament formation in switching devices based on V_2O_5 gel films.–J-G. Zhang and P. C. Eklund; **8** (3), 558–564.

– Formation of V_2O_5-based mixed oxides in flames.–Philippe F. Miquel, Cheng-Hung Hung, and Joseph L. Katz; **8** (9), 2404–2413.

V_2O_5/Al_2O_3

– Formation of V_2O_5-based mixed oxides in flames.–Philippe F. Miquel, Cheng-Hung Hung, and Joseph L. Katz; **8** (9), 2404–2413.

V_2O_5/TiO_2

– Formation of V_2O_5-based mixed oxides in flames.–Philippe F. Miquel, Cheng-Hung Hung, and Joseph L. Katz; **8** (9), 2404–2413.

W/Si

– Structural characterization and thermal stability of W/Si multilayers.–M. Brunel, S. Enzo, M. Jergel, S. Luby, E. Majkova, and I. Vavra; **8** (10), 2600–2607.

WC

– Preparation of ultrafine tungsten carbide powder by CVD method from WCl_6–C_2H_2–H_2 mixtures.–Chang-Whan Won, Byong-Sun Chun, and H. Y. Sohn; **8** (10), 2702–2708.

W_2C

– Preparation of ultrafine tungsten carbide powder by CVD method from WCl_6–C_2H_2–H_2 mixtures.–Chang-Whan Won, Byong-Sun Chun, and H. Y. Sohn; **8** (10), 2702–2708.

WN

– Tungsten nitride thin films prepared by MOCVD.–Hsin-Tien Chiu and Shiow-Huey Chuang; **8** (6), 1353–1360.

WO_3 : Li

– The influence of microstructure on the electrochromic properties of Li_xWO_3 thin films: Part I. Ion diffusion and electrochromic properties.–Ji-Guang Zhang, C. Edwin Tracy, David K. Benson, and Satyen K. Deb; **8** (10), 2649–2656.

– The influence of microstructure on the electrochromic properties of Li_xWO_3 films: Part II. Limiting mechanisms in coloring and bleaching processes.–Ji-Guang Zhang, David K. Benson, C. Edwin Tracy, and Satyen K. Deb; **8** (10), 2657–2667.

WO_3/TiO_2

– On the morphological properties of tungsta-titania de-NO_xing catalysts.–C. Cristiani, M. Bellotto, P. Forzatti, and F. Bregani; **8** (8), 2019–2025.

Y–Ba–Cu–O

– Chemical interaction of BaO–CuO-rich melts with Y_2O_3.–N. Pellerin, G. Jouan, and P. Odier; **8** (1), 18–23.

– The effect of residual carbon on the superconducting properties of $YBa_2Cu_3O_{7-x}$ powders.–Yoshio Masuda, Rikuro Ogawa, Yoshio Kawate, Kazuo Matsubara, Tsuyoshi Tateishi, and Sumio Sakka; **8** (4), 693–698.

– Resistivity measurement of an *a*-axis-oriented $YBa_2Cu_3O_{7-\delta}$ thin film at 450–650 °C.–Toshio Usui, Akira Oishi, Hidekazu Teshima, Kazumi Ohata, and Tadatada Morishita; **8** (4), 705–708.

– Optical spectroscopic study of the radio frequency oxygen thermal plasma evaporated $YBa_2Cu_3O_{7-x}$.–Shigenori Yuhya, Jiro Tsujino, Noriyuki Tatsumi, and Yuh Shiohara; **8** (4), 709–712.

– Degradation of YBC critical current as a result of annealing in air.–Judith Bransky; **8** (5), 943–944.

– Resistive transition broadening in two-phase polycrystalline YBaCuO.–J. C. Abele, R. L. Bristol, T. C. Nguyen, M. W. Ohmer, and L. S. Wood; **8** (5), 957–961.

– Microstructure and properties of Cu-rich 123: Part II. Homogeneous copper and high magnetic J_c.–J. P. Zhang, D. J. Li, C. Boldt, R. Plass, V. Dravid, L. D. Marks, C. H. Lin, J. A. Eades, A. Sodonis, W. Wolbach, J. M. Chabala, and R. Levi-Setti; **8** (6), 1232–1239.

– Doping effects on coarsening of Y_2BaCuO_5 phase in liquid.–Teruo Izumi, Yuichi Nakamura, and Yuh Shiohara; **8** (6), 1240–1246.

- Superconducting fibers from organometallic precursors: Part III. Pyrolytic processing of precursor fibers.–Zhi-Fan Zhang, Richard A. Kennish, Kay A. Youngdahl Blohowiak, Martin L. Hoppe, and Richard M. Laine; **8** (8), 1777–1790.
- Preparation and comparison of $YBa_2Cu_4O_8$ films on MgO(100) and $SrTiO_3$(100) by MOCVD.–H. Sakai, Y. Shiohara, and S. Tanaka; **8** (9), 2143–2148.
- Effect of partial vacuum on YBCO thick films on Y_2BaCuO_5 and ZrO_2 substrates.–Indu Dhingra, R. B. Tripathi, and B. K. Das; **8** (10), 2433–2439.
- Thermodynamic stability field of the 123 and 124 phases in the Y_2O_3–BaO–Cu–O system.–Zhigang Zhou and Alexandra Navrotsky; **8** (12), 3023–3031.

$Y_3Al_5O_{12}$(YAG)

- Phase transformations and microstructure evolution in sol-gel derived yttrium-aluminum garnet films.–R. S. Hay; **8** (3), 578–604.

$YBa_4Cu_2CO_3O_{5.5\pm\delta}$

- The $Y_1Ba_4Cu_2CO_3O_{5.5\pm\delta}$ oxycarbonate—An interesting nonsuperconductor.–Mark A. Rodriguez, J. J. Simmins, and R. L. Snyder; **8** (3), 415–420.

$YBa_2Cu_3O_7/SrTiO_3/MgO$

- Characterization of epitaxial $SrTiO_3/YBa_2Cu_3O_7$ layers deposited on (001) MgO by laser ablation.–P. Scardi, L. Lutterotti, L. Correra, and S. Nicoletti; **8** (11), 2780–2784.

$YBa_2Cu_3O_{7-x}$

- Chemical interaction of BaO–CuO-rich melts with Y_2O_3.–N. Pellerin, G. Jouan, and P. Odier; **8** (1), 18–23.
- Enhancement of critical current density in $YBa_2Cu_3O_x$ superconductor by mechanical deformation.–V. Selvamanickam, M. Mironova, and K. Salama; **8** (2), 249–254.
- Thermoelectric power of $YBa_2Cu_3O_{7-\delta}$ superconductive thin films as a function of oxygen contents.–Iván A. Cornejo, John U. Trefny, and Baki Yarar; **8** (2), 255–260.
- Processing effects on high T_c properties of $YBa_2Cu_3O_{7-x}$ films from carboxylate solution precursors.–Peir-Yung Chu, Isabelle Campion, and Relva C. Buchanan; **8** (2), 261–267.
- Extrusion of superconducting wires of $YBa_2Cu_3O_{7-x}$.–D. Ponnusamy and K. Ravi-Chandar; **8** (2), 268–273.
- Containerless solidification of $YBa_2Cu_3O_{7-x}$ in a drop tube.–V. R. Todt and G. J. Schmitz; **8** (3), 411–414.
- Substrate dependence of the crystallinity and mosaic texture of $YBa_2Cu_3O_{7-\delta}$ ultrathin films deposited by laser ablation.–C. C. Chin, H. Takahashi, T. Morishita, and T. Sugimoto; **8** (5), 951–956.
- Synthesis of $YBa_2Cu_3O_{7-x}$ thin films by three-stage oxidation process from metallic Y–Ba–Cu precursors.–Takashi Hase, Ryusuke Kita, Kenichi Kawaguchi, Takeshi Koga, and Tadataka Morishita; **8** (6), 1220–1225.
- Synthesis of superconductors from soluble metal oxo alkoxide precursors.–M. W. Rupich, Y. P. Liu, J. Ibechem, and J. P. Hachey; **8** (7), 1487–1496.
- Measurement of the work function of $Y_1Ba_2Cu_3O_{7-\delta}$ under ambient conditions.–Jon DeVries, Steve S. Wakisaka, and R. Erik Spjut; **8** (7), 1497–1500.
- High-resolution electron microscopy of epitaxial YBCO/Y_2O_3/YSZ on Si(001).–A. Bardal, O. Eibl, Th. Matthée, G. Friedl, and J. Wecker; **8** (9), 2112–2127.
- Reactive liquid phase sintering of solution-derived $YBa_2Cu_3O_{7-x}$ superconducting thin films: Part I. Ambient and precursor effects on BaO–CuO liquid phase formation.–Peir-Yung Chu and Relva C. Buchanan; **8** (9), 2134–2142.
- Nd:YAG laser patterning of plasma-deposited high T_c superconducting thick films.–Usha Varshney, B. D. Eichelberger, III, J. M. Glass, R. J. Churchill, and A. I. Kingon; **8** (10), 2429–2432.
- Synthesis of $YBa_2Cu_3O_{7-x}$ powder by autoignition of citrate-nitrate gel.–Sukumar Roy, A. Das Sharma, S. N. Roy, and H. S. Maiti; **8** (11), 2761–2766.
- TEM studies of dislocations in deformed melt-textured $YBa_2Cu_3O_x$ superconductors.–M. Mironova, V. Selvamanickam, D. F. Lee, and K. Salama; **8** (11), 2767–2773.
- Influence of Y_2BaCuO_5 particles on the growth morphology of peritectically solidified $YBa_2Cu_3O_{7-x}$.–G. J. Schmitz, J. Laakmann, Ch. Wolters, S. Rex, W. Gawalek, T. Habisreuther, G. Bruchlos, and P. Görnert; **8** (11), 2774–2779.
- Ion beam sputter deposition of $YBa_2Cu_3O_{7-\delta}$ thin films.–B. J. Kellett and J. H. James; **8** (12), 3032–3042.

$YBa_2Cu_3O_{7-x}$:C

- The effect of residual carbon on the superconducting properties of $YBa_2Cu_3O_{7-x}$ powders.–Yoshio Masuda, Rikuro Ogawa, Yoshio Kawate, Kazuo Matsubara, Tsuyoshi Tateishi, and Sumio Sakka; **8** (4), 693–698.

$YBa_2Cu_3O_{7-\delta}$:TiO_2

- Sol-gel coating of $YBa_2Cu_3O_{7-x}$ with TiO_2 for enhanced anisotropic grain growth.–James G. Fagan and V. R. W. Amarakoon; **8** (7), 1501–1509.

$YBa_2Cu_3O_{7-x}$/Ag

- Effects of silver additions on resistance to thermal shock and delayed failure of $YBa_2Cu_3O_{7-\delta}$ superconductors.–J. P. Singh, J. Joo, D. Singh, T. Warzynski, and R. B. Poeppel; **8** (6), 1226–1231.

$YBa_2Cu_3O_{7-x}/Al_2O_3$

- Controlled heterogeneous nucleation of melt-textured $YBa_2Cu_3O_{6+x}$ by addition of Al_2O_3 particles.–Yan L. Chen, Lijie Zhang, Helen M. Chan, and Martin P. Harmer; **8** (9), 2128–2133.

$YBa_2Cu_3O_{7-x}/CeO_2/ZrO_2$

- Interfacial reaction products and film orientation in $YBa_2Cu_3O_{7-x}$ on zirconia substrates with and without CeO_2 buffer layers.–G. L. Skofronick, A. H. Carim, S. R. Foltyn, and R. E. Muenchausen; **8** (11), 2785–2798.

$YBa_4Cu_3O_{8.5}$

- The $Y_1Ba_4Cu_2CO_3O_{5.5\pm\delta}$ oxycarbonate—An interesting nonsuperconductor.–Mark A. Rodriguez, J. J. Simmins, and R. L. Snyder; **8** (3), 415–420.

Y_2BaCuO_5

- Influence of Y_2BaCuO_5 particles on the growth morphology of peritectically solidified $YBa_2Cu_3O_{7-x}$.–G. J. Schmitz, J. Laakmann, Ch. Wolters, S. Rex, W. Gawalek, T. Habisreuther, G. Bruchlos, and P. Görnert; **8** (11), 2774–2779.

Zn–Al

- Influence of rare earth element additions on phase transformations in the Zn–27% Al alloy.–Yao Hua Zhu and Frank E. Goodwin; **8** (12), 3043–3049.

$ZnFe_2O_4$

- Synthesis and characterization of zinc ferrite particles prepared by hydrothermal decomposition of zinc chelate solutions.–M. Andrés Vergés, M. Martínez, and E. Matijević; **8** (11), 2916–2920.

$(Zn, Fe)_3O_4$

- Synthesis and characterization of zinc ferrite particles prepared by hydrothermal decomposition of zinc chelate solutions.–M. Andrés Vergés, M. Martínez, and E. Matijević; **8** (11), 2916–2920.

ZnO:In

- Dopant induced modifications in the physical properties of sprayed ZnO:In films.–D. J. Goyal, Chitra Agashe, M. G. Takwale, V. G. Bhide, Shailaja Mahamuni, and S. K. Kulkarni; **8** (5), 1052–1056.

Zr_3Al

- On the bcc, fcc, hcp, and amorphous polymorphs of Zr_3Al.–A. R. Yavari, S. Gialanella, T. BenAmeur, R. W. Cahn, and B. Bochu; **8** (2), 242–244.

ZrO_2

- Effect of chemical and heat treatment on the tetragonal-to-monoclinic transformation of zirconia.–X. Turrillas, P. Barnes, D. Häusermann, S. L. Jones, and C. J. Norman; **8** (1), 163–168.
- X-ray and micro-Raman analysis of nanophase ZrO_2 and Y_2O_3–ZrO_2 produced by the gas-phase condensation technique.–C. M. Foster, G. R. Bai, J. C. Parker, and M. N. Ali; **8** (8), 1977–1982.
- Synthesis of ceramic oxide powders in a microwave plasma device.–Dieter Vollath and Kurt E. Sickafus; **8** (11), 2978–2984.

ZrO_2 : Y_2O_3

- X-ray and micro-Raman analysis of nanophase ZrO_2 and Y_2O_3–ZrO_2 produced by the gas-phase condensation technique.–C. M. Foster, G. R. Bai, J. C. Parker, and M. N. Ali; **8** (8), 1977–1982.

ZrO_2/Si

- Deposition and characterization of ZrO_2 thin films on silicon substrate by MOCVD.–Cheol Seong Hwang and Hyeong Joon Kim; **8** (6), 1361–1367.

ZrO_2–Al_2O_3

- Synthesis of ceramic oxide powders in a microwave plasma device.–Dieter Vollath and Kurt E. Sickafus; **8** (11), 2978–2984.

ZrO_2–MgO

- On the occurrence of a metastable tetragonal t'-phase in a ZrO_2–13.6 mole % MgO ceramic and its microscopic thermal evolution.–M. C. Caracoche, P. C. Rivas, A. F. Pasquevich, A. R. López García, E. Aglietti, and A. Scian; **8** (3), 605–610.

ZrO_2–Y_2O_3

- Epitaxial zirconia thin films from aqueous precursors.–K. T. Miller, C. J. Chan, M. G. Cain, and F. F. Lange; **8** (1), 169–177.

AUTHOR INDEX TO VOLUME 8

All authors of papers published in Volume 8 are listed alphabetically with the issue and page number following the dash. References with (L) are Communications. References with (E) are Errata. References with (A) are Addenda. Page numbers are cited in ascending order.

A

Abe, Takeshi–Bi-intercalation of H_2SO_4 into stages 4–6 $FeCl_3$–graphite intercalation compounds.–Yasuo Mizutani, Takeshi Abe, Mitsuru Asano, and Toshio Harada; **8** (7), 1586–1595.

Abe, Yoshihiro–New method for fabrication of superconducting pipes in the Bi–Sr–Ca–Cu–O system.–Yoshihiro Abe, Hideo Hosono, Won-Hyuk Lee, Masahiro Hosoe, Koichi Nakamura, and Eikichi Inukai; **8** (1), 1–4(L).

Abele, J. C.–Resistive transition broadening in two-phase polycrystalline YBaCuO.–J. C. Abele, R. L. Bristol, T. C. Nguyen, M. W. Ohmer, and L. S. Wood; **8** (5), 957–961.

Achenbach, J. D.–Nondestructive detection of fatigue cracks in PM 304 stainless steel by internal friction and elasticity.–S. M. McGuire, M. E. Fine, O. Buck, and J. D. Achenbach; **8** (9), 2216–2223.

Adair, J. H.–Processing of electroceramic-polymer composites using the electrorheological effect.–C. A. Randall, D. V. Miller, J. H. Adair, and A. S. Bhalla; **8** (4), 899–904.

Adeva, P.–Microstructural study of the crystallization product of the $Co_{100-x}P_x$ amorphous system.–F. Cebollada, J. M. González, and P. Adeva; **8** (1), 105–111.

Aegerter, M. A.–New fluoroindate glass compositions.–Y. Messaddeq, A. Delben, M. A. Aegerter, A. Soufiane, and M. Poulain; **8** (4), 885–889.

Agashe, Chitra–Dopant induced modifications in the physical properties of sprayed ZnO : In films.–D. J. Goyal, Chitra Agashe, M. G. Takwale, V. G. Bhide, Shailaja Mahamuni, and S. K. Kulkarni; **8** (5), 1052–1056.

Ager, Joel W., III–Combined surface characterization and tribological (friction and wear) studies of CVD diamond films.–Scott S. Perry, Joel W. Ager, III, and Gabor A. Somorjai; **8** (10), 2577–2586.

Aglietti, E.–On the occurrence of a metastable tetragonal t'-phase in a ZrO_2–13.6 mole% MgO ceramic and its microscopic thermal evolution.–M. C. Caracoche, P. C. Rivas, A. F. Pasquevich, A. R. López García, E. Aglietti, and A. Scian; **8** (3), 605–610.

Ailey, K. S.–Phase evolution in boron nitride thin films.–D. J. Kester, K. S. Ailey, R. F. Davis, and K. L. More; **8** (6), 1213–1216(L).

Ailey-Trent, K. S.–Kinetics and mechanisms of high-temperature creep in polycrystalline aluminum nitride.–A. Vasudev, K. L. More, K. S. Ailey-Trent, and R. F. Davis; **8** (5), 1101–1108.

Alam, M.–The kinetics of chemical vapor deposited diamond-oxygen reaction.–M. Alam and Q. Sun; **8** (11), 2870–2878.

Ali, M. N.–X-ray and micro-Raman analysis of nanophase ZrO_2 and Y_2O_3–ZrO_2 produced by the gas-phase condensation technique.–C. M. Foster, G. R. Bai, J. C. Parker, and M. N. Ali; **8** (8), 1977–1982.

Allendorf, M. D.–Deposition of silicon carbide using the chemical vapor composites process: Process characterization and comparison with RASSPVDN model predictions.–M. D. Allendorf, R. H. Hurt, N. Yang, P. Reagan, and M. Robbins; **8** (7), 1651–1665.

Alurralde, M.–Influence of the irradiation temperature on the intracascade ion mixing.–M. Alurralde, A. Caro, and M. Victoria; **8** (3), 449–454.

Alviso, C. T.–Gas permeability of carbon aerogels.–F-M. Kong, J. D. LeMay, S. S. Hulsey, C. T. Alviso, and R. W. Pekala; **8** (12), 3100–3105.

Amarakoon, V. R. W.–Sol-gel coating of $YBa_2Cu_3O_{7-x}$ with TiO_2 for enhanced anisotropic grain growth.–James G. Fagan and V. R. W. Amarakoon; **8** (7), 1501–1509.

Amaral, L.–Characterization of europium-implanted $LiNbO_3$.–P. Moretti, B. Canut, S. M. M. Ramos, R. Brenier, P. Thévenard, D. Poker, J. B. M. DaCunha, L. Amaral, and A. Vasquez; **8** (10), 2679–2685.

Amato, Philip A.–Quantitative image analysis of superconductor thin film microstructure: The use of conditional, multiparametric, shape-analysis algorithms.–Philip A. Amato, Mark Lelental, and Ray C. Bowen; **8** (11), 2799–2809.

Amundson, Neal R.–Chemical vapor infiltration of SiC with microwave heating.–José I. Morell, Demetre J. Economou, and Neal R. Amundson; **8** (5), 1057–1067.

–Erratum: "Chemical vapor infiltration of SiC with microwave heating" [J. Mater. Res. **8**, 1057 (1993)].–José I. Morell, Demetre J. Economou, and Neal R. Amundson; **8** (12), 3251(E).

Anderson, Ronald M.–Synthesis and characterization of cordierite from acetylacetonate/alkoxide precursors.–Lawrence D. David, Ronald M. Anderson, Joseph M. Dynys, Charles C. Goldsmith, and Andrew Szule; **8** (7), 1697–1702.

Andrés Vergés, M.–Synthesis and characterization of zinc ferrite particles prepared by hydrothermal decomposition of zinc chelate solutions.–M. Andrés Vergés, M. Martínez, and E. Matijević; **8** (11), 2916–2920.

Annis, B. K.–Topographical changes induced by high dose carbon-bombardment of graphite.–B. K. Annis, D. F. Pedraza, and S. P. Withrow; **8** (10), 2587–2599.

Antonucci, Pier Luigi–XRD characterization of highly dispersed metal catalysts on carbon support.–Paolo Scardi and Pier Luigi Antonucci; **8** (8), 1829–1835.

Antony, M. M.–Barium titanate/noble metal laminates prepared by the oxidation of solid metallic precursors.–M. M. Antony and K. H. Sandhage; **8** (11), 2968–2977.

Anyalebechi, Princewill N.–The effect of siloxane spin-on-glass and reaction bonded silicon oxycarbide coatings with a self-propagating interfacial reaction treatment (ASPIRE) in the synthesis of carbon/graphite fiber-reinforced aluminum metal matrix composites.–Willy M. Balaba, Douglas A. Weirauch, Jr., Anthony J. Perrotta, George H. Armstrong, Princewill N. Anyalebechi, Suzanne Kauffman, Andrew N. MacInnes, Angela M. Winner, and Andrew R. Barron; **8** (12), 3192–3201.

Aoki, K.–Atmosphere effects of the amorphization reaction in NiZr by ball milling.–K. Aoki, A. Memezawa, and T. Masumoto; **8** (2), 307–313.

Aoki, Kiyoshi–Synthesis of stable quasicrystalline particle-dispersed Al base composite alloys.–An Pang Tsai, Kiyoshi Aoki, Akihisa Inoue, and Tsuyoshi Masumoto; **8** (1), 5–7(L).

Arai, Shinji–Solid-state reactions of the Ag–Cu–Ti thin film–Al_2O_3 substrate system.–Seiichi Suenaga, Miho Koyama, Shinji Arai, and Masako Nakahashi; **8** (8), 1805–1811.

Archambault, P.–Thermal diffusivity of quasicrystalline and related crystalline alloys.–J. M. Dubois, S. S. Kang, P. Archambault, and B. Colleret; **8** (1), 38–43.

Arendt, M. F.–Electrical and optical characterization of Sb : SnO_2.–Yue-Song He, Joe C. Campbell, Robert C. Murphy, M. F. Arendt, and John S. Swinnea; **8** (12), 3131–3134.

Arendt, R. H.–Effect of internal fission-fragment irradiation on critical currents and flux creep in Bi–Sr–Ca–Cu–O superconductors doped with UO_2.–F. E. Luborsky, R. H. Arendt, R. L. Fleischer, H. R. Hart, Jr., J. E. Tkaczyk, and D. A. Orsini; **8** (6), 1277–1284.

Arey, B. W.–Hot-hardness comparisons among isostructural $Be_{12}X$ intermetallic compounds.–S. M. Bruemmer, B. W. Arey, J. L. Brimhall, and J. P. Hirth; **8** (7), 1550–1557.

Arizmendi, A.–Formation of quasicrystalline phases in an Al–Cu–Co–Fe alloy obtained by using a gravity chill-casting technique.–R. Perez, A. Arizmendi, J. A. Juarez-Islas, and L. Martinez; **8** (5), 985–988.

Armstrong, George H.–The effect of siloxane spin-on-glass and reaction bonded silicon oxycarbide coatings with a self-propagating interfacial reaction treatment (ASPIRE) in the synthesis of carbon/graphite fiber-reinforced aluminum metal matrix composites.–Willy M. Balaba, Douglas A. Weirauch, Jr., Anthony

J. Perrotta, George H. Armstrong, Princewill N. Anyalebechi, Suzanne Kauffman, Andrew N. MacInnes, Angela M. Winner, and Andrew R. Barron; **8** (12), 3192–3201.

Arrasmith, S. R.–Texture development due to preferential grain growth of Ho–Ba–Cu–O in 1.6-T magnetic field.–A. Holloway, R. W. McCallum, and S. R. Arrasmith; **8** (4), 727–733.

–Rapidly textured $Bi_2Sr_2CaCu_2O_8$.–S. R. Arrasmith, M. J. Kramer, B. D. Merkle, T. G. Holesinger, and R. W. McCallum; **8** (6), 1247–1257.

Asano, Mitsuru–Bi-intercalation of H_2SO_4 into stages 4–6 $FeCl_3$–graphite intercalation compounds.–Yasuo Mizutani, Takeshi Abe, Mitsuru Asano, and Toshio Harada; **8** (7), 1586–1595.

Asta, Mark–First-principles study of phase stability of Ti–Al intermetallic compounds.–Mark Asta, Didier de Fontaine, and Mark van Schilfgaarde; **8** (10), 2554–2568.

Ataka, Mitsuo–Nucleation and growth of oxide precipitates in CZ–Si wafers.–Mitsuo Ataka and Tomoya Ogawa; **8** (11), 2889–2892.

Atzmon, M.–Evidence for self-sustained $MoSi_2$ formation during room-temperature high-energy ball milling of elemental powders.–E. Ma, J. Pagán, G. Cranford, and M. Atzmon; **8** (8), 1836–1844.

Auguste, F.–Relationship between the structural organization and the physical properties of PECVD nitrogenated carbons.–M. Ricci, M. Trinquecoste, F. Auguste, R. Canet, P. Delhaes, C. Guimon, G. Pfister-Guillouzo, B. Nysten, and J. P. Issi; **8** (3), 480–488.

B

Babu, V. Suresh–Site selectivities and magnetic moments of V, Cr, and Mn doped in γ–TiAl alloys.–V. Suresh Babu, Arthur S. Pavlovic, and Mohindar S. Seehra; **8** (5), 989–994.

Bachmann, K. J.–Growth kinetics and characterizations of gallium nitride thin films by remote PECVD.–S. W. Choi, K. J. Bachmann, and G. Lucovsky; **8** (4), 847–854.

Bade, J. P.–Highly oriented, textured diamond films on silicon via bias-enhanced nucleation and textured growth.–B. R. Stoner, S. R. Sahaida, J. P. Bade, P. Southworth, and P. J. Ellis; **8** (6), 1334–1340.

Badía, A.–Solution-based synthesis routes to $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_{10+\delta}$.–M. T. Ruiz, G. F. de la Fuente, A. Badía, J. Blasco, M. Castro, A. Sotelo, A. Larrea, F. Lera, C. Rillo, and R. Navarro; **8** (6), 1268–1276.

Bai, Benjamin J.–Methyl halides as carbon sources in a hot-filament diamond CVD reactor: A new gas phase growth species.–Benjamin J. Bai, C. Judith Chu, Donald E. Patterson, Robert H. Hauge, and John L. Margrave; **8** (2), 233–236(L).

Bai, G.–Microstructure of $PbTiO_3$ thin films deposited on (001) MgO by MOCVD.–Y. Gao, G. Bai, K. L. Merkle, Y. Shi, H. L. M. Chang, Z. Shen, and D. J. Lam; **8** (1), 145–153.

Bai, G. R.–X-ray and micro-Raman analysis of nanophase ZrO_2 and Y_2O_3–ZrO_2 produced by the gas-phase condensation technique.–C. M. Foster, G. R. Bai, J. C. Parker, and M. N. Ali; **8** (8), 1977–1982.

Baird, James K.–Theory of the time-lag diffusion method for the case of an outgassing solid.–James K. Baird and Jenn-Shing Chen; **8** (6), 1455–1461.

Baker, I.–Hard sphere modeling of the effect of slip on interstitial sites in the B2 structure.–I. Baker; **8** (6), 1203–1205(L).

–Erratum: "Hard sphere modeling of the effect of slip on interstitial sites in the B2 structure" [J. Mater. Res. **8**, 1203 (1993)].–I. Baker; **8** (10), 2741(E).

Baker, R. T. K.–Fundamental studies of the influence of boron on the graphite-oxygen reaction using *in situ* electron microscopy techniques.–N. M. Rodriguez and R. T. K. Baker; **8** (8), 1886–1894.

Balaba, Willy M.–The effect of siloxane spin-on-glass and reaction bonded silicon oxycarbide coatings with a self-propagating interfacial reaction treatment (ASPIRE) in the synthesis of carbon/graphite fiber-reinforced aluminum metal matrix composites.–Willy M. Balaba, Douglas A. Weirauch, Jr., Anthony J. Perrotta, George H. Armstrong, Princewill N. Anyalebechi, Suzanne Kauffman, Andrew N. MacInnes, Angela M. Winner, and Andrew R. Barron; **8** (12), 3192–3201.

Balachandran, U.–Coprecipitation synthesis of doped lanthanum chromite.–M. R. De Guire, S. E. Dorris, R. B. Poeppel, S. Morissette, and U. Balachandran; **8** (9), 2327–2335.

Bancel, Peter A.–High resolution electron microscopy of Al–Cu–Fe quasicrystals: Atomic structure and modeling.–William Krakow, David P. DiVincenzo, Peter A. Bancel, Eric Cockayne, and Veit Elser; **8** (1), 24–37.

Baram, J.–Processing characteristics and properties of BiSrCaCuO superconducting glass ceramics prepared by melt-quenching.–Y. Massalker, A. N. Sembira, and J. Baram; **8** (10), 2445–2457.

Barber, D. J.–Extrinsic contributions to the grain size dependence of relaxor ferroelectric $Pb(Mg_{1/3}Nb_{2/3}):PbTiO_3$ ceramics.–C. A. Randall, A. D. Hilton, D. J. Barber, and T. R. Shrout; **8** (4), 880–884.

Bardal, A.–High-resolution electron microscopy of epitaxial YBCO/Y_2O_3/YSZ on Si(001).–A. Bardal, O. Eibl, Th. Matthée, G. Friedl, and J. Wecker; **8** (9), 2112–2127.

Barnes, P.–Effect of chemical and heat treatment on the tetragonal-to-monoclinic transformation of zirconia.–X. Turrillas, P. Barnes, D. Häusermann, S. L. Jones, and C. J. Norman; **8** (1), 163–168.

Barron, Andrew R.–The effect of siloxane spin-on-glass and reaction bonded silicon oxycarbide coatings with a self-propagating interfacial reaction treatment (ASPIRE) in the synthesis of carbon/graphite fiber-reinforced aluminum metal matrix composites.–Willy M. Balaba, Douglas A. Weirauch, Jr., Anthony J. Perrotta, George H. Armstrong, Princewill N. Anyalebechi, Suzanne Kauffman, Andrew N. MacInnes, Angela M. Winner, and Andrew R. Barron; **8** (12), 3192–3201.

Batalla, E.–Fabrication of EuO films by oxidation of Eu metal films.–X. J. Yu, E. Batalla, and L. S. Wright; **8** (3), 462–466.

Bauer, R. A.–Quantitative nucleation and growth studies of PACVD diamond film formation on (100) silicon.–R. A. Bauer, N. M. Sbrockey, and W. E. Brower, Jr.; **8** (11), 2858–2869.

Béguin, F.–Intercalation of pentane into the stage 2 to 4 cesium graphitides: Relation between cesium density in the intercalated layers and the stage of the parent binary.–H. Pilliere, M. Goldmann, and F. Béguin; **8** (9), 2288–2298.

–Effect of $FeCl_4^-$ intercalation on the transport properties of a graphitized polyimide film.–B. Nysten, J-P. Issi, H. Shioyama, M. Crespin, R. Setton, F. Béguin, and M. Inagaki; **8** (9), 2299–2304.

Bellosi, A.–Oxidation behavior of aluminum nitride.–A. Bellosi, E. Landi, and A. Tampieri; **8** (3), 565–572.

Bellotto, M.–On the morphological properties of tungsta-titania de-NO_xing catalysts.–C. Cristiani, M. Bellotto, P. Forzatti, and F. Bregani; **8** (8), 2019–2025.

BenAmeur, T.–On the bcc, fcc, hcp, and amorphous polymorphs of Zr_3Al.–A. R. Yavari, S. Gialanella, T. BenAmeur, R. W. Cahn, and B. Bochu; **8** (2), 242–244(L).

Bendec, F.–Temperature and annealing dependence of the longitudinal ultrasonic velocity in aluminum alloys.–Ward Johnson, F. Mauer, D. Pitchure, S. J. Norton, Y. Grinberg, and F. Bendec; **8** (7), 1558–1566.

Benson, David K.–The influence of microstructure on the electrochromic properties of Li_xWO_3 thin films: Part I. Ion diffusion and electrochromic properties.–Ji-Guang Zhang, C. Edwin Tracy, David K. Benson, and Satyen K. Deb; **8** (10), 2649–2656.

–The influence of microstructure on the electrochromic properties of Li_xWO_3 films: Part II. Limiting mechanisms in coloring and bleaching processes.–Ji-Guang Zhang, David K. Benson, C. Edwin Tracy, and Satyen K. Deb; **8** (10), 2657–2667.

Benyaïch, F.–Role of grain boundaries in the epitaxial realignment of undoped and As-doped polycrystalline silicon films.–C. Spinella, F. Benyaïch, A. Cacciato, E. Rimini, G. Fallico, and P. Ward; **8** (10), 2608–2612.

Bernstein, S. D.–Fatigue of ferroelectric $PbZr_xTi_yO_3$ (PZT) capacitors with Ru and RuO_x electrodes.–S. D. Bernstein, T. Y. Wong, Yanina Kisler, and R. W. Tustison; **8** (1), 12–13(L).

Bertero, G. A.–TEM analysis of Co–Gd and Cr–Gd multilayer structures.–G. A. Bertero, T. C. Hufnagel, B. M. Clemens, and R. Sinclair; **8** (4), 771–774.

Berthelot, J-M.–Study of wave attenuation in concrete.–J-M. Berthelot, M. Ben Souda, and J. L. Robert; **8** (9), 2344–2353.

Bertrand, P. A.–Oil absorption into cotton-phenolic material.–P. A. Bertrand; **8** (7), 1749–1757.

Besmann, Theodore M.–Epitaxial nucleation of polycrystalline silicon carbide during chemical vapor deposition.–Brian W. Sheldon, Theodore M. Besmann, Karren L. More, and Thomas S. Moss; **8** (5), 1086–1092.

–Erratum: "Epitaxical nucleation of polycrystalline silicon carbide during chemical vapor deposition" [J. Mater. Res. **8**, 1086 (1993)].–Brian W. Sheldon, Theodore M. Besmann, Karren L. More, and Thomas S. Moss; **8** (9), 2416–2418(E).

Bhalla, A. S.–Raman study of fresnoite-type materials: Polarized single crystal, crystalline powders, and glasses.–S. A. Markgraf, S. K. Sharma, and A. S. Bhalla; **8** (3), 635–648.

–Processing of electroceramic-polymer composites using the electrorheological effect.–C. A. Randall, D. V. Miller, J. H. Adair, and A. S. Bhalla; **8** (4), 899–904.

Bhandarkar, Suhas–Synthesis of aluminum hydroxide nanoparticles in spontaneously generated vesicles.–Iskandar I. Yaacob, Suhas Bhandarkar, and Arijit Bose; **8** (3), 573–577.

Bhide, V. G.–Dopant induced modifications in the physical properties of sprayed ZnO:In films.–D. J. Goyal, Chitra Agashe, M. G. Takwale, V. G. Bhide, Shailaja Mahamuni, and S. K. Kulkarni; **8** (5), 1052–1056.

Bhushan, Bharat–Friction and wear studies of silicon in sliding contact with thin-film magnetic rigid disks.–Bharat Bhushan and Sreekanth Venkatesan; **8** (7), 1611–1628.

–Nanoindentation studies of sublimed fullerene films using atomic force microscopy.–Juai Ruan and Bharat Bhushan; **8** (12), 3019–3022(L).

Bi, Xiang-Xin–Nanocrystalline α–Fe, Fe_3C, and Fe_7C_3, produced by CO_2 laser pyrolysis.–Xiang-Xin Bi, B. Ganguly, G. P. Huffman, F. E. Huggins, M. Endo, and P. C. Eklund; **8** (7), 1666–1674.

Bin, Lu–Thermodynamic stability and superconductivity of the Bi–Sr–Ca(Y)–Cu–Li–O system.–Chen Xianhui, Lin Chun, Lu Bin, Qian Yitai, Cao Liezhao, Chen Zhaojia, and Chen Zuyao; **8** (7), 1510–1514.

Birnbaum, H. K.–Hydride precipitation in vapor deposited Ti thin films.–S. R. Peddada, I. M. Robertson, and H. K. Birnbaum; **8** (2), 291–296.

Birnie, Dunbar P., III–High-temperature Hf-site-interchange chemistry in $LiNbO_3$ and $LiTaO_3$.–Dunbar P. Birnie, III and Gary L. Catchen; **8** (6), 1379–1386.

Blachere, J. R.–Hot corrosion of alumina.–M. G. Lawson, F. S. Pettit, and J. R. Blachere; **8** (8), 1964–1971.

Blanton, T. N.–Formation and characterization of ohmic contacts to *n*–AlGaAs using Pd/AuGe/Ag/Au.–L. R. Zheng, D. J. Lawrence, and T. N. Blanton; **8** (5), 1045–1051.

Blasco, J.–Solution-based synthesis routes to $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_{10+\delta}$.–M. T. Ruiz, G. F. de la Fuente, A. Badía, J. Blasco, M. Castro, A. Sotelo, A. Larrea, F. Lera, C. Rillo, and R. Navarro; **8** (6), 1268–1276.

Blohowiak, Kay A. Youngdahl–Superconducting fibers from organometallic precursors: Part III. Pyrolytic processing of precursor fibers.–Zhi-Fan Zhang, Richard A. Kennish, Kay A. Youngdahl Blohowiak, Martin L. Hoppe, and Richard M. Laine; **8** (8), 1777–1790.

Bochu, B.–On the bcc, fcc, hcp, and amorphous polymorphs of Zr_3Al.–A. R. Yavari, S. Gialanella, T. BenAmeur, R. W. Cahn, and B. Bochu; **8** (2), 242–244(L).

Boldt, C.–Microstructure and properties of Cu-rich 123: Part II. Homogeneous copper and high magnetic J_c.–J. P. Zhang, D. J. Li, C. Boldt, R. Plass, V. Dravid, L. D. Marks, C. H. Lin, J. A. Eades, A. Sodonis, W. Wolbach, J. M. Chabala, and R. Levi-Setti; **8** (6), 1232–1239.

Bonifield, Tom D.–Microstructural characterization of $Al_{98.5wt.\%}$-$Si_{1.0wt.\%}Cu_{0.5wt.\%}$ on chemical-vapor-deposited W.–Carey A. Pico and Tom D. Bonifield; **8** (5), 1001–1009.

–The properties of thermal hillocks as a function of linewidth and process parameter in Al-on-chemical-vapor-deposited W films.–Carey A. Pico and Tom D. Bonifield; **8** (5), 1010–1018.

Bonnell, D. A.–On the use of ion scattering to examine the role of hydrogen in the reduction of TiO_2.–W. E. Wallace, Q. Zhong, J. Genzer, R. J. Composto, and D. A. Bonnell; **8** (7), 1629–1634.

Bonzi, Paolo–Study of the anatase-rutile transformation in TiO_2 powders obtained by laser-induced synthesis.–Laura E. Depero, Paolo Bonzi, Marcello Zocchi, Cristina Casale, and Gennaro De Michele; **8** (10), 2709–2715.

Bormann, R.–The formation of metastable Ti–Al solid solutions by mechanical alloying and ball milling.–M. Oehring, T. Klassen, and R. Bormann; **8** (11), 2819–2829.

Bose, A.–Influence of long-range order on tensile properties of Ni_3Fe and Ni_3Fe–Y_2O_3 composites.–A. Bose, G. Camus, R. M. German, D. J. Duquette, and N. S. Stoloff; **8** (3), 430–437.

Bose, Arijit–Synthesis of aluminum hydroxide nanoparticles in spontaneously generated vesicles.–Iskandar I. Yaacob, Suhas Bhandarkar, and Arijit Bose; **8** (3), 573–577.

Bourgerette, C.–Structural and textural changes from polyimide Upilex to graphite: Part III.–C. Bourgerette, A. Oberlin, and M. Inagaki; **8** (1), 121–130.

Bowen, R. C.–Determination of the dependence of the surface force induced contact radius on particle radius: Cross-linked polystyrene spheres on SiO_2/silicon.–D. S. Rimai, R. S. Moore, R. C. Bowen, V. K. Smith, and P. E. Woodgate; **8** (3), 662–667.

Bowen, Ray C.–Quantitative image analysis of superconductor thin film microstructure: The use of conditional, multiparametric, shape-analysis algorithms.–Philip A. Amato, Mark Lelental, and Ray C. Bowen; **8** (11), 2799–2809.

Bradt, R. C.–The frictional component of the indentation size effect in low load microhardness testing.–H. Li, A. Ghosh, Y. H. Han, and R. C. Bradt; **8** (5), 1028–1032.

Bransky, Judith–Degradation of YBC critical current as a result of annealing in air.–Judith Bransky; **8** (5), 943–944(L).

Bregani, F.–On the morphological properties of tungsta-titania de-NO_xing catalysts.–C. Cristiani, M. Bellotto, P. Forzatti, and F. Bregani; **8** (8), 2019–2025.

Brenier, R.–Characterization of europium-implanted $LiNbO_3$.–P. Moretti, B. Canut, S. M. M. Ramos, R. Brenier, P. Thévenard, D. Poker, J. B. M. DaCunha, L. Amaral, and A. Vasquez; **8** (10), 2679–2685.

Breval, Else–Nanocomposite aerogels: The SiO_2–Al_2O_3 system.–Sridhar Komarneni, Rustum Roy, Ulagaraj Selvaraj, Prakash B. Malla, and Else Breval; **8** (12), 3163–3167.

Bridwell, L. B.–Modification of high temperature and high performance polymers by ion implantation.–Yongqiang Wang, S. S. Mohite, L. B. Bridwell, R. E. Giedd, and C. J. Sofield; **8** (2), 388–402.

Brimhall, J. L.–Hot-hardness comparisons among isostructural $Be_{12}X$ intermetallic compounds.–S. M. Bruemmer, B. W. Arey, J. L. Brimhall, and J. P. Hirth; **8** (7), 1550–1557.

Brinker, C. J.–Closed porosity aluminosilicate for electronic packaging applications.–S. L. Hietala, D. M. Smith, V. M. Hietala, and C. J. Brinker; **8** (5), 1122–1127.

Bristol, R. L.–Resistive transition broadening in two-phase polycrystalline YBaCuO.–J. C. Abele, R. L. Bristol, T. C. Nguyen, M. W. Ohmer, and L. S. Wood; **8** (5), 957–961.

Brito, M. E.–High-pressure phase transformation of $BeGa_2O_4$.–K. Nakamura, M. Machida, M. E. Brito, and H. Tabata; **8** (7), 1721–1727.

Brower, W. E., Jr.–Quantitative nucleation and growth studies of PACVD diamond film formation on (100) silicon.–R. A. Bauer, N. M. Sbrockey, and W. E. Brower, Jr.; **8** (11), 2858–2869.

Brown, Gordon E., Jr.–The structure of aperiodic, metamict (Ca, Th)$ZrTi_2O_7$ (zirconolite): An EXAFS study of the Zr, Th, and U sites.–François Farges, Rodney C. Ewing, and Gordon E. Brown, Jr.; **8** (8), 1983–1995.

Brown, J. J.–The synthesis, sintering, and thermal properties of $(Ca_{1-x}, Mg_x)Zr_4(PO_4)_6$ (CMZP) ceramics.–T. K. Li, D. A. Hirschfeld, S. VanAken, Y. Yang, and J. J. Brown; **8** (11), 2954–2967.

Brown, P. W.–Effects of temperature on the formation of hydroxyapatite.–M. T. Fulmer and P. W. Brown; **8** (7), 1687–1696.

Brown, S. A.–Fracture toughness of the $L1_2$ compounds $Al_{66}Ti_{25}Mn_9$ and $Al_{66}Ti_{25}Cr_9$.–S. A. Brown and K. S. Kumar; **8** (8), 1763–1766(L).

Bruchlos, G.–Influence of Y_2BaCuO_5 particles on the growth morphology of peritectically solidified $YBa_2Cu_3O_{7-x}$.–G. J. Schmitz, J. Laakmann, Ch. Wolters, S. Rex, W. Gawalek, T. Habisreuther, G. Bruchlos, and P. Görnert; **8** (11), 2774–2779.

Bruemmer, S. M.–Hot-hardness comparisons among isostructural $Be_{12}X$ intermetallic compounds.–S. M. Bruemmer, B. W. Arey, J. L. Brimhall, and J. P. Hirth; **8** (7), 1550–1557.

Brunel, M.–Structural characterization and thermal stability of W/Si multilayers.–M. Brunel, S. Enzo, M. Jergel, S. Luby, E. Majkova, and I. Vavra; **8** (10), 2600–2607.

Buchanan, Relva C.–Processing effects on high T_c properties of $YBa_2Cu_3O_{7-x}$ films from carboxylate solution precursors.–Peir-Yung Chu, Isabelle Campion, and Relva C. Buchanan; **8** (2), 261–267.

–Reactive liquid phase sintering of solution-derived $YBa_2Cu_3O_{7-x}$ superconducting thin films: Part I. Ambient and precursor effects on BaO–CuO liquid phase formation.–Peir-Yung Chu and Relva C. Buchanan; **8** (9), 2134–2142.

Buck, O.–Nondestructive detection of fatigue cracks in PM 304 stainless steel by internal friction and elasticity.–S. M. McGuire, M. E. Fine, O. Buck, and J. D. Achenbach; **8** (9), 2216–2223.

Busca, G.–Chemistry and structure of mixed magnesium ferric oxide aerogels.–R. J. Willey, S. A. Oliver, G. Oliveri, and G. Busca; **8** (6), 1418–1427.

Byrappa, K.–Phases and crystallization in the system Li_2O–B_2O_3–H_2O under hydrothermal conditions.–K. Byrappa and K. V. K. Shekar; **8** (4), 864–870.

–Crystal growth and morphology of hydrothermally grown lithium borates.–K. Byrappa, K. V. K. Shekar, and R. Rodriguez-Clemente; **8** (9), 2319–2326.

Byszewski, P.–The formation of fullerenes and nanotubules.–P. Byszewski, P. Dluzewski, and R. Diduszko; **8** (1), 118–120.

C

Cabañas, M. V.–Spherical iron oxide particles synthesized by an aerosol technique.–M. V. Cabañas, M. Vallet-Regí, M. Labeau, and J. M. González-Calbet; **8** (10), 2694–2701.

Cabañas-Moreno, J. G.–Mechanical alloying of Al–Ti powder mixtures and their subsequent consolidation.–T. Itsukaichi, K. Masuyama, M. Umemoto, I. Okane, and J. G. Cabañas-Moreno; **8** (8), 1817–1828.

Cacciato, A.–Role of grain boundaries in the epitaxial realignment of undoped and As-doped polycrystalline silicon films.–C. Spinella, F. Benyaïch, A. Cacciato, E. Rimini, G. Fallico, and P. Ward; **8** (10), 2608–2612.

Cahn, R. W.–On the bcc, fcc, hcp, and amorphous polymorphs of Zr_3Al.–A. R. Yavari, S. Gialanella, T. BenAmeur, R. W. Cahn, and B. Bochu; **8** (2), 242–244(L).

Cain, M. G.–Epitaxial zirconia thin films from aqueous precursors.–K. T. Miller, C. J. Chan, M. G. Cain, and F. F. Lange; **8** (1), 169–177.

Calas, Georges–Inhomogeneous distribution of Cr impurities in α–Al_2O_3 during refractory aging.–Laurence Galoisy and Georges Calas; **8** (5), 1153–1157.

Campbell, Joe C.–Electrical and optical characterization of Sb:SnO_2.–Yue-Song He, Joe C. Campbell, Robert C. Murphy, M. F. Arendt, and John S. Swinnea; **8** (12), 3131–3134.

Campion, Isabelle–Processing effects on high T_c properties of $YBa_2Cu_3O_{7-x}$ films from carboxylate solution precursors.–Peir-Yung Chu, Isabelle Campion, and Relva C. Buchanan; **8** (2), 261–267.

Camus, G.–Influence of long-range order on tensile properties of Ni_3Fe and Ni_3Fe–Y_2O_3 composites.–A. Bose, G. Camus, R. M. German, D. J. Duquette, and N. S. Stoloff; **8** (3), 430–437.

Canet, R.–Relationship between the structural organization and the physical properties of PECVD nitrogenated carbons.–M. Ricci, M. Trinquecoste, F. Auguste, R. Canet, P. Delhaes, C. Guimon, G. Pfister-Guillouzo, B. Nysten, and J. P. Issi; **8** (3), 480–488.

Cantor, B.–Microstructural characterization of reactions in Al–Zr thin film couples.–K. P. Mingard and B. Cantor; **8** (2), 274–285.

Canut, B.–Characterization of europium-implanted $LiNbO_3$.–P. Moretti, B. Canut, S. M. M. Ramos, R. Brenier, P. Thévenard, D. Poker, J. B. M. DaCunha, L. Amaral, and A. Vasquez; **8** (10), 2679–2685.

Caracoche, M. C.–On the occurrence of a metastable tetragonal t'-phase in a ZrO_2–13.6 mole% MgO ceramic and its microscopic thermal evolution.–M. C. Caracoche, P. C. Rivas, A. F. Pasquevich, A. R. López García, E. Aglietti, and A. Scian; **8** (3), 605–610.

Cardellini, Francesco–Experimental and theoretical investigation of the order-disorder transformation in Ni_3Al.–Francesco Cardellini, Fabrizio Cleri, Giorgio Mazzone, Amelia Montone, and Vittorio Rosato; **8** (10), 2504–2509.

Carduner, K. R.–Correlation between microstructure and mechanical properties in silicon carbide with alumina addition.–S. S. Shinozaki, J. Hangas, K. R. Carduner, M. J. Rokosz, K. Suzuki, and N. Shinohara; **8** (7), 1635–1643.

Carim, A. H.–Interfacial reaction products and film orientation in $YBa_2Cu_3O_{7-x}$ on zirconia substrates with and without CeO_2 buffer layers.–G. L. Skofronick, A. H. Carim, S. R. Foltyn, and R. E. Muenchausen; **8** (11), 2785–2798.

Carlin, C. M.–Effect of dose stoichiometry on the structure of vapor-deposited polyimide thin films.–R. G. Pethe, C. M. Carlin, H. H. Patterson, and W. N. Unertl; **8** (12), 3218–3228.

Caro, A.–Influence of the irradiation temperature on the intracascade ion mixing.–M. Alurralde, A. Caro, and M. Victoria; **8** (3), 449–454.

Carolissen, R. J.–Formation of buried Sb dopant profiles in silicon by pulsed laser epitaxy.–R. J. Carolissen, D. K. Knoesen, W. C. Sinke, and R. Pretorius; **8** (4), 841–846.

Carpenter, R. W.–The composition and structure of SIPOS: A high spatial resolution electron microscopy study.–M. Catalano, M. J. Kim, R. W. Carpenter, K. Das Chowdhury, and Joe Wong; **8** (11), 2893–2901.

Carter, C. Barry–Structural studies on Tl–Ca–Ba–Cu–O superconducting thin films.–Bruno Morosin, M. Grant Norton, C. Barry Carter, E. L. Venturini, and D. S. Ginley; **8** (4), 720–726.

Casale, Cristina–Study of the anatase-rutile transformation in TiO_2 powders obtained by laser-induced synthesis.–Laura E. Depero, Paolo Bonzi, Marcello Zocchi, Cristina Casale, and Gennaro De Michele; **8** (10), 2709–2715.

Caseri, Walter–High refractive index films of polymer nanocomposites.–Lorenz Zimmermann, Martin Weibel, Walter Caseri, and Ulrich W. Suter; **8** (7), 1742–1748.

Castro, M.–Solution-based synthesis routes to $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_{10+\delta}$.–M. T. Ruiz, G. F. de la Fuente, A. Badía, J. Blasco, M.

Castro, A. Sotelo, A. Larrea, F. Lera, C. Rillo, and R. Navarro; **8** (6), 1268–1276.

Catalano, M.–The composition and structure of SIPOS: A high spatial resolution electron microscopy study.–M. Catalano, M. J. Kim, R. W. Carpenter, K. Das Chowdhury, and Joe Wong; **8** (11), 2893–2901.

Catana, A.–Domain growth of Dy_2O_3 buffer layers on $SrTiO_3$.–A. Catana and J-P. Locquet; **8** (6), 1373–1378.

Catchen, Gary L.–High-temperature Hf-site-interchange chemistry in $LiNbO_3$ and $LiTaO_3$.–Dunbar P. Birnie, III and Gary L. Catchen; **8** (6), 1379–1386.

Cebollada, F.–Microstructural study of the crystallization product of the $Co_{100-x}P_x$ amorphous system.–F. Cebollada, J. M. González, and P. Adeva; **8** (1), 105–111.

Chabala, J. M.–Microstructure and properties of Cu-rich 123: Part II. Homogeneous copper and high magnetic J_c.–J. P. Zhang, D. J. Li, C. Boldt, R. Plass, V. Dravid, L. D. Marks, C. H. Lin, J. A. Eades, A. Sodonis, W. Wolbach, J. M. Chabala, and R. Levi-Setti; **8** (6), 1232–1239.

Chakravorty, D.–Glass-metal nanocomposites in bulk form by sol-gel route followed by hot pressing.–S. Roy, A. Chatterjee, and D. Chakravorty; **8** (4), 689–692(L).

–High dielectric permittivity in glass-ceramic metal nanocomposites.–B. Roy and D. Chakravorty; **8** (6), 1206–1208(L).

–Conductivity relaxation studies on sol-gel-derived $Li_2O–SiO_2$ glasses by a heterogeneous conductor model.–S. K. Saha and D. Chakravorty; **8** (6), 1442–1449.

Chan, C. J.–Epitaxial zirconia thin films from aqueous precursors.–K. T. Miller, C. J. Chan, M. G. Cain, and F. F. Lange; **8** (1), 169–177.

Chan, Helen M.–Controlled heterogeneous nucleation of melt-textured $YBa_2Cu_3O_{6+x}$ by addition of Al_2O_3 particles.–Yan L. Chen, Lijie Zhang, Helen M. Chan, and Martin P. Harmer; **8** (9), 2128–2133.

Chang, H. L. M.–Microstructure of $PbTiO_3$ thin films deposited on (001) MgO by MOCVD.–Y. Gao, G. Bai, K. L. Merkle, Y. Shi, H. L. M. Chang, Z. Shen, and D. J. Lam; **8** (1), 145–153.

–Epitaxy, microstructure, and processing-structure relationships of TiO_2 thin films grown on sapphire (0001) by MOCVD.–H. L. M. Chang, T. J. Zhang, H. Zhang, J. Guo, H. K. Kim, and D. J. Lam; **8** (10), 2634–2643.

Chang, In-Soon–The effect of $Y_2Ba_1Cu_1O_5$ addition on microstructure and formation of microcracks in the partially melted Y–Ba–Cu–O oxides.–Chan-Joong Kim, Ki-Baik Kim, In-Soon Chang, Dong-Yeon Won, Hong-Chul Moon, and Dong-Soo Suhr; **8** (4), 699–704.

Chang, Julius C.–Evidence of Co/SiO_2 reaction during rapid thermal annealing.–Herbert L. Ho, Tue Nguyen, Julius C. Chang, Brian Machesney, and Peter Geiss; **8** (3), 467–472.

Chang, R. P. H.–Pulsed laser deposition of amorphous diamond-like carbon films with ArF (193 nm) excimer laser.–Fulin Xiong, Y. Y. Wang, V. Leppert, and R. P. H. Chang; **8** (9), 2265–2272.

Chatterjee, A.–Glass-metal nanocomposites in bulk form by sol-gel route followed by hot pressing.–S. Roy, A. Chatterjee, and D. Chakravorty; **8** (4), 689–692(L).

Chaturvedi, M. C.–Effects of molybdenum on cellular precipitation in nickel–9 at. % tin alloy.–Archana Gupta, R. R. Nagarajan, A. K. Jena, and M. C. Chaturvedi; **8** (1), 95–99.

Chen, Jenn-Shing–Theory of the time-lag diffusion method for the case of an outgassing solid.–James K. Baird and Jenn-Shing Chen; **8** (6), 1455–1461.

Chen, M.–Effects of Cr^+ ion implantation on the oxidation of Ni_3Al.–M. Chen, S. Patu, J. N. Shen, and C. X. Shi; **8** (4), 734–740.

Chen, Nan–Diffusion of Sr in $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$.–Nan Chen, S. J. Rothman, and J. L. Routbort; **8** (10), 2465–2470.

Chen, Tim C. S.–Ion bombardment-induced changes in oxide-metal interactions studied by photoelectron spectroscopy.–Sharmila M. Mukhopadhyay and Tim C. S. Chen; **8** (8), 1958–1963.

Chen, Yan L.–Controlled heterogeneous nucleation of melt-textured $YBa_2Cu_3O_{6+x}$ by addition of Al_2O_3 particles.–Yan L. Chen, Lijie Zhang, Helen M. Chan, and Martin P. Harmer; **8** (9), 2128–2133.

Chen, Yen-Lung–Epitaxial growth of Fe/Mo/Fe(111) and Fe/Cr/Fe(111) on Si(111).–Yang-Tse Cheng and Yen-Lung Chen; **8** (7), 1567–1571.

Chen, Z.–Control of strength and toughness of ceramic/metal laminates using interface design.–Z. Chen and J. J. Mecholsky, Jr.; **8** (9), 2362–2369.

Cheng, Yang-Tse–Epitaxial growth of Fe/Mo/Fe(111) and Fe/Cr/Fe(111) on Si(111).–Yang-Tse Cheng and Yen-Lung Chen; **8** (7), 1567–1571.

Chiba, Yuji–Wear resistance of arc ion-plated chromium nitride coatings.–Yuji Chiba, Toshio Omura, and Hiroshi Ichimura; **8** (5), 1109–1115.

Chin, C. C.–Substrate dependence of the crystallinity and mosaic texture of $YBa_2Cu_3O_{7-\delta}$ ultrathin films deposited by laser ablation.–C. C. Chin, H. Takahashi, T. Morishita, and T. Sugimoto; **8** (5), 951–956.

Chiou, W. A.–Interfaces in as-extruded *XD* Al/TiC and Al/TiB_2 metal matrix composites.–R. Mitra, W. A. Chiou, M. E. Fine, and J. R. Weertman; **8** (9), 2380–2392.

Chiu, Chien C.–Conversion of single crystal Si(100) to SiC film by C_2H_2.–Chien C. Chiu and Seshu B. Desu; **8** (3), 535–544.

–Low pressure chemical vapor deposition (LPCVD) of β–SiC on Si(100) using MTS in a hot wall reactor.–Chien C. Chiu, Seshu B. Desu, and Ching Yi Tsai; **8** (10), 2617–2626.

Chiu, Hsin-Tien–Tungsten nitride thin films prepared by MOCVD.–Hsin-Tien Chiu and Shiow-Huey Chuang; **8** (6), 1353–1360.

Chiu, Hsing-Pang–Interface control and design for SiC fiber-reinforced titanium aluminide composites.–Hsing-Pang Chiu, S. M. Jeng, and J-M. Yang; **8** (8), 2040–2053.

Choi, S. R.–Fracture toughness of PMMA as measured with indentation cracks.–S. R. Choi and J. A. Salem; **8** (12), 3210–3217.

Choi, S. W.–Growth kinetics and characterizations of gallium nitride thin films by remote PECVD.–S. W. Choi, K. J. Bachmann, and G. Lucovsky; **8** (4), 847–854.

Choi, Yoon–Effect of iron and cobalt addition on TiC combustion synthesis.–Yoon Choi and Shi-Woo Rhee; **8** (12), 3202–3209.

Chokshi, A. H.–Creep of a niobium beryllide, Ni_2Be_{17}.–T. G. Nieh, J. Wadsworth, T. C. Chou, D. Owen, and A. H. Chokshi; **8** (4), 757–763.

Chou, T. C.–Mechanism of $MoSi_2$ pest during low temperature oxidation.–T. C. Chou and T. G. Nieh; **8** (1), 214–226.

–Creep of a niobium beryllide, Ni_2Be_{17}.–T. G. Nieh, J. Wadsworth, T. C. Chou, D. Owen, and A. H. Chokshi; **8** (4), 757–763.

–Kinetics of $MoSi_2$ pest during low-temperature oxidation.–T. C. Chou and T. G. Nieh; **8** (7), 1605–1610.

Chow, G. M.–Narrowing sputtered nanoparticle size distributions.–F. H. Kaatz, G. M. Chow, and A. S. Edelstein; **8** (5), 995–1000.

Christou, A.–Generation and annihilation of antiphase domain boundaries in GaAs on Si grown by molecular beam epitaxy.–A. Georgakilas, J. Stoemenos, K. Tsagaraki, Ph. Komninou, N. Flevaris, P. Panayotatos, and A. Christou; **8** (8), 1908–1921.

Chu, C. Judith–Methyl halides as carbon sources in a hot-filament diamond CVD reactor: A new gas phase growth species.–Benjamin J. Bai, C. Judith Chu, Donald E. Patterson, Robert H. Hauge, and John L. Margrave; **8** (2), 233–236(L).

Chu, Peir-Yung–Processing effects on high T_c properties of $YBa_2Cu_3O_{7-x}$ films from carboxylate solution precursors.–Peir-Yung Chu, Isabelle Campion, and Relva C. Buchanan; **8** (2), 261–267.

–Reactive liquid phase sintering of solution-derived $YBa_2Cu_3O_{7-x}$ superconducting thin films: Part I. Ambient and precursor effects on BaO–CuO liquid phase formation.–Peir-Yung Chu and Relva C. Buchanan; **8** (9), 2134–2142.

Chuang, Shiow-Huey–Tungsten nitride thin films prepared by MOCVD.–Hsin-Tien Chiu and Shiow-Huey Chuang; **8** (6), 1353–1360.

Chumbley, L. S.–An approximant to the Al–Cu–Ru icosahedral phase.–J. E. Shield, L. S. Chumbley, R. W. McCallum, and A. I. Goldman; **8** (1), 44–48.

–Solidification of $Bi_2Sr_2CaCu_2O_y$ and $Bi_2Sr_{1.75}Ca_{0.25}CuO_y$.–T. G. Holesinger, D. J. Miller, H. K. Viswanathan, and L. S. Chumbley; **8** (9), 2149–2161.

Chun, Byong-Sun–Preparation of ultrafine tungsten carbide powder by CVD method from WCl_6–C_2H_2–H_2 mixtures.–Chang-Whan Won, Byong-Sun Chun, and H. Y. Sohn; **8** (10), 2702–2708.

–Dip coating of alumina films by the sol-gel method.–Jung-Won Lee, Chang-Whan Won, Byong-Sun Chun, and H. Y. Sohn; **8** (12), 3151–3157.

Chun, Lin–Thermodynamic stability and superconductivity of the Bi–Sr–Ca(Y)–Cu–Li–O system.–Chen Xianhui, Lin Chun, Lu Bin, Qian Yitai, Cao Liezhao, Chen Zhaojia, and Chen Zuyao; **8** (7), 1510–1514.

Churchill, R. J.–Nd : YAG laser patterning of plasma-deposited high T_c superconducting thick films.–Usha Varshney, B. D. Eichelberger, III, J. M. Glass, R. J. Churchill, and A. I. Kingon; **8** (10), 2429–2432(L).

Clarke, David R.–The effect of cracks on the superconducting transport current in thin films: The analogy with two-dimensional elasticity and plasticity.–David R. Clarke and Marc DeGraef; **8** (7), 1515–1532.

Clemens, B. M.–TEM analysis of Co–Gd and Cr–Gd multilayer structures.–G. A. Bertero, T. C. Hufnagel, B. M. Clemens, and R. Sinclair; **8** (4), 771–774.

Cleri, Fabrizio–Experimental and theoretical investigation of the order-disorder transformation in Ni_3Al.–Francesco Cardellini, Fabrizio Cleri, Giorgio Mazzone, Amelia Montone, and Vittorio Rosato; **8** (10), 2504–2509.

Clougherty, D. P.–Bonding-property relationships in intermetallic alloys.–M. E. Eberhart, D. P. Clougherty, and J. M. MacLaren; **8** (3), 438–448.

Clougherty, Dennis–Aligned gadolinium barium copper oxide thick films formed by *in situ* crystallization in a magnetic field.–Joanna McKittrick, Ramiro Contreras, and Dennis Clougherty; **8** (10), 2440–2444.

Cockayne, Eric–High resolution electron microscopy of Al–Cu–Fe quasicrystals: Atomic structure and modeling.–William Krakow, David P. DiVincenzo, Peter A. Bancel, Eric Cockayne, and Veit Elser; **8** (1), 24–37.

Coene, W.–Transmission electron microscopy study of Co/Pd and Co/Au multilayers.–F. Hakkens, A. De Veirman, W. Coene, and F. J. A. den Broeder; **8** (5), 1019–1027.

Cohen, J. B.–A study of the local atomic structure in $Hg_{0.80}Cd_{0.20}Te$ using x-ray diffuse scattering.–J. P. Quintana and J. B. Cohen; **8** (4), 855–863.

Colleret, B.–Thermal diffusivity of quasicrystalline and related crystalline alloys.–J. M. Dubois, S. S. Kang, P. Archambault, and B. Colleret; **8** (1), 38–43.

Collins, C. B.–Protective films of nanophase diamond deposited directly on zinc sulfide infrared optics.–F. Davanloo, T. J. Lee, H. Park, J. H. You, and C. B. Collins; **8** (12), 3090–3099.

Compagnini, G.–The dielectric constant of TCNQ single crystals as deduced by reflection electron energy loss spectroscopy.–G. Mondio, F. Neri, G. Curró, S. Patané, and G. Compagnini; **8** (10), 2627–2633.

Composto, R. J.–On the use of ion scattering to examine the role of hydrogen in the reduction of TiO_2.–W. E. Wallace, Q. Zhong, J. Genzer, R. J. Composto, and D. A. Bonnell; **8** (7), 1629–1634.

Contreras, Ramiro–Aligned gadolinium barium copper oxide thick films formed by *in situ* crystallization in a magnetic field.–Joanna McKittrick, Ramiro Contreras, and Dennis Clougherty; **8** (10), 2440–2444.

Coppye, W.–Formation of ultrathin $CoSi_2$ films using a two-step limited reaction process.–R. J. Schreutelkamp, W. Coppye, W. De Bosscher, R. van Meirhaeghe, L. van Meirhaeghe, J. Vanhellemont, B. Deweerdt, A. Lauwers, and K. Maex; **8** (12), 3111–3121.

Cornejo, Iván A.–Thermoelectric power of $YBa_2Cu_3O_{7-\delta}$ superconductive thin films as a function of oxygen contents.–Iván A. Cornejo, John U. Trefny, and Baki Yarar; **8** (2), 255–260.

Correra, L.–Characterization of epitaxial $SrTiO_3/YBa_2Cu_3O_7$ layers deposited on (001) MgO by laser ablation.–P. Scardi, L. Lutterotti, L. Correra, and S. Nicoletti; **8** (11), 2780–2784.

Corrias, A.–Influence of boron content on the amorphization rate of Co–B mixtures by mechanical alloying.–A. Corrias, G. Ennas, G. Marongiu, A. Musinu, and G. Paschina; **8** (6), 1327–1333.

Courmont, S.–Pressurized internal lenticular cracks at healed mica interfaces.–K-T. Wan, R. G. Horn, S. Courmont, and B. R. Lawn; **8** (5), 1128–1136.

Cranford, G.–Evidence for self-sustained $MoSi_2$ formation during room-temperature high-energy ball milling of elemental powders.–E. Ma, J. Pagán, G. Cranford, and M. Atzmon; **8** (8), 1836–1844.

Crespin, M.–Effect of $FeCl_4^-$ intercalation on the transport properties of a graphitized polyimide film.–B. Nysten, J-P. Issi, H. Shioyama, M. Crespin, R. Setton, F. Béguin, and M. Inagaki; **8** (9), 2299–2304.

Cristiani, C.–On the morphological properties of tungsta-titania de-NO_xing catalysts.–C. Cristiani, M. Bellotto, P. Forzatti, and F. Bregani; **8** (8), 2019–2025.

Curró, G.–The dielectric constant of TCNQ single crystals as deduced by reflection electron energy loss spectroscopy.–G. Mondio, F. Neri, G. Curró, S. Patané, and G. Compagnini; **8** (10), 2627–2633.

Custer, J. S.–Epitaxial growth versus nucleation in amorphous Si doped with Cu and Ag.–J. S. Custer, Michael O. Thompson, D. J. Eaglesham, D. C. Jacobson, and J. M. Poate; **8** (4), 820–829.

D

DaCunha, J. B. M.–Characterization of europium-implanted $LiNbO_3$.–P. Moretti, B. Canut, S. M. M. Ramos, R. Brenier, P. Thévenard, D. Poker, J. B. M. DaCunha, L. Amaral, and A. Vasquez; **8** (10), 2679–2685.

Dally, James W.–A new method for measuring the strength and ductility of thin films.–David T. Read and James W. Dally; **8** (7), 1542–1549.

Das, B. K.–Effect of partial vacuum on YBCO thick films on Y_2BaCuO_5 and ZrO_2 substrates.–Indu Dhingra, R. B. Tripathi, and B. K. Das; **8** (10), 2433–2439.

Das Chowdhury, K.–The composition and structure of SIPOS: A high spatial resolution electron microscopy study.–M. Catalano, M. J. Kim, R. W. Carpenter, K. Das Chowdhury, and Joe Wong; **8** (11), 2893–2901.

Das Sharma, A.–Synthesis of $YBa_2Cu_3O_{7-x}$ powder by autoignition of citrate-nitrate gel.–Sukumar Roy, A. Das Sharma, S. N. Roy, and H. S. Maiti; **8** (11), 2761–2766.

Date, S. K.–Synthesis of microcrystalline $BaZrO_3$ via molecular precursor route.–H. S. Potdar, S. B. Deshpande, P. D. Godbole, and S. K. Date; **8** (5), 948–950(L).

Davanloo, F.–Protective films of nanophase diamond deposited directly on zinc sulfide infrared optics.–F. Davanloo, T. J. Lee, H. Park, J. H. You, and C. B. Collins; **8** (12), 3090–3099.

David, Lawrence D.–Synthesis and characterization of cordierite from acetylacetonate/alkoxide precursors.–Lawrence D. David, Ronald M. Anderson, Joseph M. Dynys, Charles C. Goldsmith, and Andrew Szule; **8** (7), 1697–1702.

Davis, R. F.–Kinetics and mechanisms of high-temperature creep in polycrystalline aluminum nitride.–A. Vasudev, K. L. More, K. S. Ailey-Trent, and R. F. Davis; **8** (5), 1101–1108.

–Phase evolution in boron nitride thin films.–D. J. Kester, K. S. Ailey, R. F. Davis, and K. L. More; **8** (6), 1213–1216(L).

–Solid solutions of AlN and SiC grown by plasma-assisted, gas-source molecular beam epitaxy.–R. S. Kern, L. B. Rowland, S. Tanaka, and R. F. Davis; **8** (7), 1477–1480(L).

Davis, Robert F.–Epitaxial growth of AlN by plasma-assisted, gas-source molecular beam epitaxy.–L. B. Rowland, R. S. Kern, S. Tanaka, and Robert F. Davis; **8** (9), 2310–2314.

–Gas-source molecular beam epitaxy of monocrystalline β–SiC on vicinal α–(6H)–SiC.–L. B. Rowland, R. S. Kern, S. Tanaka, and Robert F. Davis; **8** (11), 2753–2756(L).

Day, Delbert E.–Model for the temperature dependent transmission of optically transparent poly(methyl methacrylate) composites.–Hongy Lin, Delbert E. Day, and James O. Stoffer; **8** (2), 364–370.

Deb, Satyen K.–The influence of microstructure on the electrochromic properties of Li_xWO_3 thin films: Part I. Ion diffusion and electrochromic properties.–Ji-Guang Zhang, C. Edwin Tracy, David K. Benson, and Satyen K. Deb; **8** (10), 2649–2656.

–The influence of microstructure on the electrochromic properties of Li_xWO_3 films: Part II. Limiting mechanisms in coloring and bleaching processes.–Ji-Guang Zhang, David K. Benson, C. Edwin Tracy, and Satyen K. Deb; **8** (10), 2657–2667.

De Bosscher, W.–Formation of ultrathin $CoSi_2$ films using a two-step limited reaction process.–R. J. Schreutelkamp, W. Coppye, W. De Bosscher, R. van Meirhaeghe, L. van Meirhaeghe, J. Vanhellemont, B. Deweerdt, A. Lauwers, and K. Maex; **8** (12), 3111–3121.

de Fontaine, Didier–First-principles study of phase stability of Ti–Al intermetallic compounds.–Mark Asta, Didier de Fontaine, and Mark van Schilfgaarde; **8** (10), 2554–2568.

DeGraef, Marc–The effect of cracks on the superconducting transport current in thin films: The analogy with two-dimensional elasticity and plasticity.–David R. Clarke and Marc DeGraef; **8** (7), 1515–1532.

De Guire, M. R.–Coprecipitation synthesis of doped lanthanum chromite.–M. R. De Guire, S. E. Dorris, R. B. Poeppel, S. Morissette, and U. Balachandran; **8** (9), 2327–2335.

de la Fuente, G. F.–Solution-based synthesis routes to $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_{10+\delta}$.–M. T. Ruiz, G. F. de la Fuente, A. Badía, J. Blasco, M. Castro, A. Sotelo, A. Larrea, F. Lera, C. Rillo, and R. Navarro; **8** (6), 1268–1276.

Delben, A.–New fluoroindate glass compositions.–Y. Messaddeq, A. Delben, M. A. Aegerter, A. Soufiane, and M. Poulain; **8** (4), 885–889.

Delhaes, P.–Relationship between the structural organization and the physical properties of PECVD nitrogenated carbons.–M. Ricci, M. Trinquecoste, F. Auguste, R. Canet, P. Delhaes, C. Guimon, G. Pfister-Guillouzo, B. Nysten, and J. P. Issi; **8** (3), 480–488.

De Michele, Gennaro–Study of the anatase-rutile transformation in TiO_2 powders obtained by laser-induced synthesis.–Laura E. Depero, Paolo Bonzi, Marcello Zocchi, Cristina Casale, and Gennaro De Michele; **8** (10), 2709–2715.

den Broeder, F. J. A.–Transmission electron microscopy study of Co/Pd and Co/Au multilayers.–F. Hakkens, A. De Veirman, W. Coene, and F. J. A. den Broeder; **8** (5), 1019–1027.

Depero, Laura E.–Study of the anatase-rutile transformation in TiO_2 powders obtained by laser-induced synthesis.–Laura E. Depero, Paolo Bonzi, Marcello Zocchi, Cristina Casale, and Gennaro De Michele; **8** (10), 2709–2715.

Deshpande, S. B.–Synthesis of microcrystalline $BaZrO_3$ via molecular precursor route.–H. S. Potdar, S. B. Deshpande, P. D. Godbole, and S. K. Date; **8** (5), 948–950(L).

Desmet, C.–Investigation of the thermal anisotropy of unidirectional carbon fiber reinforced composite plates using optically generated thermal waves and a noncontact optical detection technique.–W. Lauriks, C. Desmet, C. Glorieux, and J. Thoen; **8** (12), 3106–3110.

Desu, Seshu B.–Low temperature perovskite formation of lead zirconate titanate thin films by a seeding process.–Chi Kong Kwok and Seshu B. Desu; **8** (2), 339–344.

–Conversion of single crystal Si(100) to SiC film by C_2H_2.–Chien C. Chiu and Seshu B. Desu; **8** (3), 535–544.

–Low pressure chemical vapor deposition (LPCVD) of β–SiC on Si(100) using MTS in a hot wall reactor.–Chien C. Chiu, Seshu B. Desu, and Ching Yi Tsai; **8** (10), 2617–2626.

–RuO_2 films by metal-organic chemical vapor deposition.–Jie Si and Seshu B. Desu; **8** (10), 2644–2648.

De Veirman, A.–Transmission electron microscopy study of Co/Pd and Co/Au multilayers.–F. Hakkens, A. De Veirman, W. Coene, and F. J. A. den Broeder; **8** (5), 1019–1027.

DeVries, Jon–Measurement of the work function of $Y_1Ba_2Cu_3O_{7-\delta}$ under ambient conditions.–Jon DeVries, Steve S. Wakisaka, and R. Erik Spjut; **8** (7), 1497–1500.

Deweerdt, B.–Formation of ultrathin $CoSi_2$ films using a two-step limited reaction process.–R. J. Schreutelkamp, W. Coppye, W. De Bosscher, R. van Meirhaeghe, L. van Meirhaeghe, J. Vanhellemont, B. Deweerdt, A. Lauwers, and K. Maex; **8** (12), 3111–3121.

Dhingra, Indu–Effect of partial vacuum on YBCO thick films on Y_2BaCuO_5 and ZrO_2 substrates.–Indu Dhingra, R. B. Tripathi, and B. K. Das; **8** (10), 2433–2439.

Dickinson, J. T.–Molecular CO emission accompanying fracture of polycarbonate: Evidence for chain cleavage.–J. T. Dickinson, L. C. Jensen, S. C. Langford, R. P. Dion, and L. Nick; **8** (1), 14–17(L).

–Scanning tunneling microscope observations of metallic glass fracture surfaces.–D. M. Kulawansa, J. T. Dickinson, S. C. Langford, and Yoshihisa Watanabe; **8** (10), 2543–2553.

–Recombination on fractal networks: Photon and electron emission following fracture of materials.–J. T. Dickinson, S. C. Langford, and L. C. Jensen; **8** (11), 2921–2932.

Diduszko, R.–The formation of fullerenes and nanotubules.–P. Byszewski, P. Dluzewski, and R. Diduszko; **8** (1), 118–120.

Dion, R. P.–Molecular CO emission accompanying fracture of polycarbonate: Evidence for chain cleavage.–J. T. Dickinson, L. C. Jensen, S. C. Langford, R. P. Dion, and L. Nick; **8** (1), 14–17(L).

DiVincenzo, David P.–High resolution electron microscopy of Al–Cu–Fe quasicrystals: Atomic structure and modeling.–William Krakow, David P. DiVincenzo, Peter A. Bancel, Eric Cockayne, and Veit Elser; **8** (1), 24–37.

di Vittorio, S. L.–Image analysis of TEM pictures of fluorine-intercalated graphite fibers.–K. Oshida, M. Endo, T. Nakajima, S. L. di Vittorio, M. S. Dresselhaus, and G. Dresselhaus; **8** (3), 512–522.

–A model for disorder in fluorine-intercalated graphite.–S. L. di Vittorio, M. S. Dresselhaus, and G. Dresselhaus; **8** (7), 1578–1585.

–ESR study of activated carbon fibers: preliminary results.–S. L. di Vittorio, A. Nakayama, T. Enoki, M. S. Dresselhaus, M. Endo, and N. Shindo; **8** (9), 2282–2287.

Dluzewski, P.–The formation of fullerenes and nanotubules.–P. Byszewski, P. Dluzewski, and R. Diduszko; **8** (1), 118–120.

Doner, C. B.–Amorphous and nanocrystalline Fe–Ti prepared by ball milling.–L. Zaluski, P. Tessier, D. H. Ryan, C. B. Doner, A. Zaluska, J. O. Ström-Olsen, M. L. Trudeau, and R. Schulz; **8** (12), 3059–3068.

Donley, M. S.–Characterization of pulsed laser deposited MoS_2 by transmission electron microscopy.–S. D. Walck, M. S. Donley, J. S. Zabinski, and V. J. Dyhouse; **8** (11), 2933–2941.

Doremus, Robert H.–Metal coatings on semiconductor particles in glass.–Vijay Sukumar, Shou-Chen Kao, Pratima G. N. Rao, and Robert H. Doremus; **8** (10), 2686–2693.

Dorris, S.E.–Coprecipitation synthesis of doped lanthanum chromite.–M.R. De Guire, S.E. Dorris, R.B. Poeppel, S. Morissette, and U. Balachandran; **8** (9), 2327–2335.

Dou, S.X.–Phase evolution in silver-doped BiPbSrCaCuO(2223)/Ag superconducting composites.–Y.C. Guo, H.K. Liu, and S.X. Dou; **8** (9), 2187–2190.

Dougherty, J.P.–Structure property relationships in core-shell $BaTiO_3$–LiF ceramics.–C.A. Randall, S.F. Wang, D. Laubscher, J.P. Dougherty, and W. Huebner; **8** (4), 871–879.

Dravid, V.–Microstructure and properties of Cu-rich 123: Part II. Homogeneous copper and high magnetic J_c.–J.P. Zhang, D.J. Li, C. Boldt, R. Plass, V. Dravid, L.D. Marks, C.H. Lin, J.A. Eades, A. Sodonis, W. Wolbach, J.M. Chabala, and R. Levi-Setti; **8** (6), 1232–1239.

Dresselhaus, G.–Raman scattering and electrical conductivity in highly disordered activated carbon fibers.–A.W.P. Fung, A.M. Rao, K. Kuriyama, M.S. Dresselhaus, G. Dresselhaus, M. Endo, and N. Shindo; **8** (3), 489–500.

–Image analysis of TEM pictures of fluorine-intercalated graphite fibers.–K. Oshida, M. Endo, T. Nakajima, S.L. di Vittorio, M.S. Dresselhaus, and G. Dresselhaus; **8** (3), 512–522.

–A model for disorder in fluorine-intercalated graphite.–S.L. di Vittorio, M.S. Dresselhaus, and G. Dresselhaus; **8** (7), 1578–1585.

–Fullerenes.–M.S. Dresselhaus, G. Dresselhaus, and P.C. Eklund; **8** (8), 2054–2097.

Dresselhaus, M.S.–Raman scattering and electrical conductivity in highly disordered activated carbon fibers.–A.W.P. Fung, A.M. Rao, K. Kuriyama, M.S. Dresselhaus, G. Dresselhaus, M. Endo, and N. Shindo; **8** (3), 489–500.

–Image analysis of TEM pictures of fluorine-intercalated graphite fibers.–K. Oshida, M. Endo, T. Nakajima, S.L. di Vittorio, M.S. Dresselhaus, and G. Dresselhaus; **8** (3), 512–522.

–Photoconductivity of carbon aerogels.–M. Hosoya, G. Reynolds, M.S. Dresselhaus, and R.W. Pekala; **8** (4), 811–819.

–A model for disorder in fluorine-intercalated graphite.–S.L. di Vittorio, M.S. Dresselhaus, and G. Dresselhaus; **8** (7), 1578–1585.

–Characterization of carbon aerogels by transport measurements.–A.W.P. Fung, Z.H. Wang, K. Lu, M.S. Dresselhaus, and R.W. Pekala; **8** (8), 1875–1885.

–Fullerenes.–M.S. Dresselhaus, G. Dresselhaus, and P.C. Eklund; **8** (8), 2054–2097.

–ESR study of activated carbon fibers: preliminary results.–S.L. di Vittorio, A. Nakayama, T. Enoki, M.S. Dresselhaus, M. Endo, and N. Shindo; **8** (9), 2282–2287.

Duan, Xinlong–Investigation of Ni_3Al-matrix composites strengthened by TiC.–Bingchu Mei, Runzhang Yuan, and Xinlong Duan; **8** (11), 2830–2834.

Dubois, J.M.–Thermal diffusivity of quasicrystalline and related crystalline alloys.–J.M. Dubois, S.S. Kang, P. Archambault, and B. Colleret; **8** (1), 38–43.

–Tribological properties of quasicrystalline coatings.–S.S. Kang, J.M. Dubois, and J. von Stebut; **8** (10), 2471–2481.

Dunham, S.–Damage-to-dose ratio after low energy silicon ion implantation into crystalline silicon.–Y. Levin, N. Herbots, and S. Dunham; **8** (9), 2305–2309.

Duquette, D.J.–Influence of long-range order on tensile properties of Ni_3Fe and Ni_3Fe–Y_2O_3 composites.–A. Bose, G. Camus, R.M. German, D.J. Duquette, and N.S. Stoloff; **8** (3), 430–437.

Dyhouse, V.J.–Characterization of pulsed laser deposited MoS_2 by transmission electron microscopy.–S.D. Walck, M.S. Donley, J.S. Zabinski, and V.J. Dyhouse; **8** (11), 2933–2941.

Dynys, Joseph M.–Synthesis and characterization of cordierite from acetylacetonate/alkoxide precursors.–Lawrence D. David, Ronald M. Anderson, Joseph M. Dynys, Charles C. Goldsmith, and Andrew Szule; **8** (7), 1697–1702.

E

Eades, J.A.–Microstructure and properties of Cu-rich 123: Part II. Homogeneous copper and high magnetic J_c.–J.P. Zhang, D.J. Li, C. Boldt, R. Plass, V. Dravid, L.D. Marks, C.H. Lin, J.A. Eades, A. Sodonis, W. Wolbach, J.M. Chabala, and R. Levi-Setti; **8** (6), 1232–1239.

Eaglesham, D.J.–Epitaxial growth versus nucleation in amorphous Si doped with Cu and Ag.–J.S. Custer, Michael O. Thompson, D.J. Eaglesham, D.C. Jacobson, and J.M. Poate; **8** (4), 820–829.

Earthman, J.C.–High temperature creep transitions in single crystalline $Ni_3Al(Ta,B)$.–J. Wolfenstine, H.K. Kim, and J.C. Earthman; **8** (10), 2510–2514.

Eastman, M.P.–Calorimetric analysis of the system Ag_2S–Ag_2Se between 25 and 250 °C.–N.E. Pingitore, B.F. Ponce, L. Estrada, M.P. Eastman, H.L. Yuan, L.C. Porter, and G. Estrada; **8** (12), 3126–3130.

Eberhart, M.E.–Bonding-property relationships in intermetallic alloys.–M.E. Eberhart, D.P. Clougherty, and J.M. MacLaren; **8** (3), 438–448.

Economou, Demetre J.–Chemical vapor infiltration of SiC with microwave heating.–José I. Morell, Demetre J. Economou, and Neal R. Amundson; **8** (5), 1057–1067.

–Erratum: "Chemical vapor infiltration of SiC with microwave heating" [J. Mater. Res. **8**, 1057 (1993)].–José I. Morell, Demetre J. Economou, and Neal R. Amundson; **8** (12), 3251(E).

Edelstein, A.S.–Narrowing sputtered nanoparticle size distributions.–F.H. Kaatz, G.M. Chow, and A.S. Edelstein; **8** (5), 995–1000.

Edirisinghe, M.J.–The effect of porosity development on the removal of organic vehicle from ceramic or metal moldings.–S.A. Matar, M.J. Edirisinghe, J.R.G. Evans, and E.H. Twizell; **8** (3), 617–625.

Eibl, O.–High-resolution electron microscopy of epitaxial YBCO/Y_2O_3/YSZ on Si(001).–A. Bardal, O. Eibl, Th. Matthée, G. Friedl, and J. Wecker; **8** (9), 2112–2127.

Eichelberger, B.D., III–Nd:YAG laser patterning of plasma-deposited high T_c superconducting thick films.–Usha Varshney, B.D. Eichelberger, III, J.M. Glass, R.J. Churchill, and A.I. Kingon; **8** (10), 2429–2432(L).

Eklund, P.C.–Filament formation in switching devices based on V_2O_5 gel films.–J-G. Zhang and P.C. Eklund; **8** (3), 558–564.

–Nanocrystalline α–Fe, Fe_3C, and Fe_7C_3, produced by CO_2 laser pyrolysis.–Xiang-Xin Bi, B. Ganguly, G.P. Huffman, F.E. Huggins, M. Endo, and P.C. Eklund; **8** (7), 1666–1674.

–Fullerenes.–M.S. Dresselhaus, G. Dresselhaus, and P.C. Eklund; **8** (8), 2054–2097.

–Photoassisted oxygen doping of C_{60} films.–A.M. Rao, K-A. Wang, J.M. Holden, Y. Wang, P. Zhou, P.C. Eklund, C.C. Eloi, and J.D. Robertson; **8** (9), 2277–2281.

Eklund, Peter C.–An investigation of photoassisted diffusion of oxygen in solid C_{60} films using resonant alpha-scattering.–Corinne C. Eloi, J. David Robertson, A.M. Rao, Ping Zhou, K-A. Wang, and Peter C. Eklund; **8** (12), 3085–3089.

Elam, W.T.–A structural investigation of a plasma sprayed Ni–Cr based alloy coating.–S. Sampath, R.A. Neiser, H. Herman, J.P. Kirkland, and W.T. Elam; **8** (1), 78–86.

Ellis, P.J.–Highly oriented, textured diamond films on silicon via bias-enhanced nucleation and textured growth.–B.R. Stoner, S.R. Sahaida, J.P. Bade, P. Southworth, and P.J. Ellis; **8** (6), 1334–1340.

Eloi, C.C.–Photoassisted oxygen doping of C_{60} films.–A.M. Rao, K-A. Wang, J.M. Holden, Y. Wang, P. Zhou, P.C. Eklund, C.C. Eloi, and J.D. Robertson; **8** (9), 2277–2281.

Eloi, Corinne C.–An investigation of photoassisted diffusion of oxygen in solid C_{60} films using resonant alpha-scattering.–Corinne C. Eloi, J. David Robertson, A.M. Rao, Ping Zhou, K-A. Wang, and Peter C. Eklund; **8** (12), 3085–3089.

Elser, Veit–High resolution electron microscopy of Al–Cu–Fe quasicrystals: Atomic structure and modeling.–William Krakow, David P. DiVincenzo, Peter A. Bancel, Eric Cockayne, and Veit Elser; **8** (1), 24–37.

Enck, R. C.–UV induced dielectric loss in AlN ceramics.–J. H. Harris and R. C. Enck; **8** (10), 2734–2740.

Endo, M.–Raman scattering and electrical conductivity in highly disordered activated carbon fibers.–A. W. P. Fung, A. M. Rao, K. Kuriyama, M. S. Dresselhaus, G. Dresselhaus, M. Endo, and N. Shindo; **8** (3), 489–500.

–Image analysis of TEM pictures of fluorine-intercalated graphite fibers.–K. Oshida, M. Endo, T. Nakajima, S. L. di Vittorio, M. S. Dresselhaus, and G. Dresselhaus; **8** (3), 512–522.

–Nanocrystalline α–Fe, Fe_3C, and Fe_7C_3, produced by CO_2 laser pyrolysis.–Xiang-Xin Bi, B. Ganguly, G. P. Huffman, F. E. Huggins, M. Endo, and P. C. Eklund; **8** (7), 1666–1674.

–ESR study of activated carbon fibers: preliminary results.–S. L. di Vittorio, A. Nakayama, T. Enoki, M. S. Dresselhaus, M. Endo, and N. Shindo; **8** (9), 2282–2287.

Ennas, G.–Influence of boron content on the amorphization rate of Co–B mixtures by mechanical alloying.–A. Corrias, G. Ennas, G. Marongiu, A. Musinu, and G. Paschina; **8** (6), 1327–1333.

Enoki, T.–ESR study of activated carbon fibers: preliminary results.–S. L. di Vittorio, A. Nakayama, T. Enoki, M. S. Dresselhaus, M. Endo, and N. Shindo; **8** (9), 2282–2287.

Enzo, S.–Structural characterization and thermal stability of W/Si multilayers.–M. Brunel, S. Enzo, M. Jergel, S. Luby, E. Majkova, and I. Vavra; **8** (10), 2600–2607.

Estrada, G.–Calorimetric analysis of the system Ag_2S–Ag_2Se between 25 and 250 °C.–N. E. Pingitore, B. F. Ponce, L. Estrada, M. P. Eastman, H. L. Yuan, L. C. Porter, and G. Estrada; **8** (12), 3126–3130.

Estrada, L.–Calorimetric analysis of the system Ag_2S–Ag_2Se between 25 and 250 °C.–N. E. Pingitore, B. F. Ponce, L. Estrada, M. P. Eastman, H. L. Yuan, L. C. Porter, and G. Estrada; **8** (12), 3126–3130.

Evans, J. R. G.–The solidification of large sections in ceramic injection molding: Part I. Conventional molding.–T. Zhang and J. R. G. Evans; **8** (1), 187–194.

–The solidification of large sections in ceramic injection molding: Part II. Modulated pressure molding.–T. Zhang and J. R. G. Evans; **8** (2), 345–351.

–The effect of porosity development on the removal of organic vehicle from ceramic or metal moldings.–S. A. Matar, M. J. Edirisinghe, J. R. G. Evans, and E. H. Twizell; **8** (3), 617–625.

Everson, M. P.–Speculation on the reconstruction of vicinal {100} faces of vapor-deposited diamond.–M. A. Tamor and M. P. Everson; **8** (8), 1770–1772(L).

Ewing, Rodney C.–The structure of aperiodic, metamict (Ca, Th)Zr-Ti_2O_7 (zirconolite): An EXAFS study of the Zr, Th, and U sites.–François Farges, Rodney C. Ewing, and Gordon E. Brown, Jr.; **8** (8), 1983–1995.

F

Fagan, James G.–Sol-gel coating of $YBa_2Cu_3O_{7-x}$ with TiO_2 for enhanced anisotropic grain growth.–James G. Fagan and V. R. W. Amarakoon; **8** (7), 1501–1509.

Fair, G. H.–Deformation behavior and high-temperature stability of unidirectionally solidified, twin phase TiAl.–G. H. Fair, J. V. Wood, T. Nakano, and Y. Umakoshi; **8** (8), 1812–1816.

Fallico, G.–Role of grain boundaries in the epitaxial realignment of undoped and As-doped polycrystalline silicon films.–C. Spinella, F. Benyaïch, A. Cacciato, E. Rimini, G. Fallico, and P. Ward; **8** (10), 2608–2612.

Farabaugh, E. N.–Growth defects in diamond films.–D. Shechtman, J. L. Hutchison, L. H. Robins, E. N. Farabaugh, and A. Feldman; **8** (3), 473–479.

Farges, François–The structure of aperiodic, metamict (Ca, Th)Zr-Ti_2O_7 (zirconolite): An EXAFS study of the Zr, Th, and U sites.–François Farges, Rodney C. Ewing, and Gordon E. Brown, Jr.; **8** (8), 1983–1995.

Farkas, Diana–Planar fault energies and dislocation core spreading in B2 NiAl.–Diana Farkas and Christophe Vailhe; **8** (12), 3050–3058.

Farmer, J. W.–High purity isotopically enriched ^{70}Ge and ^{74}Ge single crystals: Isotope separation, growth, and properties.–Kohei Itoh, W. L. Hansen, E. E. Haller, J. W. Farmer, V. I. Ozhogin, A. Rudnev, and A. Tikhomirov; **8** (6), 1341–1347.

Feldman, A.–Growth defects in diamond films.–D. Shechtman, J. L. Hutchison, L. H. Robins, E. N. Farabaugh, and A. Feldman; **8** (3), 473–479.

Ferber, M. K.–Characterization of the mechanical properties of a–SiC:H films.–M. J. Loboda and M. K. Ferber; **8** (11), 2908–2915.

Ference, Thomas G.–Nickel-alloyed tin-lead eutectic solder for surface mount technology.–Sung K. Kang and Thomas G. Ference; **8** (5), 1033–1040.

Field, J. S.–A simple predictive model for spherical indentation.–J. S. Field and M. V. Swain; **8** (2), 297–306.

–Observation, analysis, and simulation of the hysteresis of silicon using ultra-micro-indentation with spherical indenters.–E. R. Weppelmann, J. S. Field, and M. V. Swain; **8** (4), 830–840.

Fine, M. E.–Nondestructive detection of fatigue cracks in PM 304 stainless steel by internal friction and elasticity.–S. M. McGuire, M. E. Fine, O. Buck, and J. D. Achenbach; **8** (9), 2216–2223.

–Chemical reaction strengthening of Al/TiC metal matrix composites by isothermal heat treatment at 913 K.–R. Mitra, M. E. Fine, and J. R. Weertman; **8** (9), 2370–2379.

–Interfaces in as-extruded *XD* Al/TiC and Al/TiB_2 metal matrix composites.–R. Mitra, W. A. Chiou, M. E. Fine, and J. R. Weertman; **8** (9), 2380–2392.

Fleischer, R. L.–Effect of internal fission-fragment irradiation on critical currents and flux creep in Bi–Sr–Ca–Cu–O superconductors doped with UO_2.–F. E. Luborsky, R. H. Arendt, R. L. Fleischer, H. R. Hart, Jr., J. E. Tkaczyk, and D. A. Orsini; **8** (6), 1277–1284.

Fleischer, Robert L.–Substitutional solutes in AlCo: Part I. Effects of solute on moduli, lattice parameters, and vacancy production.–Robert L. Fleischer; **8** (1), 49–58.

–Substitutional solutes in AlCo: Part II. Hardening and correlations with defect structure.–Robert L. Fleischer; **8** (1), 59–67.

Flevaris, N.–Generation and annihilation of antiphase domain boundaries in GaAs on Si grown by molecular beam epitaxy.–A. Georgakilas, J. Stoemenos, K. Tsagaraki, Ph. Komninou, N. Flevaris, P. Panayotatos, and A. Christou; **8** (8), 1908–1921.

Flippen, R. B.–Effect of single crystal substrates on the growth and properties of superconducting $Tl_2Ba_2CaCu_2O_8$ films.–W. L. Holstein, L. A. Parisi, R. B. Flippen, and D. G. Swartzfager; **8** (5), 962–972.

Foltyn, S. R.–The effect of post-annealing on laser-deposited superconducting Bi–Sr–Ca–Cu–O thin films.–P. J. Kung, X. D. Wu, R. E. Muenchausen, K. V. Salazar, S. R. Foltyn, D. E. Peterson, and A. R. Garcia; **8** (9), 2162–2169.

–Interfacial reaction products and film orientation in $YBa_2Cu_3O_{7-x}$ on zirconia substrates with and without CeO_2 buffer layers.–G. L. Skofronick, A. H. Carim, S. R. Foltyn, and R. E. Muenchausen; **8** (11), 2785–2798.

Forzatti, P.–On the morphological properties of tungsta-titania de-NO_xing catalysts.–C. Cristiani, M. Bellotto, P. Forzatti, and F. Bregani; **8** (8), 2019–2025.

Foster, C. M.–X-ray and micro-Raman analysis of nanophase ZrO_2 and Y_2O_3–ZrO_2 produced by the gas-phase condensation technique.–C. M. Foster, G. R. Bai, J. C. Parker, and M. N. Ali; **8** (8), 1977–1982.

Foster, L. Ann–Ultramicrotomy: A unique method for preparation of composite solder for transmission electron microscopy.–Elizabeth

G. Jacobs, L. Ann Foster, Yujing Wu, Angela R. Wilson, and Russell F. Pinizzotto; **8** (1), 87–94.

Fox, G. R.–Composition/structure/property relations of multi-ion-beam reactive sputtered lead lanthanum titanate thin films: Part II. Textured microstructure development.–G. R. Fox, S. B. Krupanidhi, and K. L. More; **8** (9), 2191–2202.

–Composition/structure/property/relations of multi-ion-beam reactive sputtered lead lanthanum titanate thin films: Part III. Electrical properties.–G. R. Fox and S. B. Krupanidhi; **8** (9), 2203–2215.

Francis, Lorraine Falter–Phase development in Si modified sol-gel-derived lead titanate.–John S. Wright and Lorraine Falter Francis; **8** (7), 1712–1720.

Friedl, G.–High-resolution electron microscopy of epitaxial YBCO/Y_2O_3/YSZ on Si(001).–A. Bardal, O. Eibl, Th. Matthée, G. Friedl, and J. Wecker; **8** (9), 2112–2127.

Friel, J. J.–A direct determination of fractal dimension of fracture surfaces using scanning electron microscopy and stereoscopy.–J. J. Friel and C. S. Pande; **8** (1), 100–104.

Fujii, Hiroyuki–Properties and microstructure of continuous oxynitride glass fiber and its application to aluminum matrix composite.–Katsuaki Suganuma, Hiroyoshi Minakuchi, Katsuhiko Kada, Tetsushi Kitamura, Haruo Osafune, and Hiroyuki Fujii; **8** (1), 178–186.

Fukamichi, Kazuaki–Diffusion of ^{57}Co in amorphous Fe–RE (RE = Dy, Tb, and Ce) and Fe–Si–B alloys.–Kazumasa Yamada, Yoshiaki Iijima, and Kazuaki Fukamichi; **8** (9), 2231–2238.

Fukushima, Yoshiaki–Synthesis of nylon 6-clay hybrid.–Arimitsu Usuki, Yoshitsugu Kojima, Masaya Kawasumi, Akane Okada, Yoshiaki Fukushima, Toshio Kurauchi, and Osami Kamigaito; **8** (5), 1179–1184.

–Mechanical properties of nylon 6-clay hybrid.–Yoshitsugu Kojima, Arimitsu Usuki, Masaya Kawasumi, Akane Okada, Yoshiaki Fukushima, Toshio Kurauchi, and Osami Kamigaito; **8** (5), 1185–1189.

Fulmer, M. T.–Effects of temperature on the formation of hydroxyapatite.–M. T. Fulmer and P. W. Brown; **8** (7), 1687–1696.

Fung, A. W. P.–Raman scattering and electrical conductivity in highly disordered activated carbon fibers.–A. W. P. Fung, A. M. Rao, K. Kuriyama, M. S. Dresselhaus, G. Dresselhaus, M. Endo, and N. Shindo; **8** (3), 489–500.

–Characterization of carbon aerogels by transport measurements.–A. W. P. Fung, Z. H. Wang, K. Lu, M. S. Dresselhaus, and R. W. Pekala; **8** (8), 1875–1885.

Furukawa, Minoru–An investigation of ductility and microstructural evolution in an Al–3% Mg alloy with submicron grain size.–Jingtao Wang, Zenji Horita, Minoru Furukawa, Minoru Nemoto, Nikolai K. Tsenev, Ruslan Z. Valiev, Yan Ma, and Terence G. Langdon; **8** (11), 2810–2818.

G

Gallagher, Dennis–Indium-tin oxide thin films by metal-organic decomposition.–Dennis Gallagher, Francis Scanlan, Raymond Houriet, Hans Jörg Mathieu, and Terry A. Ring; **8** (12), 3135–3144.

Galoisy, Laurence–Inhomogeneous distribution of Cr impurities in α–Al_2O_3 during refractory aging.–Laurence Galoisy and Georges Calas; **8** (5), 1153–1157.

Gangloff, R. P.–Determining fracture facet crystallography using electron backscatter patterns and quantitative tilt fractography.–D. C. Slavik, J. A. Wert, and R. P. Gangloff; **8** (10), 2482–2491.

Ganguly, B.–Nanocrystalline α–Fe, Fe_3C, and Fe_7C_3, produced by CO_2 laser pyrolysis.–Xiang-Xin Bi, B. Ganguly, G. P. Huffman, F. E. Huggins, M. Endo, and P. C. Eklund; **8** (7), 1666–1674.

Gao, Huajian–A note on the elastic contact stiffness of a layered medium.–Huajian Gao and Tsai-Wei Wu; **8** (12), 3229–3232.

Gao, Y.–Microstructure of $PbTiO_3$ thin films deposited on (001) MgO by MOCVD.–Y. Gao, G. Bai, K. L. Merkle, Y. Shi, H. L. M. Chang, Z. Shen, and D. J. Lam; **8** (1), 145–153.

Garcia, A. R.–The effect of post-annealing on laser-deposited superconducting Bi–Sr–Ca–Cu–O thin films.–P. J. Kung, X. D. Wu, R. E. Muenchausen, K. V. Salazar, S. R. Foltyn, D. E. Peterson, and A. R. Garcia; **8** (9), 2162–2169.

Garrett, J.–Precipitation of Mo_5Si_3 in $MoSi_2$.–S. A. Maloy, S-Q. Xiao, A. H. Heuer, and J. Garrett; **8** (5), 1079–1085.

Gauckler, L. J.–From imperfect to perfect $Bi_2Sr_2CaCu_2O_x$ (Bi–2212) grains.–B. Heeb, L. J. Gauckler, H. Heinrich, and G. Kostorz; **8** (9), 2170–2176.

Gawalek, W.–Influence of Y_2BaCuO_5 particles on the growth morphology of peritectically solidified $YBa_2Cu_3O_{7-x}$.–G. J. Schmitz, J. Laakmann, Ch. Wolters, S. Rex, W. Gawalek, T. Habisreuther, G. Bruchlos, and P. Görnert; **8** (11), 2774–2779.

Geiss, Peter–Evidence of Co/SiO_2 reaction during rapid thermal annealing.–Herbert L. Ho, Tue Nguyen, Julius C. Chang, Brian Machesney, and Peter Geiss; **8** (3), 467–472.

Genzer, J.–On the use of ion scattering to examine the role of hydrogen in the reduction of TiO_2.–W. E. Wallace, Q. Zhong, J. Genzer, R. J. Composto, and D. A. Bonnell; **8** (7), 1629–1634.

Georgakilas, A.–Generation and annihilation of antiphase domain boundaries in GaAs on Si grown by molecular beam epitaxy.–A. Georgakilas, J. Stoemenos, K. Tsagaraki, Ph. Komninou, N. Flevaris, P. Panayotatos, and A. Christou; **8** (8), 1908–1921.

George, Thomas F.–Wagner oxidation in the nonisothermal regime.–László Nánai, Daniel A. Jelski, Imre Hevesi, and Thomas F. George; **8** (5), 945–947(L).

Gerberich, W. W.–Microscopy and microindentation mechanics of single crystal Fe–3 wt. % Si: Part I. Atomic force microscopy of a small indentation.–S. Harvey, H. Huang, S. Venkataraman, and W. W. Gerberich; **8** (6), 1291–1299.

–Microscopy and microindentation mechanics of single crystal Fe–3 wt. % Si: Part II. TEM of the indentation plastic zone.–W. Zielinski, H. Huang, and W. W. Gerberich; **8** (6), 1300–1310.

Gerberich, William W.–Continuous microindentation of passivating surfaces.–Shankar K. Venkataraman, David L. Kohlstedt, and William W. Gerberich; **8** (4), 685–688(L).

German, R. M.–Influence of long-range order on tensile properties of Ni_3Fe and Ni_3Fe–Y_2O_3 composites.–A. Bose, G. Camus, R. M. German, D. J. Duquette, and N. S. Stoloff; **8** (3), 430–437.

Ghosh, A.–The frictional component of the indentation size effect in low load microhardness testing.–H. Li, A. Ghosh, Y. H. Han, and R. C. Bradt; **8** (5), 1028–1032.

Gialanella, S.–On the bcc, fcc, hcp, and amorphous polymorphs of Zr_3Al.–A. R. Yavari, S. Gialanella, T. BenAmeur, R. W. Cahn, and B. Bochu; **8** (2), 242–244(L).

Giannelis, Emmanuel P.–Ferroelectric behavior of pulsed laser deposited $Ba_xSr_{1-x}TiO_3$ thin films.–Vivek Mehrotra, Simon Kaplan, Albert J. Sievers, and Emmanuel P. Giannelis; **8** (6), 1209–1212(L).

Giedd, R. E.–Modification of high temperature and high performance polymers by ion implantation.–Yongqiang Wang, S. S. Mohite, L. B. Bridwell, R. E. Giedd, and C. J. Sofield; **8** (2), 388–402.

Ginley, D. S.–Structural studies on Tl–Ca–Ba–Cu–O superconducting thin films.–Bruno Morosin, M. Grant Norton, C. Barry Carter, E. L. Venturini, and D. S. Ginley; **8** (4), 720–726.

Giriat, W.–Microscopic phase stability of the dilute magnetic semiconductor $Cd_{1-x}Fe_xSe$.–E. Klein, M. Homyonfer, W. Giriat, and R. Tenne; **8** (6), 1348–1352.

Gjønnes, J.–TEM study on laser processed intermetallic phases: $Al_{16}Ti_6$(Fe or Ni)$_7$.–Y. Ma and J. Gjønnes; **8** (3), 421–429.

Glass, J. M.–Nd:YAG laser patterning of plasma-deposited high T_c superconducting thick films.–Usha Varshney, B. D. Eichelberger, III, J. M. Glass, R. J. Churchill, and A. I. Kingon; **8** (10), 2429–2432(L).

Glass, J. T.–Nucleation of oriented diamond films on nickel substrates.–P. C. Yang, J. T. Glass, and W. Zhu; **8** (8), 1773–1776(L).

Glejbøl, K.–Nucleation of CVD–TiN on tungsten.–K. Glejbøl, N. H. Pryds, and A. R. Thölén; **8** (9), 2239–2244.

Glorieux, C.–Investigation of the thermal anisotropy of unidirectional carbon fiber reinforced composite plates using optically generated thermal waves and a noncontact optical detection technique.–W. Lauriks, C. Desmet, C. Glorieux, and J. Thoen; **8** (12), 3106–3110.

Godbole, P. D.–Synthesis of microcrystalline $BaZrO_3$ via molecular precursor route.–H. S. Potdar, S. B. Deshpande, P. D. Godbole, and S. K. Date; **8** (5), 948–950(L).

Goldman, A. I.–An approximant to the Al–Cu–Ru icosahedral phase.–J. E. Shield, L. S. Chumbley, R. W. McCallum, and A. I. Goldman; **8** (1), 44–48.

Goldmann, M.–Intercalation of pentane into the stage 2 to 4 cesium graphitides: Relation between cesium density in the intercalated layers and the stage of the parent binary.–H. Pilliere, M. Goldmann, and F. Béguin; **8** (9), 2288–2298.

Goldsmith, Charles C.–Synthesis and characterization of cordierite from acetylacetonate/alkoxide precursors.–Lawrence D. David, Ronald M. Anderson, Joseph M. Dynys, Charles C. Goldsmith, and Andrew Szule; **8** (7), 1697–1702.

González, J. M.–Microstructural study of the crystallization product of the $Co_{100-x}P_x$ amorphous system.–F. Cebollada, J. M. González, and P. Adeva; **8** (1), 105–111.

González-Calbet, J. M.–Texture evolution of SnO_2 synthesized by pyrolysis of an aerosol.–M. Vallet-Regí, V. Ragel, J. Román, J. L. Martínez, M. Labeau, and J. M. González-Calbet; **8** (1), 138–144.

–Selection of structural type and particle size in titanium (IV) oxide.–M. Vallet-Regí, J. Peña, A. Martínez, and J. M. González-Calbet; **8** (9), 2336–2343.

–Spherical iron oxide particles synthesized by an aerosol technique.–M. V. Cabañas, M. Vallet-Regí, M. Labeau, and J. M. González-Calbet; **8** (10), 2694–2701.

Goodwin, Frank E.–Influence of rare earth element additions on phase transformations in the Zn–27% Al alloy.–Yao Hua Zhu and Frank E. Goodwin; **8** (12), 3043–3049.

Görnert, P.–Influence of Y_2BaCuO_5 particles on the growth morphology of peritectically solidified $YBa_2Cu_3O_{7-x}$.–G. J. Schmitz, J. Laakmann, Ch. Wolters, S. Rex, W. Gawalek, T. Habisreuther, G. Bruchlos, and P. Görnert; **8** (11), 2774–2779.

Gotman, I.–Interaction between SiC and Ti powder.–I. Gotman, E. Y. Gutmanas, and P. Mogilevsky; **8** (10), 2725–2733.

Goyal, D. J.–Dopant induced modifications in the physical properties of sprayed ZnO:In films.–D. J. Goyal, Chitra Agashe, M. G. Takwale, V. G. Bhide, Shailaja Mahamuni, and S. K. Kulkarni; **8** (5), 1052–1056.

Graves, J. A.–Effect of fiber coating on the mechanical behavior of SiC fiber-reinforced titanium aluminide composites.–S. M. Jeng, J-M. Yang, and J. A. Graves; **8** (4), 905–916.

Greer, A. L.–A new method for tensile testing of thin films.–J. A. Ruud, D. Josell, F. Spaepen, and A. L. Greer; **8** (1), 112–117.

Grinberg, Y.–Temperature and annealing dependence of the longitudinal ultrasonic velocity in aluminum alloys.–Ward Johnson, F. Mauer, D. Pitchure, S. J. Norton, Y. Grinberg, and F. Bendec; **8** (7), 1558–1566.

Grushko, B.–A study of the high-Cu Al–Cu–Co decagonal phase.–B. Grushko; **8** (7), 1473–1476(L).

Guimon, C.–Relationship between the structural organization and the physical properties of PECVD nitrogenated carbons.–M. Ricci, M. Trinquecoste, F. Auguste, R. Canet, P. Delhaes, C. Guimon, G. Pfister-Guillouzo, B. Nysten, and J. P. Issi; **8** (3), 480–488.

Guo, J.–Epitaxy, microstructure, and processing-structure relationships of TiO_2 thin films grown on sapphire (0001) by MOCVD.–H. L. M. Chang, T. J. Zhang, H. Zhang, J. Guo, H. K. Kim, and D. J. Lam; **8** (10), 2634–2643.

Guo, Y. C.–Phase evolution in silver-doped BiPbSrCaCuO(2223)/Ag superconducting composites.–Y. C. Guo, H. K. Liu, and S. X. Dou; **8** (9), 2187–2190.

Gupta, Archana–Effects of molybdenum on cellular precipitation in nickel–9 at. % tin alloy.–Archana Gupta, R. R. Nagarajan, A. K. Jena, and M. C. Chaturvedi; **8** (1), 95–99.

Gupta, J.–Stress development and relaxation in copper films during thermal cycling.–M. D. Thouless, J. Gupta, and J. M. E. Harper; **8** (8), 1845–1852.

Gupta, Tapan K.–Devitrification inhibitor in binary borosilicate glass composite.–Jau-Ho Jean and Tapan K. Gupta; **8** (2), 356–363.

–Cristobalite growth inhibitor in Pyrex borosilicate glass—gallium oxide.–Jau-Ho Jean and Tapan K. Gupta; **8** (8), 1767–1769(L).

–Effect of gallium oxide in preventing cristobalite formation in binary borosilicate glass composite.–Jau-Ho Jean and Tapan K. Gupta; **8** (9), 2393–2399.

Gustafson, T. K.–Single crystal wurtzite GaN on (111) GaAs with AlN buffer layers grown by reactive magnetron sputter deposition.–Jennifer Ross, Mike Rubin, and T. K. Gustafson; **8** (10), 2613–2616.

Gutmanas, E. Y.–Interaction between SiC and Ti powder.–I. Gotman, E. Y. Gutmanas, and P. Mogilevsky; **8** (10), 2725–2733.

H

Habisreuther, T.–Influence of Y_2BaCuO_5 particles on the growth morphology of peritectically solidified $YBa_2Cu_3O_{7-x}$.–G. J. Schmitz, J. Laakmann, Ch. Wolters, S. Rex, W. Gawalek, T. Habisreuther, G. Bruchlos, and P. Görnert; **8** (11), 2774–2779.

Hachey, J. P.–Synthesis of superconductors from soluble metal oxo alkoxide precursors.–M. W. Rupich, Y. P. Liu, J. Ibechem, and J. P. Hachey; **8** (7), 1487–1496.

Hagiwara, Y.–Growth of highly oriented SnO_2 thin films on glass substrate from tetra-*n*-butyltin by the spray pyrolysis technique.–I. Yagi, Y. Hagiwara, K. Murakami, and S. Kaneko; **8** (7), 1481–1483(L).

Hakkens, F.–Transmission electron microscopy study of Co/Pd and Co/Au multilayers.–F. Hakkens, A. De Veirman, W. Coene, and F. J. A. den Broeder; **8** (5), 1019–1027.

Hall, Ernest L.–Structure and behavior of metal/ceramic interfaces in Ti alloy/SiC metal matrix composites.–Ernest L. Hall and Ann M. Ritter; **8** (5), 1158–1168.

Haller, E. E.–High purity isotopically enriched ^{70}Ge and ^{74}Ge single crystals: Isotope separation, growth, and properties.–Kohei Itoh, W. L. Hansen, E. E. Haller, J. W. Farmer, V. I. Ozhogin, A. Rudnev, and A. Tikhomirov; **8** (6), 1341–1347.

Han, Y. H.–The frictional component of the indentation size effect in low load microhardness testing.–H. Li, A. Ghosh, Y. H. Han, and R. C. Bradt; **8** (5), 1028–1032.

Hanada, S.–Environmental embrittlement of boron-doped $Ni_3(Al, Ti)$ single crystals at room temperature.–T. Takasugi and S. Hanada; **8** (10), 2534–2542.

–High temperature mechanical properties of Cr_2Nb-based intermetallics.–T. Takasugi, S. Hanada, and K. Miyamoto; **8** (12), 3069–3077.

Hangas, J.–Correlation between microstructure and mechanical properties in silicon carbide with alumina addition.–S. S. Shinozaki, J. Hangas, K. R. Carduner, M. J. Rokosz, K. Suzuki, and N. Shinohara; **8** (7), 1635–1643.

Hansen, W. L.–High purity isotopically enriched ^{70}Ge and ^{74}Ge single crystals: Isotope separation, growth, and properties.–Kohei Itoh, W. L. Hansen, E. E. Haller, J. W. Farmer, V. I. Ozhogin, A. Rudnev, and A. Tikhomirov; **8** (6), 1341–1347.

Hanus, F.–Structural and optical properties of laser-synthesized copper oxide films.–M. Wautelet, A. Roos, R. Lazzaroni, F. Hanus, and G. Lambin; **8** (2), 327–333.

Harada, Toshio–Bi-intercalation of H_2SO_4 into stages 4–6 $FeCl_3$–graphite intercalation compounds.–Yasuo Mizutani, Takeshi Abe, Mitsuru Asano, and Toshio Harada; **8** (7), 1586–1595.

Harmer, Martin P.–Controlled heterogeneous nucleation of melt-textured $YBa_2Cu_3O_{6+x}$ by addition of Al_2O_3 particles.–Yan L. Chen, Lijie Zhang, Helen M. Chan, and Martin P. Harmer; **8** (9), 2128–2133.

Haro-Poniatowski, E.–Transmission electron microscopy of $GeSe_{2+\delta}$ thin films.–H. Maghsoudlou, L. Salamanca-Riba, and E. Haro-Poniatowski; **8** (7), 1728–1735.

Harper, J. M. E.–Stress development and relaxation in copper films during thermal cycling.–M. D. Thouless, J. Gupta, and J. M. E. Harper; **8** (8), 1845–1852

Harris, J. H.–Light-induced defects in aluminum nitride ceramics.–J. H. Harris and R. A. Youngman; **8** (1), 154–162.

–UV induced dielectric loss in AlN ceramics.–J. H. Harris and R. C. Enck; **8** (10), 2734–2740.

Hart, H. R., Jr.–Effect of internal fission-fragment irradiation on critical currents and flux creep in Bi–Sr–Ca–Cu–O superconductors doped with UO_2.–F. E. Luborsky, R. H. Arendt, R. L. Fleischer, H. R. Hart, Jr., J. E. Tkaczyk, and D. A. Orsini; **8** (6), 1277–1284.

Harvey, S.–Microscopy and microindentation mechanics of single crystal Fe–3 wt. % Si: Part I. Atomic force microscopy of a small indentation.–S. Harvey, H. Huang, S. Venkataraman, and W. W. Gerberich; **8** (6), 1291–1299.

Hase, Takashi–Epitaxial growth of BaO and SrO with new crystal structures using mass-separated low-energy O^+ beams.–Ryusuke Kita, Takashi Hase, Hiromi Takahashi, Kenichi Kawaguchi, and Tadataka Morishita; **8** (2), 321–323.

–Synthesis of $YBa_2Cu_3O_{7-x}$ thin films by three-stage oxidation process from metallic Y–Ba–Cu precursors.–Takashi Hase, Ryusuke Kita, Kenichi Kawaguchi, Takeshi Koga, and Tadataka Morishita; **8** (6), 1220–1225.

Hashimoto, Kennki–Environmental effect on mechanical properties of TiAl base alloys.–Morihiko Nakamura, Kennki Hashimoto, and Tokuzo Tsujimoto; **8** (1), 68–77.

Hauge, Robert H.–Methyl halides as carbon sources in a hot-filament diamond CVD reactor: A new gas phase growth species.–Benjamin J. Bai, C. Judith Chu, Donald E. Patterson, Robert H. Hauge, and John L. Margrave; **8** (2), 233–236(L).

Häusermann, D.–Effect of chemical and heat treatment on the tetragonal-to-monoclinic transformation of zirconia.–X. Turrillas, P. Barnes, D. Häusermann, S. L. Jones, and C. J. Norman; **8** (1), 163–168.

Hay, R. S.–Phase transformations and microstructure evolution in sol-gel derived yttrium-aluminum garnet films.–R. S. Hay; **8** (3), 578–604.

Hayashi, Ryuichi–Mechanical properties and metallography of aluminum matrix composites reinforced by the Cu- or Ni-plating carbon multifilament.–Takakazu Suzuki, Hiroyuki Umehara, Ryuichi Hayashi, and Shuichiro Watanabe; **8** (10), 2492–2498.

He, Yue-Song–Electrical and optical characterization of Sb: SnO_2.–Yue-Song He, Joe C. Campbell, Robert C. Murphy, M. F. Arendt, and John S. Swinnea; **8** (12), 3131–3134.

Heeb, B.–From imperfect to perfect $Bi_2Sr_2CaCu_2O_x$ (Bi–2212) grains.–B. Heeb, L. J. Gauckler, H. Heinrich, and G. Kostorz; **8** (9), 2170–2176.

Heidarpour, Ebrahim–Deposition of diamond phase carbon films on surface pretreated stainless steel substrate.–Ebrahim Heidarpour and Yoshikatsu Namba; **8** (11), 2840–2844.

Heilman, Bradley D.–The effects of natural convection and conduction in a zone-melting-recrystallization chamber.–Bradley D. Heilman, Matthew A. Marston, Peter Y. Wong, and Ioannis N. Miaoulis; **8** (3), 551–557.

Heinrich, H.–From imperfect to perfect $Bi_2Sr_2CaCu_2O_x$ (Bi–2212) grains.–B. Heeb, L. J. Gauckler, H. Heinrich, and G. Kostorz; **8** (9), 2170–2176.

Herbots, N.–Damage-to-dose ratio after low energy silicon ion implantation into crystalline silicon.–Y. Levin, N. Herbots, and S. Dunham; **8** (9), 2305–2309.

Herman, H.–A structural investigation of a plasma sprayed Ni–Cr based alloy coating.–S. Sampath, R. A. Neiser, H. Herman, J. P. Kirkland, and W. T. Elam; **8** (1), 78–86.

Heuer, A. H.–Precipitation of Mo_5Si_3 in $MoSi_2$.–S. A. Maloy, S-Q. Xiao, A. H. Heuer, and J. Garrett; **8** (5), 1079–1085.

–The mechanism of mechanical alloying of $MoSi_2$.–S. N. Patankar, S-Q. Xiao, J. J. Lewandowski, and A. H. Heuer; **8** (6), 1311–1316.

Hevesi, Imre–Wagner oxidation in the nonisothermal regime.–László Nánai, Daniel A. Jelski, Imre Hevesi, and Thomas F. George; **8** (5), 945–947(L).

Hietala, S. L.–Closed porosity aluminosilicate for electronic packaging applications.–S. L. Hietala, D. M. Smith, V. M. Hietala, and C. J. Brinker; **8** (5), 1122–1127.

Hietala, V. M.–Closed porosity aluminosilicate for electronic packaging applications.–S. L. Hietala, D. M. Smith, V. M. Hietala, and C. J. Brinker; **8** (5), 1122–1127.

Hilbert, Claude–Superconducting $Ba_{0.6}K_{0.4}BiO_3$: Thin film preparation by RF magnetron sputtering.–C. J. Hou, H. Steinfink, L. Rabenberg, Claude Hilbert, and Harry Kroger; **8** (8), 1798–1804.

Hilton, A. D.–Extrinsic contributions to the grain size dependence of relaxor ferroelectric $Pb(Mg_{1/3}Nb_{2/3})$: $PbTiO_3$ ceramics.–C. A. Randall, A. D. Hilton, D. J. Barber, and T. R. Shrout; **8** (4), 880–884.

Hirata, Yoshihiro–Electrical properties of silica-alumina ceramics in nitrogen atmosphere.–Yoshihiro Hirata, Mitsunori Kawabata, and Yoshimi Ishihara; **8** (5), 1116–1121.

Hirschfeld, D. A.–The synthesis, sintering, and thermal properties of $(Ca_{1-x}, Mg_x)Zr_4(PO_4)_6$ (CMZP) ceramics.–T. K. Li, D. A. Hirschfeld, S. VanAken, Y. Yang, and J. J. Brown; **8** (11), 2954–2967.

Hirth, J. P.–Hot-hardness comparisons among isostructural $Be_{12}X$ intermetallic compounds.–S. M. Bruemmer, B. W. Arey, J. L. Brimhall, and J. P. Hirth; **8** (7), 1550–1557.

–Stabilization of strained multilayers by thin interlayers.–J. P. Hirth; **8** (7), 1572–1577.

Hishiyama, Yoshihiro–Electrical resistivity, magnetoresistance, and morphology of vapor-grown carbon fibers prepared in a mixture of benzene and Linz–Donawitz converter gas by floating catalyst method.–Munehiro Ishioka, Toshihiko Okada, Kenji Matsubara, Michio Inagaki, and Yoshihiro Hishiyama; **8** (8), 1866–1874.

Ho, C. T.–An internal synthesis method for producing a mullite–chromium carbide composite.–C. T. Ho; **8** (8), 2035–2039.

Ho, Herbert L.–Evidence of Co/SiO_2 reaction during rapid thermal annealing.–Herbert L. Ho, Tue Nguyen, Julius C. Chang, Brian Machesney, and Peter Geiss; **8** (3), 467–472.

–Reaction study of cobalt and silicon nitride.–Tue Nguyen, Herbert L. Ho, David E. Kotecki, and Tai D. Nguyen; **8** (9), 2354–2361.

Hofmann, David J.–Topotactic synthesis of vanadium nitride solid foams.–S. Ted Oyama, Rajat Kapoor, Hideko T. Oyama, David J. Hofmann, and Egon Matijević; **8** (6), 1450–1454.

Holden, J. M.–Photoassisted oxygen doping of C_{60} films.–A. M. Rao, K-A. Wang, J. M. Holden, Y. Wang, P. Zhou, P. C. Eklund, C. C. Eloi, and J. D. Robertson; **8** (9), 2277–2281.

Holesinger, T. G.–Rapidly textured $Bi_2Sr_2CaCu_2O_8$.–S. R. Arrasmith, M. J. Kramer, B. D. Merkle, T. G. Holesinger, and R. W. McCallum; **8** (6), 1247–1257.

–Solidification of $Bi_2Sr_2CaCu_2O_y$ and $Bi_2Sr_{1.75}Ca_{0.25}CuO_y$.–T. G. Holesinger, D. J. Miller, H. K. Viswanathan, and L. S. Chumbley; **8** (9), 2149–2161.

Holloway, A.–Texture development due to preferential grain growth of Ho–Ba–Cu–O in 1.6-T magnetic field.–A. Holloway, R. W. McCallum, and S. R. Arrasmith; **8** (4), 727–733.

Holstein, W. L.–Effect of single crystal substrates on the growth and properties of superconducting $Tl_2Ba_2CaCu_2O_8$ films.–W. L.

Holstein, L. A. Parisi, R. B. Flippen, and D. G. Swartzfager; **8** (5), 962–972.

Holt, J. B.–A time-resolved diffraction study of the Ta–C solid combustion system.–E. M. Larson, Joe Wong, J. B. Holt, P. A. Waide, G. Nutt, B. Rupp, and L. J. Terminello; **8** (7), 1533–1541.

Homyonfer, M.–Microscopic phase stability of the dilute magnetic semiconductor $Cd_{1-x}Fe_xSe$.–E. Klein, M. Homyonfer, W. Giriat, and R. Tenne; **8** (6), 1348–1352.

Hon, Min-Hsiung–Properties and crystallization of Li_2O–CaO–Al_2O_3–SiO_2–TiO_2 glasses.–Moo-Chin Wang and Min-Hsiung Hon; **8** (4), 890–898.

Hoppe, Martin L.–Superconducting fibers from organometallic precursors: Part III. Pyrolytic processing of precursor fibers.–Zhi-Fan Zhang, Richard A. Kennish, Kay A. Youngdahl Blohowiak, Martin L. Hoppe, and Richard M. Laine; **8** (8), 1777–1790.

Hori, Makoto–^{27}Al MAS-NMR spectra of alumina aerogels.–Yasuyuki Mizushima, Makoto Hori, and Minoru Sasaki; **8** (9), 2109–2111(L).

–Preparation of heat-resistant alumina aerogels.–Yasuyuki Mizushima and Makoto Hori; **8** (11), 2993–2999.

Horita, Zenji–An investigation of ductility and microstructural evolution in an Al–3% Mg alloy with submicron grain size.–Jingtao Wang, Zenji Horita, Minoru Furukawa, Minoru Nemoto, Nikolai K. Tsenev, Ruslan Z. Valiev, Yan Ma, and Terence G. Langdon; **8** (11), 2810–2818.

Horn, R. G.–Pressurized internal lenticular cracks at healed mica interfaces.–K-T. Wan, R. G. Horn, S. Courmont, and B. R. Lawn; **8** (5), 1128–1136.

Hosoe, Masahiro–New method for fabrication of superconducting pipes in the Bi–Sr–Ca–Cu–O system.–Yoshihiro Abe, Hideo Hosono, Won-Hyuk Lee, Masahiro Hosoe, Koichi Nakamura, and Eikichi Inukai; **8** (1), 1–4(L).

Hosono, Hideo–New method for fabrication of superconducting pipes in the Bi–Sr–Ca–Cu–O system.–Yoshihiro Abe, Hideo Hosono, Won-Hyuk Lee, Masahiro Hosoe, Koichi Nakamura, and Eikichi Inukai; **8** (1), 1–4(L).

Hosoya, M.–Photoconductivity of carbon aerogels.–M. Hosoya, G. Reynolds, M. S. Dresselhaus, and R. W. Pekala; **8** (4), 811–819.

Hotaling, S. P.–Ultra-low density aerogel optical applications.–S. P. Hotaling; **8** (2), 352–355.

Hou, C. J.–Superconducting $Ba_{0.6}K_{0.4}BiO_3$: Thin film preparation by RF magnetron sputtering.–C. J. Hou, H. Steinfink, L. Rabenberg, Claude Hilbert, and Harry Kroger; **8** (8), 1798–1804.

Houriet, Raymond–Indium-tin oxide thin films by metal-organic decomposition.–Dennis Gallagher, Francis Scanlan, Raymond Houriet, Hans Jörg Mathieu, and Terry A. Ring; **8** (12), 3135–3144.

Howard, W.–Space groups of the diamond polytypes.–A. W. Phelps, W. Howard, and D. K. Smith; **8** (11), 2835–2839.

Hrubesh, L. W.–Dielectric properties of aerogels.–L. W. Hrubesh, L. E. Keene, and V. R. Latorre; **8** (7), 1736–1741.

Hsu, Stephen M.–Effects of α-silicon nitride powder processing on surface oxidation kinetics.–Pu Sen Wang, Subhas G. Malghan, Stephen M. Hsu, and T. N. Wittberg; **8** (12), 3168–3175.

Huang, H.–Microscopy and microindentation mechanics of single crystal Fe–3 wt. % Si: Part I. Atomic force microscopy of a small indentation.–S. Harvey, H. Huang, S. Venkataraman, and W. W. Gerberich; **8** (6), 1291–1299.

–Microscopy and microindentation mechanics of single crystal Fe–3 wt. % Si: Part II. TEM of the indentation plastic zone.–W. Zielinski, H. Huang, and W. W. Gerberich; **8** (6), 1300–1310.

Hudson, G. C.–Etch-delineation of defects in diamond by exposure to an oxidizing flame.–D. P. Malta, J. B. Posthill, R. A. Rudder, G. C. Hudson, and R. J. Markunas; **8** (6), 1217–1219(L).

Huebner, W.–Structure property relationships in core-shell $BaTiO_3$–LiF ceramics.–C. A. Randall, S. F. Wang, D. Laubscher, J. P. Dougherty, and W. Huebner; **8** (4), 871–879.

–The effect of Li-salt additions on the densification of tin oxide.–D. W. Yuan, S. F. Wang, W. Huebner, and G. Simkovich; **8** (7), 1675–1679.

Huffman, G. P.–Nanocrystalline α–Fe, Fe_3C, and Fe_7C_3, produced by CO_2 laser pyrolysis.–Xiang-Xin Bi, B. Ganguly, G. P. Huffman, F. E. Huggins, M. Endo, and P. C. Eklund; **8** (7), 1666–1674.

Hufnagel, T. C.–TEM analysis of Co–Gd and Cr–Gd multilayer structures.–G. A. Bertero, T. C. Hufnagel, B. M. Clemens, and R. Sinclair; **8** (4), 771–774.

Huggins, F. E.–Nanocrystalline α–Fe, Fe_3C, and Fe_7C_3, produced by CO_2 laser pyrolysis.–Xiang-Xin Bi, B. Ganguly, G. P. Huffman, F. E. Huggins, M. Endo, and P. C. Eklund; **8** (7), 1666–1674.

Hulsey, S. S.–Gas permeability of carbon aerogels.–F-M. Kong, J. D. LeMay, S. S. Hulsey, C. T. Alviso, and R. W. Pekala; **8** (12), 3100–3105.

Hung, Cheng-Hung–Formation of V_2O_5-based mixed oxides in flames.–Philippe F. Miquel, Cheng-Hung Hung, and Joseph L. Katz; **8** (9), 2404–2413.

Hurt, R. H.–Deposition of silicon carbide using the chemical vapor composites process: Process characterization and comparison with RASSPVDN model predictions.–M. D. Allendorf, R. H. Hurt, N. Yang, P. Reagan, and M. Robbins; **8** (7), 1651–1665.

Hutchins, MaryGail K.–Synthesis, characterization, and properties of new polystyrene-SiO_2 hybrid sol-gel materials.–Yen Wei, Dachuan Yang, Liguang Tang, and MaryGail K. Hutchins; **8** (5), 1143–1152.

Hutchison, J. L.–Growth defects in diamond films.–D. Shechtman, J. L. Hutchison, L. H. Robins, E. N. Farabaugh, and A. Feldman; **8** (3), 473–479.

Hwang, Cheol Seong–Deposition and characterization of ZrO_2 thin films on silicon substrate by MOCVD.–Cheol Seong Hwang and Hyeong Joon Kim; **8** (6), 1361–1367.

I

Ibechem, J.–Synthesis of superconductors from soluble metal oxo alkoxide precursors.–M. W. Rupich, Y. P. Liu, J. Ibechem, and J. P. Hachey; **8** (7), 1487–1496.

Ichimura, Hiroshi–High-temperature oxidation of ion-plated TiN and TiAlN films.–Hiroshi Ichimura and Atsuo Kawana; **8** (5), 1093–1100.

–Wear resistance of arc ion-plated chromium nitride coatings.–Yuji Chiba, Toshio Omura, and Hiroshi Ichimura; **8** (5), 1109–1115.

Iijima, Yoshiaki–Diffusion of ^{57}Co in amorphous Fe–RE (RE = Dy, Tb, and Ce) and Fe–Si–B alloys.–Kazumasa Yamada, Yoshiaki Iijima, and Kazuaki Fukamichi; **8** (9), 2231–2238.

Ikuma, Yasuro–Grain size of MgO and polymorphic phases of ZrO_2 in zirconia-toughened MgO.–Yasuro Ikuma, Toshio Sugiyama, and Junko Okano; **8** (11), 2757–2760(L).

Ilyushin, A. S.–Composition and crystal structure parameters of single crystals $(Bi, Pb)_2Sr_2(Ca_{1-x}R_x)Cu_2O_{8+\delta}$ (R = Y, Er, Ho, Tm, and Yb).–A. S. Ilyushin, L. Shi, L. I. Leonyuk, B. M. Mustafa, I. A. Nikanorova, S. V. Red'ko, Y. Jia, A. G. Vetkin, G. Zhou, and I. V. Zubov; **8** (8), 1791–1797.

Inagaki, M.–Structural and textural changes from polyimide Upilex to graphite: Part III.–C. Bourgerette, A. Oberlin, and M. Inagaki; **8** (1), 121–130.

–Effect of $FeCl_4^-$ intercalation on the transport properties of a graphitized polyimide film.–B. Nysten, J-P. Issi, H. Shioyama, M. Crespin, R. Setton, F. Béguin, and M. Inagaki; **8** (9), 2299–2304.

Inagaki, Michio–Electrical resistivity, magnetoresistance, and morphology of vapor-grown carbon fibers prepared in a mixture of benzene and Linz–Donawitz converter gas by floating catalyst method.–Munehiro Ishioka, Toshihiko Okada, Kenji Matsubara, Michio Inagaki, and Yoshihiro Hishiyama; **8** (8), 1866–1874.

Inoue, Akihisa–Synthesis of stable quasicrystalline particle-dispersed Al base composite alloys.–An Pang Tsai, Kiyoshi Aoki, Akihisa Inoue, and Tsuyoshi Masumoto; **8** (1), 5–7(L).

Inoue, H.–Change of thermal expansion coefficient and electrical conductivity of $LaCo_{1-x}M_xO_3$ (M = Fe,Ni).–H. Nagamoto, I. Mochida, K. Kagotani, H. Inoue, and A. Negishi; **8** (12), 3158–3162.

Inukai, Eikichi–New method for fabrication of superconducting pipes in the Bi–Sr–Ca–Cu–O system.–Yoshihiro Abe, Hideo Hosono, Won-Hyuk Lee, Masahiro Hosoe, Koichi Nakamura, and Eikichi Inukai; **8** (1), 1–4(L).

Ishihara, Yoshimi–Electrical properties of silica-alumina ceramics in nitrogen atmosphere.–Yoshihiro Hirata, Mitsunori Kawabata, and Yoshimi Ishihara; **8** (5), 1116–1121.

Ishioka, Munehiro–Electrical resistivity, magnetoresistance, and morphology of vapor-grown carbon fibers prepared in a mixture of benzene and Linz–Donawitz converter gas by floating catalyst method.–Munehiro Ishioka, Toshihiko Okada, Kenji Matsubara, Michio Inagaki, and Yoshihiro Hishiyama; **8** (8), 1866–1874.

Issi, J-P.–Effect of $FeCl_4^-$ intercalation on the transport properties of a graphitized polyimide film.–B. Nysten, J-P. Issi, H. Shioyama, M. Crespin, R. Setton, F. Béguin, and M. Inagaki; **8** (9), 2299–2304.

Issi, J. P.–Relationship between the structural organization and the physical properties of PECVD nitrogenated carbons.–M. Ricci, M. Trinquecoste, F. Auguste, R. Canet, P. Delhaes, C. Guimon, G. Pfister-Guillouzo, B. Nysten, and J. P. Issi; **8** (3), 480–488.

Itoh, Kohei–High purity isotopically enriched ^{70}Ge and ^{74}Ge single crystals: Isotope separation, growth, and properties.–Kohei Itoh, W. L. Hansen, E. E. Haller, J. W. Farmer, V. I. Ozhogin, A. Rudnev, and A. Tikhomirov; **8** (6), 1341–1347.

Itsukaichi, T.–Mechanical alloying of Al–Ti powder mixtures and their subsequent consolidation.–T. Itsukaichi, K. Masuyama, M. Umemoto, I. Okane, and J. G. Cabañas-Moreno; **8** (8), 1817–1828.

Izumi, Katsutoshi–Analysis of buried oxide layer formation and mechanism of threading dislocation generation in the substoichiometric oxygen dose region.–Sadao Nakashima and Katsutoshi Izumi; **8** (3), 523–534.

Izumi, Teruo–Doping effects on coarsening of Y_2BaCuO_5 phase in liquid.–Teruo Izumi, Yuichi Nakamura, and Yuh Shiohara; **8** (6), 1240–1246.

J

Jacob, K. T.–Decomposition temperatures of $Cu_2Ln_2O_5$ (Ln = Tb, Dy, Ho, Er, Tm, Yb, and Lu) compounds.–Tom Mathews and K. T. Jacob; **8** (12), 3015–3018(L).

Jacobs, Elizabeth G.–Ultramicrotomy: A unique method for preparation of composite solder for transmission electron microscopy.–Elizabeth G. Jacobs, L. Ann Foster, Yujing Wu, Angela R. Wilson, and Russell F. Pinizzotto; **8** (1), 87–94.

Jacobson, D. C.–Epitaxial growth versus nucleation in amorphous Si doped with Cu and Ag.–J. S. Custer, Michael O. Thompson, D. J. Eaglesham, D. C. Jacobson, and J. M. Poate; **8** (4), 820–829.

Jaffe, John E.–Electronic structure of high pressure phase of AlN.–Ravindra Pandey, Amin Sutjianto, Max Seel, and John E. Jaffe; **8** (8), 1922–1927.

James, J. H.–Ion beam sputter deposition of $YBa_2Cu_3O_{7-\delta}$ thin films.–B. J. Kellett and J. H. James; **8** (12), 3032–3042.

Janeway, B. J.–A novel brazing technique for aluminum and other metals.–R. S. Timsit and B. J. Janeway; **8** (11), 2749–2752(L).

Jang, Hyun M.–Densification behaviors and piezoelectric properties of MnO_2, SiO_2-doped $Pb(Ni_{1/3}Nb_{2/3})O_3$–$PbTiO_3$–$PbZrO_3$ ceramics.–Jong H. Moon, Hyun M. Jang, and Beoung D. You; **8** (12), 3184–3191.

Jansen, M.–Syntheses and some physical properties of solid solutions $Sr_2Cu_{1-x}Li_xMo_6$ with perovskite type of structure.–M. Jansen and S. Kucheiko; **8** (2), 324–326.

Jayashankar, S.–Tailored $MoSi_2$/SiC composites by mechanical alloying.–S. Jayashankar and M. J. Kaufman; **8** (6), 1428–1441.

Jean, Jau-Ho–Devitrification inhibitor in binary borosilicate glass composite.–Jau-Ho Jean and Tapan K. Gupta; **8** (2), 356–363.

–Cristobalite growth inhibitor in Pyrex borosilicate glass—gallium oxide.–Jau-Ho Jean and Tapan K. Gupta; **8** (8), 1767–1769(L).

–Effect of gallium oxide in preventing cristobalite formation in binary borosilicate glass composite.–Jau-Ho Jean and Tapan K. Gupta; **8** (9), 2393–2399.

Jelski, Daniel A.–Wagner oxidation in the nonisothermal regime.–László Nánai, Daniel A. Jelski, Imre Hevesi, and Thomas F. George; **8** (5), 945–947(L).

Jena, A. K.–Effects of molybdenum on cellular precipitation in nickel–9 at. % tin alloy.–Archana Gupta, R. R. Nagarajan, A. K. Jena, and M. C. Chaturvedi; **8** (1), 95–99.

Jeng, S. M.–Effect of fiber coating on the mechanical behavior of SiC fiber-reinforced titanium aluminide composites.–S. M. Jeng, J-M. Yang, and J. A. Graves; **8** (4), 905–916.

–Interface control and design for SiC fiber-reinforced titanium aluminide composites.–Hsing-Pang Chiu, S. M. Jeng, and J-M. Yang; **8** (8), 2040–2053.

Jensen, L. C.–Molecular CO emission accompanying fracture of polycarbonate: Evidence for chain cleavage.–J. T. Dickinson, L. C. Jensen, S. C. Langford, R. P. Dion, and L. Nick; **8** (1), 14–17(L).

–Recombination on fractal networks: Photon and electron emission following fracture of materials.–J. T. Dickinson, S. C. Langford, and L. C. Jensen; **8** (11), 2921–2932.

Jergel, M.–Structural characterization and thermal stability of W/Si multilayers.–M. Brunel, S. Enzo, M. Jergel, S. Luby, E. Majkova, and I. Vavra; **8** (10), 2600–2607.

Jia, Y.–Composition and crystal structure parameters of single crystals $(Bi,Pb)_2Sr_2(Ca_{1-x}R_x)Cu_2O_{8+\delta}$ (R = Y, Er, Ho, Tm, and Yb).–A. S. Ilyushin, L. Shi, L. I. Leonyuk, B. M. Mustafa, I. A. Nikanorova, S. V. Red'ko, Y. Jia, A. G. Vetkin, G. Zhou, and I. V. Zubov; **8** (8), 1791–1797.

Jiao, Jun–Electron-beam-induced structural changes in crystalline C_{60} and C_{70}.–Supapan Seraphin, Dan Zhou, and Jun Jiao; **8** (8), 1895–1899.

Johnson, Curtis E.–Identification of hydrocarbon precursors to diamond in chemical vapor deposition using carbon monoxide reagent.–Curtis E. Johnson and Wayne A. Weimer; **8** (9), 2245–2249.

Johnson, Ward–Temperature and annealing dependence of the longitudinal ultrasonic velocity in aluminum alloys.–Ward Johnson, F. Mauer, D. Pitchure, S. J. Norton, Y. Grinberg, and F. Bendec; **8** (7), 1558–1566.

Johnson, William B.–Diamond/Al metal matrix composites formed by the pressureless metal infiltration process.–William B. Johnson and B. Sonuparlak; **8** (5), 1169–1173.

Jones, S. L.–Effect of chemical and heat treatment on the tetragonal-to-monoclinic transformation of zirconia.–X. Turrillas, P. Barnes, D. Häusermann, S. L. Jones, and C. J. Norman; **8** (1), 163–168.

Joo, J.–Effects of silver additions on resistance to thermal shock and delayed failure of $YBa_2Cu_3O_{7-\delta}$ superconductors.–J. P. Singh, J. Joo, D. Singh, T. Warzynski, and R. B. Poeppel; **8** (6), 1226–1231.

–Role of Ag additions in the microstructural development, strain tolerance, and critical current density of Ag-sheathed BSCCO superconducting tapes.–J. P. Singh, J. Joo, N. Vasanthamohan, and R. B. Poeppel; **8** (10), 2458–2464.

Josell, D.–A new method for tensile testing of thin films.–J. A. Ruud, D. Josell, F. Spaepen, and A. L. Greer; **8** (1), 112–117.

Joshi, Vikram–The influence of water of hydrolysis on microstructural development in sol-gel derived $LiNbO_3$ thin films.–Vikram Joshi and Martha L. Mecartney; **8** (10), 2668–2678.

Jouan, G.–Chemical interaction of BaO–CuO-rich melts with Y_2O_3.–N. Pellerin, G. Jouan, and P. Odier; **8** (1), 18–23.

Juarez-Islas, J. A.–Formation of quasicrystalline phases in an Al–Cu–Co–Fe alloy obtained by using a gravity chill-casting technique.–R. Perez, A. Arizmendi, J. A. Juarez-Islas, and L. Martinez; **8** (5), 985–988.

K

Kaatz, F. H.–Narrowing sputtered nanoparticle size distributions.–F. H. Kaatz, G. M. Chow, and A. S. Edelstein; **8** (5), 995–1000.

Kada, Katsuhiko–Properties and microstructure of continuous oxynitride glass fiber and its application to aluminum matrix composite.–Katsuaki Suganuma, Hiroyoshi Minakuchi, Katsuhiko Kada, Tetsushi Kitamura, Haruo Osafune, and Hiroyuki Fujii; **8** (1), 178–186.

Kagotani, K.–Change of thermal expansion coefficient and electrical conductivity of $LaCo_{1-x}M_xO_3$ (M = Fe,Ni).–H. Nagamoto, I. Mochida, K. Kagotani, H. Inoue, and A. Negishi; **8** (12), 3158–3162.

Kaieda, Yoshinari–Combustion-synthesized functionally gradient refractory materials.–Scott E. Niedzialek, Gregory C. Stangle, and Yoshinari Kaieda; **8** (8), 2026–2034.

Kaliaguine, S.–Structural transformations of alumina by high energy ball milling.–P. A. Zieliński, R. Schulz, S. Kaliaguine, and A. Van Neste; **8** (11), 2985–2992.

Kamigaito, Osami–Swelling behavior of montmorillonite cation exchanged for ω-amino acids by ϵ-caprolactam.–Arimitsu Usuki, Masaya Kawasumi, Yoshitsugu Kojima, Akane Okada, Toshio Kurauchi, and Osami Kamigaito; **8** (5), 1174–1178.

–Synthesis of nylon 6-clay hybrid.–Arimitsu Usuki, Yoshitsugu Kojima, Masaya Kawasumi, Akane Okada, Yoshiaki Fukushima, Toshio Kurauchi, and Osami Kamigaito; **8** (5), 1179–1184.

–Mechanical properties of nylon 6-clay hybrid.–Yoshitsugu Kojima, Arimitsu Usuki, Masaya Kawasumi, Akane Okada, Yoshiaki Fukushima, Toshio Kurauchi, and Osami Kamigaito; **8** (5), 1185–1189.

Kaneko, S.–Growth of highly oriented SnO_2 thin films on glass substrate from tetra-*n*-butyltin by the spray pyrolysis technique.–I. Yagi, Y. Hagiwara, K. Murakami, and S. Kaneko; **8** (7), 1481–1483(L).

Kang, S. S.–Thermal diffusivity of quasicrystalline and related crystalline alloys.–J. M. Dubois, S. S. Kang, P. Archambault, and B. Colleret; **8** (1), 38–43.

–Tribological properties of quasicrystalline coatings.–S. S. Kang, J. M. Dubois, and J. von Stebut; **8** (10), 2471–2481.

Kang, Sung K.–Nickel-alloyed tin-lead eutectic solder for surface mount technology.–Sung K. Kang and Thomas G. Ference; **8** (5), 1033–1040.

Kao, Shou-Chen–Metal coatings on semiconductor particles in glass.–Vijay Sukumar, Shou-Chen Kao, Pratima G. N. Rao, and Robert H. Doremus; **8** (10), 2686–2693.

Kaplan, Simon–Ferroelectric behavior of pulsed laser deposited $Ba_xSr_{1-x}TiO_3$ thin films.–Vivek Mehrotra, Simon Kaplan, Albert J. Sievers, and Emmanuel P. Giannelis; **8** (6), 1209–1212(L).

Kapoor, Rajat–Topotactic synthesis of vanadium nitride solid foams.–S. Ted Oyama, Rajat Kapoor, Hideko T. Oyama, David J. Hofmann, and Egon Matijević; **8** (6), 1450–1454.

Katz, Joseph L.–Formation of V_2O_5-based mixed oxides in flames.–Philippe F. Miquel, Cheng-Hung Hung, and Joseph L. Katz; **8** (9), 2404–2413.

Kauffman, Suzanne–The effect of siloxane spin-on-glass and reaction bonded silicon oxycarbide coatings with a self-propagating interfacial reaction treatment (ASPIRE) in the synthesis of carbon/graphite fiber-reinforced aluminum metal matrix composites.–Willy M. Balaba, Douglas A. Weirauch, Jr., Anthony J. Perrotta, George H. Armstrong, Princewill N. Anyalebechi, Suzanne Kauffman, Andrew N. MacInnes, Angela M. Winner, and Andrew R. Barron; **8** (12), 3192–3201.

Kaufman, M. J.–Tailored $MoSi_2$/SiC composites by mechanical alloying.–S. Jayashankar and M. J. Kaufman; **8** (6), 1428–1441.

Kawabata, Mitsunori–Electrical properties of silica-alumina ceramics in nitrogen atmosphere.–Yoshihiro Hirata, Mitsunori Kawabata, and Yoshimi Ishihara; **8** (5), 1116–1121.

Kawaguchi, Kenichi–Epitaxial growth of BaO and SrO with new crystal structures using mass-separated low-energy O^+ beams.–Ryusuke Kita, Takashi Hase, Hiromi Takahashi, Kenichi Kawaguchi, and Tadataka Morishita; **8** (2), 321–323.

–Synthesis of $YBa_2Cu_3O_{7-x}$ thin films by three-stage oxidation process from metallic Y–Ba–Cu precursors.–Takashi Hase, Ryusuke Kita, Kenichi Kawaguchi, Takeshi Koga, and Tadataka Morishita; **8** (6), 1220–1225.

Kawana, Atsuo–High-temperature oxidation of ion-plated TiN and TiAlN films.–Hiroshi Ichimura and Atsuo Kawana; **8** (5), 1093–1100.

Kawasumi, Masaya–Swelling behavior of montmorillonite cation exchanged for ω-amino acids by ϵ-caprolactam.–Arimitsu Usuki, Masaya Kawasumi, Yoshitsugu Kojima, Akane Okada, Toshio Kurauchi, and Osami Kamigaito; **8** (5), 1174–1178.

–Synthesis of nylon 6-clay hybrid.–Arimitsu Usuki, Yoshitsugu Kojima, Masaya Kawasumi, Akane Okada, Yoshiaki Fukushima, Toshio Kurauchi, and Osami Kamigaito; **8** (5), 1179–1184.

–Mechanical properties of nylon 6-clay hybrid.–Yoshitsugu Kojima, Arimitsu Usuki, Masaya Kawasumi, Akane Okada, Yoshiaki Fukushima, Toshio Kurauchi, and Osami Kamigaito; **8** (5), 1185–1189.

Kawate, Yoshio–The effect of residual carbon on the superconducting properties of $YBa_2Cu_3O_{7-x}$ powders.–Yoshio Masuda, Rikuro Ogawa, Yoshio Kawate, Kazuo Matsubara, Tsuyoshi Tateishi, and Sumio Sakka; **8** (4), 693–698.

Keene, L. E.–Dielectric properties of aerogels.–L. W. Hrubesh, L. E. Keene, and V. R. Latorre; **8** (7), 1736–1741.

Kellett, B. J.–Ion beam sputter deposition of $YBa_2Cu_3O_{7-\delta}$ thin films.–B. J. Kellett and J. H. James; **8** (12), 3032–3042.

Kennish, Richard A.–Superconducting fibers from organometallic precursors: Part III. Pyrolytic processing of precursor fibers.–Zhi-Fan Zhang, Richard A. Kennish, Kay A. Youngdahl Blohowiak, Martin L. Hoppe, and Richard M. Laine; **8** (8), 1777–1790.

Kern, R. S.–Solid solutions of AlN and SiC grown by plasma-assisted, gas-source molecular beam epitaxy.–R. S. Kern, L. B. Rowland, S. Tanaka, and R. F. Davis; **8** (7), 1477–1480(L).

–Epitaxial growth of AlN by plasma-assisted, gas-source molecular beam epitaxy.–L. B. Rowland, R. S. Kern, S. Tanaka, and Robert F. Davis; **8** (9), 2310–2314.

–Gas-source molecular beam epitaxy of monocrystalline β–SiC on vicinal α–(6H)–SiC.–L. B. Rowland, R. S. Kern, S. Tanaka, and Robert F. Davis; **8** (11), 2753–2756(L).

Kester, D. J.–Phase evolution in boron nitride thin films.–D. J. Kester, K. S. Ailey, R. F. Davis, and K. L. More; **8** (6), 1213–1216(L).

Kester, Daniel J.–Macro-effects of resputtering due to negative ion bombardment of growing thin films.–Daniel J. Kester and Russell Messier; **8** (8), 1928–1937.

–Micro-effects of resputtering due to negative ion bombardment of growing thin films.–Daniel J. Kester and Russell Messier; **8** (8), 1938–1957.

Kim, Chan-Joong–The effect of $Y_2Ba_1Cu_1O_5$ addition on microstructure and formation of microcracks in the partially melted Y–Ba–Cu–O oxides.–Chan-Joong Kim, Ki-Baik Kim, In-Soon Chang, Dong-Yeon Won, Hong-Chul Moon, and Dong-Soo Suhr; **8** (4), 699–704.

Kim, H. K.–High temperature creep transitions in single crystalline Ni_3Al(Ta, B).–J. Wolfenstine, H. K. Kim, and J. C. Earthman; **8** (10), 2510–2514.

–Epitaxy, microstructure, and processing-structure relationships of TiO_2 thin films grown on sapphire (0001) by MOCVD.–H. L. M. Chang, T. J. Zhang, H. Zhang, J. Guo, H. K. Kim, and D. J. Lam; **8** (10), 2634–2643.

Kim, Hyeong Joon–Deposition and characterization of ZrO_2 thin films on silicon substrate by MOCVD.–Cheol Seong Hwang and Hyeong Joon Kim; **8** (6), 1361–1367.

Kim, Jae Myung–SEM and Auger studies of a PLZT thin film.–Kwangsoo No, Dae Sung Yoon, and Jae Myung Kim; **8** (2), 245–248(L).

Kim, Ki-Baik–The effect of $Y_2Ba_1Cu_1O_5$ addition on microstructure and formation of microcracks in the partially melted Y–Ba–Cu–O oxides.–Chan-Joong Kim, Ki-Baik Kim, In-Soon Chang, Dong-Yeon Won, Hong-Chul Moon, and Dong-Soo Suhr; **8** (4), 699–704.

Kim, M. J.–The composition and structure of SIPOS: A high spatial resolution electron microscopy study.–M. Catalano, M. J. Kim, R. W. Carpenter, K. Das Chowdhury, and Joe Wong; **8** (11), 2893–2901.

Kim, Myung Chul–Isothermal capacitance transient spectroscopy study on trap levels in polycrystalline SnO_2 ceramics.–Myung Chul Kim, Kug Hyun Song, and Soon Ja Park; **8** (6), 1368–1372.

Kim, Youn Joong–TEM study of synthetic hillebrandite ($Ca_2SiO_4 \cdot H_2O$).–Youn Joong Kim, Waltraud M. Kriven, and Takeshi Mitsuda; **8** (11), 2948–2953.

Kingon, A. I.–Nd:YAG laser patterning of plasma-deposited high T_c superconducting thick films.–Usha Varshney, B. D. Eichelberger, III, J. M. Glass, R. J. Churchill, and A. I. Kingon; **8** (10), 2429–2432(L).

Kirkland, J. P.–A structural investigation of a plasma sprayed Ni–Cr based alloy coating.–S. Sampath, R. A. Neiser, H. Herman, J. P. Kirkland, and W. T. Elam; **8** (1), 78–86.

Kisler, Yanina–Fatigue of ferroelectric $PbZr_xTi_yO_3$ (PZT) capacitors with Ru and RuO_x electrodes.–S. D. Bernstein, T. Y. Wong, Yanina Kisler, and R. W. Tustison; **8** (1), 12–13(L).

Kissinger, G.–Cu precipitation in oxidized wafers with and without a Ge_xSi_{1-x} heteroepitaxial layer.–G. Kissinger, G. Morgenstern, and H. Richter; **8** (8), 1900–1907.

Kita, Ryusuke–Epitaxial growth of BaO and SrO with new crystal structures using mass-separated low-energy O^+ beams.–Ryusuke Kita, Takashi Hase, Hiromi Takahashi, Kenichi Kawaguchi, and Tadataka Morishita; **8** (2), 321–323.

–Synthesis of $YBa_2Cu_3O_{7-x}$ thin films by three-stage oxidation process from metallic Y–Ba–Cu precursors.–Takashi Hase, Ryusuke Kita, Kenichi Kawaguchi, Takeshi Koga, and Tadataka Morishita; **8** (6), 1220–1225.

Kitamura, Tetsushi–Properties and microstructure of continuous oxynitride glass fiber and its application to aluminum matrix composite.–Katsuaki Suganuma, Hiroyoshi Minakuchi, Katsuhiko Kada, Tetsushi Kitamura, Haruo Osafune, and Hiroyuki Fujii; **8** (1), 178–186.

Klassen, T.–The formation of metastable Ti–Al solid solutions by mechanical alloying and ball milling.–M. Oehring, T. Klassen, and R. Bormann; **8** (11), 2819–2829.

Klein, E.–Microscopic phase stability of the dilute magnetic semiconductor $Cd_{1-x}Fe_xSe$.–E. Klein, M. Homyonfer, W. Giriat, and R. Tenne; **8** (6), 1348–1352.

Knobbe, E. T.–Effect of pulsed excimer laser irradiation on the magnetic anisotropy of iron-base and nickel-iron-base metallic glasses.–M. Sorescu and E. T. Knobbe; **8** (12), 3078–3084.

Knoesen, D. K.–Formation of buried Sb dopant profiles in silicon by pulsed laser epitaxy.–R. J. Carolissen, D. K. Knoesen, W. C. Sinke, and R. Pretorius; **8** (4), 841–846.

Knowles, K. M.–On the first-matrix-cracking stress in unidirectional fiber-reinforced brittle materials.–X. F. Yang and K. M. Knowles; **8** (2), 371–376.

Kobashi, Koji–Growth of (110)-oriented diamond films by electron-assisted chemical vapor deposition.–Kazuo Kumagai, Koichi Miyata, Kozo Nishimura, and Koji Kobashi; **8** (2), 314–320.

–Morphology of heavily B-doped diamond films.–Koichi Miyata, Kazuo Kumagai, Kozo Nishimura, and Koji Kobashi; **8** (11), 2845–2857.

Koch, Carl C.–The influence of mill energy and temperature on the structure of the TiNi intermetallic after mechanical attrition.–Kenjiro Yamada and Carl C. Koch; **8** (6), 1317–1326.

Koga, Takeshi–Synthesis of $YBa_2Cu_3O_{7-x}$ thin films by three-stage oxidation process from metallic Y–Ba–Cu precursors.–Takashi Hase, Ryusuke Kita, Kenichi Kawaguchi, Takeshi Koga, and Tadataka Morishita; **8** (6), 1220–1225.

Kohlstedt, David L.–Continuous microindentation of passivating surfaces.–Shankar K. Venkataraman, David L. Kohlstedt, and William W. Gerberich; **8** (4), 685–688(L).

Koike, K.–Magnetic domains along shear bands in amorphous metals observed by spin-polarized scanning electron microscopy.–W. J. Tseng, K. Koike, and J. C. M. Li; **8** (4), 775–784.

Kojima, Yoshitsugu–Swelling behavior of montmorillonite cation exchanged for ω-amino acids by ϵ-caprolactam.–Arimitsu Usuki, Masaya Kawasumi, Yoshitsugu Kojima, Akane Okada, Toshio Kurauchi, and Osami Kamigaito; **8** (5), 1174–1178.

–Synthesis of nylon 6-clay hybrid.–Arimitsu Usuki, Yoshitsugu Kojima, Masaya Kawasumi, Akane Okada, Yoshiaki Fukushima, Toshio Kurauchi, and Osami Kamigaito; **8** (5), 1179–1184.

–Mechanical properties of nylon 6-clay hybrid.–Yoshitsugu Kojima, Arimitsu Usuki, Masaya Kawasumi, Akane Okada, Yoshiaki Fukushima, Toshio Kurauchi, and Osami Kamigaito; **8** (5), 1185–1189.

Komarneni, Sridhar–Selective exchange of divalent transition metal ions in cryptomelane-type manganic acid with tunnel structure.–Masamichi Tsuji and Sridhar Komarneni; **8** (3), 611–616.

–Powder x-ray diffraction study of a cryptomelane-type manganic acid and its alkali cation exchanged forms.–Masamichi Tsuji and Sridhar Komarneni; **8** (12), 3145–3150.

–Nanocomposite aerogels: The SiO_2–Al_2O_3 system.–Sridhar Komarneni, Rustum Roy, Ulagaraj Selvaraj, Prakash B. Malla, and Else Breval; **8** (12), 3163–3167.

–Microwave-hydrothermal processing for synthesis of electroceramic powders.–Sridhar Komarneni, Q. Li, Karin M. Stefansson, and Rustum Roy; **8** (12), 3176–3183.

Komninou, Ph.–Generation and annihilation of antiphase domain boundaries in GaAs on Si grown by molecular beam epitaxy.–A. Georgakilas, J. Stoemenos, K. Tsagaraki, Ph. Komninou, N. Flevaris, P. Panayotatos, and A. Christou; **8** (8), 1908–1921.

Kong, F-M.–Gas permeability of carbon aerogels.–F-M. Kong, J. D. LeMay, S. S. Hulsey, C. T. Alviso, and R. W. Pekala; **8** (12), 3100–3105.

Kostorz, G.–From imperfect to perfect $Bi_2Sr_2CaCu_2O_x$ (Bi–2212) grains.–B. Heeb, L. J. Gauckler, H. Heinrich, and G. Kostorz; **8** (9), 2170–2176.

Kotecki, David E.–Reaction study of cobalt and silicon nitride.–Tue Nguyen, Herbert L. Ho, David E. Kotecki, and Tai D. Nguyen; **8** (9), 2354–2361.

Koumoto, Kunihito–Kinetics and mechanism of stacking fault annihilation and grain growth in porous ceramics of β–SiC.–Won-Seon Seo and Kunihito Koumoto; **8** (7), 1644–1650.

Koyama, Miho–Solid-state reactions of the Ag–Cu–Ti thin film–Al_2O_3 substrate system.–Seiichi Suenaga, Miho Koyama, Shinji Arai, and Masako Nakahashi; **8** (8), 1805–1811.

Krakow, William–High resolution electron microscopy of Al–Cu–Fe quasicrystals: Atomic structure and modeling.–William Krakow, David P. DiVincenzo, Peter A. Bancel, Eric Cockayne, and Veit Elser; **8** (1), 24–37.

Kramer, M. J.–Plastic deformation in an Al–Cu–Fe icosahedral alloy.–J. E. Shield, M. J. Kramer, and R. W. McCallum; **8** (6), 1199–1202(L).

–Rapidly textured $Bi_2Sr_2CaCu_2O_8$.–S. R. Arrasmith, M. J. Kramer, B. D. Merkle, T. G. Holesinger, and R. W. McCallum; **8** (6), 1247–1257.

Kriven, Waltraud M.–TEM study of synthetic hillebrandite ($Ca_2SiO_4 \cdot H_2O$).–Youn Joong Kim, Waltraud M. Kriven, and Takeshi Mitsuda; **8** (11), 2948–2953.

Kroger, Harry–Superconducting $Ba_{0.6}K_{0.4}BiO_3$: Thin film preparation by RF magnetron sputtering.–C. J. Hou, H. Steinfink, L. Rabenberg, Claude Hilbert, and Harry Kroger; **8** (8), 1798–1804.

Krupanidhi, S. B.–Composition/structure/property relations of multi-ion-beam reactive sputtered lead lanthanum titanate thin films: Part II. Textured microstructure development.–G. R. Fox, S. B. Krupanidhi, and K. L. More; **8** (9), 2191–2202.

–Composition/structure/property/relations of multi-ion-beam reactive sputtered lead lanthanum titanate thin films: Part III. Electrical properties.–G. R. Fox and S. B. Krupanidhi; **8** (9), 2203–2215.

Kubota, Nobuhiko–(110)-oriented Bi–Sr–Ca–Cu–O superconducting thin films prepared by metalorganic chemical vapor deposition.–Nobuhiko Kubota, Tsunemi Sugimoto, Yuh Shiohara, and Shoji Tanaka; **8** (5), 978–984.

–Erratum: "(110)-oriented Bi–Sr–Ca–Cu–O superconducting thin films prepared by metalorganic chemical vapor deposition" [J. Mater. Res. **8**, 978 (1993)].–Nobuhiko Kubota, Tsunemi Sugimoto, Yuh Shiohara, and Shoji Tanaka; **8** (9), 2414–2415(E).

Kubozoe, Tadayoshi–Exoelectron emission from unexcited metallic glasses $Fe_{40}Ni_{38}Mo_4B_{18}$ during heat treatment.–Yoshihisa Watanabe, Yoshikazu Nakamura, and Tadayoshi Kubozoe; **8** (5), 1041–1044.

Kucheiko, S.–Syntheses and some physical properties of solid solutions $Sr_2Cu_{1-x}Li_xMo_6$ with perovskite type of structure.–M. Jansen and S. Kucheiko; **8** (2), 324–326.

Kühne, H.–Transport-reaction controlled chemical vapor deposition of epitaxial $Si_{(1-x)}Ge_x$ thin films and thermodynamic equilibrium composition.–H. Kühne and H. Richter; **8** (1), 131–137.

Kulawansa, D. M.–Scanning tunneling microscope observations of metallic glass fracture surfaces.–D. M. Kulawansa, J. T. Dickinson, S. C. Langford, and Yoshihisa Watanabe; **8** (10), 2543–2553.

Kulkarni, S. K.–Dopant induced modifications in the physical properties of sprayed ZnO : In films.–D. J. Goyal, Chitra Agashe, M. G. Takwale, V. G. Bhide, Shailaja Mahamuni, and S. K. Kulkarni; **8** (5), 1052–1056.

Kumagai, Kazuo–Growth of (110)-oriented diamond films by electron-assisted chemical vapor deposition.–Kazuo Kumagai, Koichi Miyata, Kozo Nishimura, and Koji Kobashi; **8** (2), 314–320.

–Morphology of heavily B-doped diamond films.–Koichi Miyata, Kazuo Kumagai, Kozo Nishimura, and Koji Kobashi; **8** (11), 2845–2857.

Kumar, K. S.–Fracture toughness of the $L1_2$ compounds $Al_{66}Ti_{25}Mn_9$ and $Al_{66}Ti_{25}Cr_9$.–S. A. Brown and K. S. Kumar; **8** (8), 1763–1766(L).

Kumta, Prashant N.–Low-temperature chemical routes to formation and IR properties of lanthanum sesquisulfide (La_2S_3) ceramics.–Prashant N. Kumta and Subhash H. Risbud; **8** (6), 1394–1410.

Kung, P. J.–Characteristics of $TiBa_2Ca_2Cu_3O_{9+\delta}$ powder as synthesized and after grinding.–P. J. Kung, M. P. Maley, P. G. Wahlbeck, and D. E. Peterson; **8** (4), 713–719.

–The effect of post-annealing on laser-deposited superconducting Bi–Sr–Ca–Cu–O thin films.–P. J. Kung, X. D. Wu, R. E. Muenchausen, K. V. Salazar, S. R. Foltyn, D. E. Peterson, and A. R. Garcia; **8** (9), 2162–2169.

Kuo, K. H.–Transformation of Al–Ni–(Si) decagonal quasicrystals to 1-D quasicrystal and crystalline approximants.–X. Z. Li and K. H. Kuo; **8** (10), 2499–2503.

Kurauchi, Toshio–Swelling behavior of montmorillonite cation exchanged for ω-amino acids by ϵ-caprolactam.–Arimitsu Usuki, Masaya Kawasumi, Yoshitsugu Kojima, Akane Okada, Toshio Kurauchi, and Osami Kamigaito; **8** (5), 1174–1178.

–Synthesis of nylon 6-clay hybrid.–Arimitsu Usuki, Yoshitsugu Kojima, Masaya Kawasumi, Akane Okada, Yoshiaki Fukushima, Toshio Kurauchi, and Osami Kamigaito; **8** (5), 1179–1184.

–Mechanical properties of nylon 6-clay hybrid.–Yoshitsugu Kojima, Arimitsu Usuki, Masaya Kawasumi, Akane Okada, Yoshiaki Fukushima, Toshio Kurauchi, and Osami Kamigaito; **8** (5), 1185–1189.

Kuriyama, K.–Raman scattering and electrical conductivity in highly disordered activated carbon fibers.–A. W. P. Fung, A. M. Rao, K. Kuriyama, M. S. Dresselhaus, G. Dresselhaus, M. Endo, and N. Shindo; **8** (3), 489–500.

Kwok, Chi Kong–Low temperature perovskite formation of lead zirconate titanate thin films by a seeding process.–Chi Kong Kwok and Seshu B. Desu; **8** (2), 339–344.

L

Laakmann, J.–Influence of Y_2BaCuO_5 particles on the growth morphology of peritectically solidified $YBa_2Cu_3O_{7-x}$.–G. J. Schmitz, J. Laakmann, Ch. Wolters, S. Rex, W. Gawalek, T. Habisreuther, G. Bruchlos, and P. Görnert; **8** (11), 2774–2779.

Labeau, M.–Texture evolution of SnO_2 synthesized by pyrolysis of an aerosol.–M. Vallet-Regí, V. Ragel, J. Román, J. L. Martínez, M. Labeau, and J. M. González-Calbet; **8** (1), 138–144.

–Spherical iron oxide particles synthesized by an aerosol technique.–M. V. Cabañas, M. Vallet-Regí, M. Labeau, and J. M. González-Calbet; **8** (10), 2694–2701.

Laine, Richard M.–Superconducting fibers from organometallic precursors: Part III. Pyrolytic processing of precursor fibers.–Zhi-Fan Zhang, Richard A. Kennish, Kay A. Youngdahl Blohowiak, Martin L. Hoppe, and Richard M. Laine; **8** (8), 1777–1790.

Lakhtakia, Akhlesh–On the Maxwell–Garnett model of chiral composites.–Akhlesh Lakhtakia, Vijay K. Varadan, and Vasundara V. Varadan; **8** (4), 917–922.

Lam, D. J.–Microstructure of $PbTiO_3$ thin films deposited on (001) MgO by MOCVD.–Y. Gao, G. Bai, K. L. Merkle, Y. Shi, H. L. M. Chang, Z. Shen, and D. J. Lam; **8** (1), 145–153.

–Epitaxy, microstructure, and processing-structure relationships of TiO_2 thin films grown on sapphire (0001) by MOCVD.–H. L. M. Chang, T. J. Zhang, H. Zhang, J. Guo, H. K. Kim, and D. J. Lam; **8** (10), 2634–2643.

Lambin, G.–Structural and optical properties of laser-synthesized copper oxide films.–M. Wautelet, A. Roos, R. Lazzaroni, F. Hanus, and G. Lambin; **8** (2), 327–333.

Landi, E.–Oxidation behavior of aluminum nitride.–A. Bellosi, E. Landi, and A. Tampieri; **8** (3), 565–572.

Langdon, Terence G.–An investigation of ductility and microstructural evolution in an Al–3% Mg alloy with submicron grain size.–Jingtao Wang, Zenji Horita, Minoru Furukawa, Minoru Nemoto, Nikolai K. Tsenev, Ruslan Z. Valiev, Yan Ma, and Terence G. Langdon; **8** (11), 2810–2818.

Lange, F. F.–Epitaxial zirconia thin films from aqueous precursors.–K. T. Miller, C. J. Chan, M. G. Cain, and F. F. Lange; **8** (1), 169–177.

Langford, S. C.–Molecular CO emission accompanying fracture of polycarbonate: Evidence for chain cleavage.–J. T. Dickinson, L. C. Jensen, S. C. Langford, R. P. Dion, and L. Nick; **8** (1), 14–17(L).

–Scanning tunneling microscope observations of metallic glass fracture surfaces.–D. M. Kulawansa, J. T. Dickinson, S. C. Langford, and Yoshihisa Watanabe; **8** (10), 2543–2553.

–Recombination on fractal networks: Photon and electron emission following fracture of materials.–J. T. Dickinson, S. C. Langford, and L. C. Jensen; **8** (11), 2921–2932.

Lannutti, J. J.–Fabrication and properties of functionally graded $NiAl/Al_2O_3$ composites.–D. P. Miller, J. J. Lannutti, and R. D. Noebe; **8** (8), 2004–2013.

Larrea, A.–Solution-based synthesis routes to $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_{10+\delta}$.–M. T. Ruiz, G. F. de la Fuente, A. Badía, J. Blasco, M. Castro, A. Sotelo, A. Larrea, F. Lera, C. Rillo, and R. Navarro; **8** (6), 1268–1276.

Larson, E. M.–A time-resolved diffraction study of the Ta–C solid combustion system.–E. M. Larson, Joe Wong, J. B. Holt, P. A. Waide, G. Nutt, B. Rupp, and L. J. Terminello; **8** (7), 1533–1541.

Latorre, V. R.–Dielectric properties of aerogels.–L. W. Hrubesh, L. E. Keene, and V. R. Latorre; **8** (7), 1736–1741.

Laubscher, D.–Structure property relationships in core-shell $BaTiO_3$–LiF ceramics.–C. A. Randall, S. F. Wang, D. Laubscher, J. P. Dougherty, and W. Huebner; **8** (4), 871–879.

Lauriks, W.–Investigation of the thermal anisotropy of unidirectional carbon fiber reinforced composite plates using optically generated thermal waves and a noncontact optical detection technique.–W. Lauriks, C. Desmet, C. Glorieux, and J. Thoen; **8** (12), 3106–3110.

Lauwers, A.–Formation of ultrathin $CoSi_2$ films using a two-step limited reaction process.–R. J. Schreutelkamp, W. Coppye, W. De Bosscher, R. van Meirhaeghe, L. van Meirhaeghe, J. Vanhellemont, B. Deweerdt, A. Lauwers, and K. Maex; **8** (12), 3111–3121.

Lawn, B. R.–Pressurized internal lenticular cracks at healed mica interfaces.–K-T. Wan, R. G. Horn, S. Courmont, and B. R. Lawn; **8** (5), 1128–1136.

Lawrence, D. J.–Formation and characterization of ohmic contacts to *n*–AlGaAs using Pd/AuGe/Ag/Au.–L. R. Zheng, D. J. Lawrence, and T. N. Blanton; **8** (5), 1045–1051.

Lawson, Larry–A model of thermomechanical fatigue in a lead-base alloy.–Larry Lawson; **8** (4), 745–756.

–Erratum: "A model of thermomechanical fatigue in a lead-base alloy" [J. Mater. Res. **8**, 745 (1993)].–Larry Lawson; **8** (7), 1758(E).

Lawson, M. G.–Hot corrosion of alumina.–M. G. Lawson, F. S. Pettit, and J. R. Blachere; **8** (8), 1964–1971.

Lazzaroni, R.–Structural and optical properties of laser-synthesized copper oxide films.–M. Wautelet, A. Roos, R. Lazzaroni, F. Hanus, and G. Lambin; **8** (2), 327–333.

Lee, D. F.–TEM studies of dislocations in deformed melt-textured $YBa_2Cu_3O_x$ superconductors.–M. Mironova, V. Selvamanickam, D. F. Lee, and K. Salama; **8** (11), 2767–2773.

Lee, E. H.–Hardness measurements of Ar^+-beam treated polyimide by depth-sensing ultra low load indentation.–E. H. Lee, Y. Lee, W. C. Oliver, and L. K. Mansur; **8** (2), 377–387.

–Microstructural effects on surface mechanical properties of ion-implanted polymers.–G. R. Rao, Z. L. Wang, and E. H. Lee; **8** (4), 927–933.

Lee, Jung-Won–Dip coating of alumina films by the sol-gel method.–Jung-Won Lee, Chang-Whan Won, Byong-Sun Chun, and H. Y. Sohn; **8** (12), 3151–3157.

Lee, Sanboh–Dislocation emission criterion: Grain boundary effect.–Sham-Tsong Shiue, Tong-Yi Zhang, and Sanboh Lee; **8** (8), 1853–1857.

Lee, T. J.–Protective films of nanophase diamond deposited directly on zinc sulfide infrared optics.–F. Davanloo, T. J. Lee, H. Park, J. H. You, and C. B. Collins; **8** (12), 3090–3099.

Lee, Won-Hyuk–New method for fabrication of superconducting pipes in the Bi–Sr–Ca–Cu–O system.–Yoshihiro Abe, Hideo Hosono, Won-Hyuk Lee, Masahiro Hosoe, Koichi Nakamura, and Eikichi Inukai; **8** (1), 1–4(L).

Lee, Y.–Hardness measurements of Ar^+-beam treated polyimide by depth-sensing ultra low load indentation.–E. H. Lee, Y. Lee, W. C. Oliver, and L. K. Mansur; **8** (2), 377–387.

Lelental, Mark–Quantitative image analysis of superconductor thin film microstructure: The use of conditional, multiparametric, shape-analysis algorithms.–Philip A. Amato, Mark Lelental, and Ray C. Bowen; **8** (11), 2799–2809.

LeMay, J. D.–Gas permeability of carbon aerogels.–F-M. Kong, J. D. LeMay, S. S. Hulsey, C. T. Alviso, and R. W. Pekala; **8** (12), 3100–3105.

Leonyuk, L. I.–Composition and crystal structure parameters of single crystals $(Bi, Pb)_2Sr_2(Ca_{1-x}R_x)Cu_2O_{8+\delta}$ (R = Y, Er, Ho, Tm, and Yb).–A. S. Ilyushin, L. Shi, L. I. Leonyuk, B. M. Mustafa, I. A. Nikanorova, S. V. Red'ko, Y. Jia, A. G. Vetkin, G. Zhou, and I. V. Zubov; **8** (8), 1791–1797.

Leppert, V.–Pulsed laser deposition of amorphous diamond-like carbon films with ArF (193 nm) excimer laser.–Fulin Xiong, Y. Y. Wang, V. Leppert, and R. P. H. Chang; **8** (9), 2265–2272.

Lera, F.–Solution-based synthesis routes to $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_{10+\delta}$.–M. T. Ruiz, G. F. de la Fuente, A. Badía, J. Blasco, M. Castro, A. Sotelo, A. Larrea, F. Lera, C. Rillo, and R. Navarro; **8** (6), 1268–1276.

Levin, Y.–Damage-to-dose ratio after low energy silicon ion implantation into crystalline silicon.–Y. Levin, N. Herbots, and S. Dunham; **8** (9), 2305–2309.

Levi-Setti, R.–Microstructure and properties of Cu-rich 123: Part II. Homogeneous copper and high magnetic J_c.–J. P. Zhang, D. J. Li, C. Boldt, R. Plass, V. Dravid, L. D. Marks, C. H. Lin, J. A. Eades, A. Sodonis, W. Wolbach, J. M. Chabala, and R. Levi-Setti; **8** (6), 1232–1239.

Lévy, F.–Crystal reorientation and wear mechanisms in MoS_2 lubricating thin films investigated by TEM.–J. Moser and F. Lévy; **8** (1), 206–213.

Lewandowski, J. J.–The mechanism of mechanical alloying of $MoSi_2$.–S. N. Patankar, S-Q. Xiao, J. J. Lewandowski, and A. H. Heuer; **8** (6), 1311–1316.

Lewis, Russel H.–Investigation of cured hydridopolysilazane-derived ceramic fibers via dynamic nuclear polarization.–Russel H. Lewis, Robert A. Wind, and G. E. Maciel; **8** (3), 649–654.

Li, D. J.–Microstructure and properties of Cu-rich 123: Part II. Homogeneous copper and high magnetic J_c.–J. P. Zhang, D. J. Li, C. Boldt, R. Plass, V. Dravid, L. D. Marks, C. H. Lin, J. A. Eades, A. Sodonis, W. Wolbach, J. M. Chabala, and R. Levi-Setti; **8** (6), 1232–1239.

Li, Dong X.–The influence of steam on mullite formation from sol-gel precursors.–Yong Wang, Dong X. Li, and William J. Thomson; **8** (1), 195–205.

Li, H.–The frictional component of the indentation size effect in low load microhardness testing.–H. Li, A. Ghosh, Y. H. Han, and R. C. Bradt; **8** (5), 1028–1032.

Li, H. M.–The effect of interruption during the growth of strained GaAs/InGaAs/GaAs quantum wells by molecular beam epitaxy.–S. F. Yoon, H. M. Li, K. Radhakrishnan, and D. H. Zhang; **8** (12), 3122–3125.

Li, H. P.–Rapid solidification by unstable combustion synthesis.–H. P. Li and J. A. Sekhar; **8** (10), 2515–2523.

Li, J. C. M.–Magnetic domains along shear bands in amorphous metals observed by spin-polarized scanning electron microscopy.–W. J. Tseng, K. Koike, and J. C. M. Li; **8** (4), 775–784.

Li, Q.–Microwave-hydrothermal processing for synthesis of electroceramic powders.–Sridhar Komarneni, Q. Li, Karin M. Stefansson, and Rustum Roy; **8** (12), 3176–3183.

Li, T. K.–The synthesis, sintering, and thermal properties of $(Ca_{1-x}, Mg_x)Zr_4(PO_4)_6$ (CMZP) ceramics.–T. K. Li, D. A. Hirschfeld, S. VanAken, Y. Yang, and J. J. Brown; **8** (11), 2954–2967.

Li, X. Z.–Transformation of Al–Ni–(Si) decagonal quasicrystals to 1-D quasicrystal and crystalline approximants.–X. Z. Li and K. H. Kuo; **8** (10), 2499–2503.

Liezhao, Cao–Thermodynamic stability and superconductivity of the Bi–Sr–Ca(Y)–Cu–Li–O system.–Chen Xianhui, Lin Chun, Lu Bin, Qian Yitai, Cao Liezhao, Chen Zhaojia, and Chen Zuyao; **8** (7), 1510–1514.

Lin, C. H.–Microstructure and properties of Cu-rich 123: Part II. Homogeneous copper and high magnetic J_c.–J. P. Zhang, D. J. Li, C. Boldt, R. Plass, V. Dravid, L. D. Marks, C. H. Lin, J. A. Eades, A. Sodonis, W. Wolbach, J. M. Chabala, and R. Levi-Setti; **8** (6), 1232–1239.

Lin, Hongy–Model for the temperature dependent transmission of optically transparent poly(methyl methacrylate) composites.–Hongy Lin, Delbert E. Day, and James O. Stoffer; **8** (2), 364–370.

Liu, H. K.–Phase evolution in silver-doped BiPbSrCaCuO(2223)/Ag superconducting composites.–Y. C. Guo, H. K. Liu, and S. X. Dou; **8** (9), 2187–2190.

Liu, Y. P.–Synthesis of superconductors from soluble metal oxo alkoxide precursors.–M. W. Rupich, Y. P. Liu, J. Ibechem, and J. P. Hachey; **8** (7), 1487–1496.

Loboda, M. J.–Characterization of the mechanical properties of a–SiC:H films.–M. J. Loboda and M. K. Ferber; **8** (11), 2908–2915.

Locquet, J-P.–Domain growth of Dy_2O_3 buffer layers on $SrTiO_3$.–A. Catana and J-P. Locquet; **8** (6), 1373–1378.

López García, A. R.–On the occurrence of a metastable tetragonal t'-phase in a ZrO_2–13.6 mole% MgO ceramic and its microscopic thermal evolution.–M. C. Caracoche, P. C. Rivas, A. F. Pasquevich, A. R. López García, E. Aglietti, and A. Scian; **8** (3), 605–610.

Lu, K.–Characterization of carbon aerogels by transport measurements.–A. W. P. Fung, Z. H. Wang, K. Lu, M. S. Dresselhaus, and R. W. Pekala; **8** (8), 1875–1885.

Luborsky, F. E.–Effect of internal fission-fragment irradiation on critical currents and flux creep in Bi–Sr–Ca–Cu–O superconductors doped with UO_2.–F. E. Luborsky, R. H. Arendt, R. L. Fleischer, H. R. Hart, Jr., J. E. Tkaczyk, and D. A. Orsini; **8** (6), 1277–1284.

Luby, S.–Structural characterization and thermal stability of W/Si multilayers.–M. Brunel, S. Enzo, M. Jergel, S. Luby, E. Majkova, and I. Vavra; **8** (10), 2600–2607.

Lucovsky, G.–Growth kinetics and characterizations of gallium nitride thin films by remote PECVD.–S. W. Choi, K. J. Bachmann, and G. Lucovsky; **8** (4), 847–854.

Lutterotti, L.–Characterization of epitaxial $SrTiO_3/YBa_2Cu_3O_7$ layers deposited on (001) MgO by laser ablation.–P. Scardi, L. Lutterotti, L. Correra, and S. Nicoletti; **8** (11), 2780–2784.

M

Ma, E.–Evidence for self-sustained $MoSi_2$ formation during room-temperature high-energy ball milling of elemental powders.–E. Ma, J. Pagán, G. Cranford, and M. Atzmon; **8** (8), 1836–1844.

Ma, Y.–TEM study on laser processed intermetallic phases: $Al_{16}Ti_6(Fe\text{ or }Ni)_7$.–Y. Ma and J. Gjønnes; **8** (3), 421–429.

Ma, Yan–An investigation of ductility and microstructural evolution in an Al–3% Mg alloy with submicron grain size.–Jingtao Wang, Zenji Horita, Minoru Furukawa, Minoru Nemoto, Nikolai K. Tsenev, Ruslan Z. Valiev, Yan Ma, and Terence G. Langdon; **8** (11), 2810–2818.

Maartense, I.–Annealing of pressure-induced structural damage in superconducting Bi–Pb–Sr–Ca–Cu–O ceramic.–I. Maartense and Asok K. Sarkar; **8** (9), 2177–2186.

Machesney, Brian–Evidence of Co/SiO_2 reaction during rapid thermal annealing.–Herbert L. Ho, Tue Nguyen, Julius C. Chang, Brian Machesney, and Peter Geiss; **8** (3), 467–472.

Machida, M.–High-pressure phase transformation of $BeGa_2O_4$.–K. Nakamura, M. Machida, M. E. Brito, and H. Tabata; **8** (7), 1721–1727.

Maciel, G. E.–Investigation of cured hydridopolysilazane-derived ceramic fibers via dynamic nuclear polarization.–Russel H. Lewis, Robert A. Wind, and G. E. Maciel; **8** (3), 649–654.

MacInnes, Andrew N.–The effect of siloxane spin-on-glass and reaction bonded silicon oxycarbide coatings with a self-propagating interfacial reaction treatment (ASPIRE) in the synthesis of carbon/graphite fiber-reinforced aluminum metal matrix composites.–Willy M. Balaba, Douglas A. Weirauch, Jr., Anthony J. Perrotta, George H. Armstrong, Princewill N. Anyalebechi, Suzanne Kauffman, Andrew N. MacInnes, Angela M. Winner, and Andrew R. Barron; **8** (12), 3192–3201.

MacLaren, J. M.–Bonding-property relationships in intermetallic alloys.–M. E. Eberhart, D. P. Clougherty, and J. M. MacLaren; **8** (3), 438–448.

Maex, K.–Formation of ultrathin $CoSi_2$ films using a two-step limited reaction process.–R. J. Schreutelkamp, W. Coppye, W. De Bosscher, R. van Meirhaeghe, L. van Meirhaeghe, J. Vanhellemont, B. Deweerdt, A. Lauwers, and K. Maex; **8** (12), 3111–3121.

Maghsoudlou, H.–Transmission electron microscopy of $GeSe_{2+\delta}$ thin films.–H. Maghsoudlou, L. Salamanca-Riba, and E. Haro-Poniatowski; **8** (7), 1728–1735.

Mahamuni, Shailaja–Dopant induced modifications in the physical properties of sprayed ZnO:In films.–D. J. Goyal, Chitra Agashe, M. G. Takwale, V. G. Bhide, Shailaja Mahamuni, and S. K. Kulkarni; **8** (5), 1052–1056.

Maiti, H. S.–Synthesis of $YBa_2Cu_3O_{7-x}$ powder by autoignition of citrate-nitrate gel.–Sukumar Roy, A. Das Sharma, S. N. Roy, and H. S. Maiti; **8** (11), 2761–2766.

Maiya, P. S.–Microstructural characterization, mechanical properties, and corrosion resistance of the $CaO–TiO_2$ system.–P. S. Maiya, R. Russell, D. S. Poa, A. S. Wagh, and R. B. Poeppel; **8** (6), 1387–1393.

Majkova, E.–Structural characterization and thermal stability of W/Si multilayers.–M. Brunel, S. Enzo, M. Jergel, S. Luby, E. Majkova, and I. Vavra; **8** (10), 2600–2607.

Maley, M. P.–Characteristics of $TiBa_2Ca_2Cu_3O_{9+\delta}$ powder as synthesized and after grinding.–P. J. Kung, M. P. Maley, P. G. Wahlbeck, and D. E. Peterson; **8** (4), 713–719.

Malghan, Subhas G.–Effects of α-silicon nitride powder processing on surface oxidation kinetics.–Pu Sen Wang, Subhas G. Malghan, Stephen M. Hsu, and T. N. Wittberg; **8** (12), 3168–3175.

Malhotra, S. G.–An electron microscopy study of the precipitation of rhenium in the B2 nickel aluminide.–D. C. Van Aken, D. P. Mason, S. G. Malhotra, and J. G. Webber; **8** (10), 2524–2533.

Malla, Prakash B.–Nanocomposite aerogels: The $SiO_2–Al_2O_3$ system.–Sridhar Komarneni, Rustum Roy, Ulagaraj Selvaraj, Prakash B. Malla, and Else Breval; **8** (12), 3163–3167.

Maloy, S. A.–Precipitation of Mo_5Si_3 in $MoSi_2$.–S. A. Maloy, S-Q. Xiao, A. H. Heuer, and J. Garrett; **8** (5), 1079–1085.

Malta, D. P.–Etch-delineation of defects in diamond by exposure to an oxidizing flame.–D. P. Malta, J. B. Posthill, R. A. Rudder, G. C. Hudson, and R. J. Markunas; **8** (6), 1217–1219(L).

Mansur, L. K.–Hardness measurements of Ar^+-beam treated polyimide by depth-sensing ultra low load indentation.–E. H. Lee, Y. Lee, W. C. Oliver, and L. K. Mansur; **8** (2), 377–387.

Mao, Gang–Hydrotalcites with an extended Al^{3+}-substitution: Synthesis, simultaneous TG-DTA-MS study, and their CO_2 adsorption behaviors.–Masamichi Tsuji, Gang Mao, Takashi Yoshida, and Yutaka Tamaura; **8** (5), 1137–1142.

Mao, X. L.–$Ca_{(1-x)}Ni_xO$ catalytic thin films prepared by pulsed laser deposition.–X. L. Mao, D. L. Perry, and R. E. Russo; **8** (9), 2400–2403.

Margrave, John L.–Methyl halides as carbon sources in a hot-filament diamond CVD reactor: A new gas phase growth species.–Benjamin J. Bai, C. Judith Chu, Donald E. Patterson, Robert H. Hauge, and John L. Margrave; **8** (2), 233–236(L).

Markgraf, S. A.–Raman study of fresnoite-type materials: Polarized single crystal, crystalline powders, and glasses.–S. A. Markgraf, S. K. Sharma, and A. S. Bhalla; **8** (3), 635–648.

Marks, L. D.–Microstructure and properties of Cu-rich 123: Part II. Homogeneous copper and high magnetic J_c.–J. P. Zhang, D. J. Li, C. Boldt, R. Plass, V. Dravid, L. D. Marks, C. H. Lin, J. A. Eades, A. Sodonis, W. Wolbach, J. M. Chabala, and R. Levi-Setti; **8** (6), 1232–1239.

Markunas, R. J.–Etch-delineation of defects in diamond by exposure to an oxidizing flame.–D. P. Malta, J. B. Posthill, R. A. Rudder, G. C. Hudson, and R. J. Markunas; **8** (6), 1217–1219(L).

Markworth, Alan J.–Chaotic dynamics in a model of metal passivation.–J. Kevin McCoy, Punit Parmananda, Roger W. Rollins, and Alan J. Markworth; **8** (8), 1858–1865.

Marongiu, G.–Influence of boron content on the amorphization rate of Co–B mixtures by mechanical alloying.–A. Corrias, G. Ennas, G. Marongiu, A. Musinu, and G. Paschina; **8** (6), 1327–1333.

Marston, Matthew A.–The effects of natural convection and conduction in a zone-melting-recrystallization chamber.–Bradley D. Heilman, Matthew A. Marston, Peter Y. Wong, and Ioannis N. Miaoulis; **8** (3), 551–557.

Martínez, A.–Selection of structural type and particle size in titanium (IV) oxide.–M. Vallet-Regí, J. Peña, A. Martínez, and J. M. González-Calbet; **8** (9), 2336–2343.

Martínez, J. L.–Texture evolution of SnO_2 synthesized by pyrolysis of an aerosol.–M. Vallet-Regí, V. Ragel, J. Román, J. L. Martínez, M. Labeau, and J. M. González-Calbet; **8** (1), 138–144.

Martinez, L.–Formation of quasicrystalline phases in an Al–Cu–Co–Fe alloy obtained by using a gravity chill-casting technique.–R. Perez, A. Arizmendi, J. A. Juarez-Islas, and L. Martinez; **8** (5), 985–988.

Martínez, M.–Synthesis and characterization of zinc ferrite particles prepared by hydrothermal decomposition of zinc chelate solutions.–M. Andrés Vergés, M. Martínez, and E. Matijević; **8** (11), 2916–2920.

Masel, R. I.–Embedded atom calculations of the equilibrium shapes of 5–60 atom palladium nanocrystals.–A. Sachdev and R. I. Masel; **8** (3), 455–461.

Mason, D. P.–An electron microscopy study of the precipitation of rhenium in the B2 nickel aluminide.–D. C. Van Aken, D. P. Mason, S. G. Malhotra, and J. G. Webber; **8** (10), 2524–2533.

Massalker, Y.–Processing characteristics and properties of BiSrCaCuO superconducting glass ceramics prepared by melt-quenching.–Y. Massalker, A. N. Sembira, and J. Baram; **8** (10), 2445–2457.

Masuda, Yoshio–The effect of residual carbon on the superconducting properties of $YBa_2Cu_3O_{7-x}$ powders.–Yoshio Masuda, Rikuro Ogawa, Yoshio Kawate, Kazuo Matsubara, Tsuyoshi Tateishi, and Sumio Sakka; **8** (4), 693–698.

Masumoto, T.–Atmosphere effects of the amorphization reaction in NiZr by ball milling.–K. Aoki, A. Memezawa, and T. Masumoto; **8** (2), 307–313.

Masumoto, Tsuyoshi–Synthesis of stable quasicrystalline particle-dispersed Al base composite alloys.–An Pang Tsai, Kiyoshi Aoki, Akihisa Inoue, and Tsuyoshi Masumoto; **8** (1), 5–7(L).

Masuyama, K.–Mechanical alloying of Al–Ti powder mixtures and their subsequent consolidation.–T. Itsukaichi, K. Masuyama, M. Umemoto, I. Okane, and J. G. Cabañas-Moreno; **8** (8), 1817–1828.

Matar, S. A.–The effect of porosity development on the removal of organic vehicle from ceramic or metal moldings.–S. A. Matar, M. J. Edirisinghe, J. R. G. Evans, and E. H. Twizell; **8** (3), 617–625.

Mathews, Tom–Decomposition temperatures of $Cu_2Ln_2O_5$ (Ln = Tb, Dy, Ho, Er, Tm, Yb, and Lu) compounds.–Tom Mathews and K. T. Jacob; **8** (12), 3015–3018(L).

Mathieu, Hans Jörg–Indium-tin oxide thin films by metal-organic decomposition.–Dennis Gallagher, Francis Scanlan, Raymond Houriet, Hans Jörg Mathieu, and Terry A. Ring; **8** (12), 3135–3144.

Matijević, E.–Synthesis and characterization of zinc ferrite particles prepared by hydrothermal decomposition of zinc chelate solutions.–M. Andrés Vergés, M. Martínez, and E. Matijević; **8** (11), 2916–2920.

Matijević, Egon–Topotactic synthesis of vanadium nitride solid foams.–S. Ted Oyama, Rajat Kapoor, Hideko T. Oyama, David J. Hofmann, and Egon Matijević; **8** (6), 1450–1454.

–Preparation and properties of uniform coated colloidal particles. VIII. Titanium nitride on silica.–Richard E. Partch, Yuming Xie, S. T. Oyama, and Egon Matijević; **8** (8), 2014–2018.

Matsubara, Kazuo–The effect of residual carbon on the superconducting properties of $YBa_2Cu_3O_{7-x}$ powders.–Yoshio Matsuda, Rikuro Ogawa, Yoshio Kawate, Kazuo Matsubara, Tsuyoshi Tateishi, and Sumio Sakka; **8** (4), 693–698.

Matsubara, Kenji–Electrical resistivity, magnetoresistance, and morphology of vapor-grown carbon fibers prepared in a mixture of benzene and Linz–Donawitz converter gas by floating catalyst method.–Munehiro Ishioka, Toshihiko Okada, Kenji Matsubara, Michio Inagaki, and Yoshihiro Hishiyama; **8** (8), 1866–1874.

Matthée, Th.–High-resolution electron microscopy of epitaxial YBCO/Y_2O_3/YSZ on Si(001).–A. Bardal, O. Eibl, Th. Matthée, G. Friedl, and J. Wecker; **8** (9), 2112–2127.

Mauer, F.–Temperature and annealing dependence of the longitudinal ultrasonic velocity in aluminum alloys.–Ward Johnson, F. Mauer, D. Pitchure, S. J. Norton, Y. Grinberg, and F. Bendec; **8** (7), 1558–1566.

Mazzone, Giorgio–Experimental and theoretical investigation of the order-disorder transformation in Ni_3Al.–Francesco Cardellini, Fabrizio Cleri, Giorgio Mazzone, Amelia Montone, and Vittorio Rosato; **8** (10), 2504–2509.

McCallum, R. W.–An approximant to the Al–Cu–Ru icosahedral phase.–J. E. Shield, L. S. Chumbley, R. W. McCallum, and A. I. Goldman; **8** (1), 44–48.

–Texture development due to preferential grain growth of Ho–Ba–Cu–O in 1.6-T magnetic field.–A. Holloway, R. W. McCallum, and S. R. Arrasmith; **8** (4), 727–733.

–Plastic deformation in an Al–Cu–Fe icosahedral alloy.–J. E. Shield, M. J. Kramer, and R. W. McCallum; **8** (6), 1199–1202(L).

–Rapidly textured $Bi_2Sr_2CaCu_2O_8$.–S. R. Arrasmith, M. J. Kramer, B. D. Merkle, T. G. Holesinger, and R. W. McCallum; **8** (6), 1247–1257.

McCoy, J. Kevin–Chaotic dynamics in a model of metal passivation.–J. Kevin McCoy, Punit Parmananda, Roger W. Rollins, and Alan J. Markworth; **8** (8), 1858–1865.

McGuire, S. M.–Nondestructive detection of fatigue cracks in PM 304 stainless steel by internal friction and elasticity.–S. M. McGuire, M. E. Fine, O. Buck, and J. D. Achenbach; **8** (9), 2216–2223.

McKittrick, Joanna–Aligned gadolinium barium copper oxide thick films formed by *in situ* crystallization in a magnetic field.–Joanna McKittrick, Ramiro Contreras, and Dennis Clougherty; **8** (10), 2440–2444.

Mecartney, Martha L.–The influence of water of hydrolysis on microstructural development in sol-gel derived $LiNbO_3$ thin films.–Vikram Joshi and Martha L. Mecartney; **8** (10), 2668–2678.

Mecholsky, J. J., Jr.–Control of strength and toughness of ceramic/metal laminates using interface design.–Z. Chen and J. J. Mecholsky, Jr.; **8** (9), 2362–2369.

Mehrotra, Vivek–Ferroelectric behavior of pulsed laser deposited $Ba_xSr_{1-x}TiO_3$ thin films.–Vivek Mehrotra, Simon Kaplan, Albert J. Sievers, and Emmanuel P. Giannelis; **8** (6), 1209–1212(L).

Mei, Bingchu–Investigation of Ni_3Al-matrix composites strengthened by TiC.–Bingchu Mei, Runzhang Yuan, and Xinlong Duan; **8** (11), 2830–2834.

Memezawa, A.–Atmosphere effects of the amorphization reaction in NiZr by ball milling.–K. Aoki, A. Memezawa, and T. Masumoto; **8** (2), 307–313.

Merkle, B. D.–Rapidly textured $Bi_2Sr_2CaCu_2O_8$.–S. R. Arrasmith, M. J. Kramer, B. D. Merkle, T. G. Holesinger, and R. W. McCallum; **8** (6), 1247–1257.

Merkle, K. L.–Microstructure of $PbTiO_3$ thin films deposited on (001) MgO by MOCVD.–Y. Gao, G. Bai, K. L. Merkle, Y. Shi, H. L. M. Chang, Z. Shen, and D. J. Lam; **8** (1), 145–153.

Messaddeq, Y.–New fluoroindate glass compositions.–Y. Messaddeq, A. Delben, M. A. Aegerter, A. Soufiane, and M. Poulain; **8** (4), 885–889.

Messier, Russell–Macro-effects of resputtering due to negative ion bombardment of growing thin films.–Daniel J. Kester and Russell Messier; **8** (8), 1928–1937.

–Micro-effects of resputtering due to negative ion bombardment of growing thin films.–Daniel J. Kester and Russell Messier; **8** (8), 1938–1957.

Miaoulis, Ioannis N.–The effects of natural convection and conduction in a zone-melting-recrystallization chamber.–Bradley D. Heilman, Matthew A. Marston, Peter Y. Wong, and Ioannis N. Miaoulis; **8** (3), 551–557.

Miller, A. E.–New tricks in the rapid quench route to high T_c materials.–A. E. Miller, K. Nassau, and D. J. Werder; **8** (5), 973–977.

Miller, D. J.–Solidification of $Bi_2Sr_2CaCu_2O_y$ and $Bi_2Sr_{1.75}Ca_{0.25}CuO_y$.–T. G. Holesinger, D. J. Miller, H. K. Viswanathan. and L. S. Chumbley; **8** (9), 2149–2161.

Miller, D. P.–Fabrication and properties of functionally graded $NiAl/Al_2O_3$ composites.–D. P. Miller, J. J. Lannutti, and R. D. Noebe; **8** (8), 2004–2013.

Miller, D. V.–Processing of electroceramic-polymer composites using the electrorheological effect.–C. A. Randall, D. V. Miller, J. H. Adair, and A. S. Bhalla; **8** (4), 899–904.

Miller, K. T.–Epitaxial zirconia thin films from aqueous precursors.–K. T. Miller, C. J. Chan, M. G. Cain, and F. F. Lange; **8** (1), 169–177.

Minakuchi, Hiroyoshi–Properties and microstructure of continuous oxynitride glass fiber and its application to aluminum matrix composite.–Katsuaki Suganuma, Hiroyoshi Minakuchi, Katsuhiko Kada, Tetsushi Kitamura, Haruo Osafune, and Hiroyuki Fujii; **8** (1), 178–186.

Mingard, K. P.–Microstructural characterization of reactions in Al–Zr thin film couples.–K. P. Mingard and B. Cantor; **8** (2), 274–285.

Miquel, Philippe F.–Formation of V_2O_5-basedmixed oxides in flames.–Philippe F. Miquel, Cheng-Hung Hung, and Joseph L. Katz; **8** (9), 2404–2413.

Mironova, M.–Enhancement of critical current density in $YBa_2Cu_3O_x$ superconductor by mechanical deformation.–V. Selvamanickam, M. Mironova, and K. Salama; **8** (2), 249–254.

–TEM studies of dislocations in deformed melt-textured $YBa_2Cu_3O_x$ superconductors.–M. Mironova, V. Selvamanickam, D. F. Lee, and K. Salama; **8** (11), 2767–2773.

Mitchell, T. E.–Mechanical properties of hot isostatically pressed Si_3N_4 and Si_3N_4/SiC composites.–O. Unal, J. J. Petrovic, and T. E. Mitchell; **8** (3), 626–634.

Mitra, R.–Chemical reaction strengthening of Al/TiC metal matrix composites by isothermal heat treatment at 913 K.–R. Mitra, M. E. Fine, and J. R. Weertman; **8** (9), 2370–2379.

–Interfaces in as-extruded *XD* Al/TiC and Al/TiB_2 metal matrix composites.–R. Mitra, W. A. Chiou, M. E. Fine, and J. R. Weertman; **8** (9), 2380–2392.

Mitsuda, Takeshi–TEM study of synthetic hillebrandite ($Ca_2SiO_4 \cdot H_2O$).–Youn Joong Kim, Waltraud M. Kriven, and Takeshi Mitsuda; **8** (11), 2948–2953.

Miyamoto, K.–High temperature mechanical properties of Cr_2Nb-based intermetallics.–T. Takasugi, S. Hanada, and K. Miyamoto; **8** (12), 3069–3077.

Miyata, Koichi–Growth of (110)-oriented diamond films by electron-assisted chemical vapor deposition.–Kazuo Kumagai, Koichi Miyata, Kozo Nishimura, and Koji Kobashi; **8** (2), 314–320.

–Morphology of heavily B-doped diamond films.–Koichi Miyata, Kazuo Kumagai, Kozo Nishimura, and Koji Kobashi; **8** (11), 2845–2857.

Mizushima, Yasuyuki–^{27}Al MAS-NMR spectra of alumina aerogels.–Yasuyuki Mizushima, Makoto Hori, and Minoru Sasaki; **8** (9), 2109–2111(L).

–Preparation of heat-resistant alumina aerogels.–Yasuyuki Mizushima and Makoto Hori; **8** (11), 2993–2999.

Mizutani, Yasuo–Bi-intercalation of H_2SO_4 into stages 4–6 $FeCl_3$–graphite intercalation compounds.–Yasuo Mizutani, Takeshi Abe, Mitsuru Asano, and Toshio Harada; **8** (7), 1586–1595.

Mochida, I.–Change of thermal expansion coefficient and electrical conductivity of $LaCo_{1-x}M_xO_3$ (M = Fe,Ni).–H. Nagamoto, I. Mochida, K. Kagotani, H. Inoue, and A. Negishi; **8** (12), 3158–3162.

Mogilevsky, P.–Interaction between SiC and Ti powder.–I. Gotman, E. Y. Gutmanas, and P. Mogilevsky; **8** (10), 2725–2733.

Mohan Rao, P. V.–X-ray diffraction study of the effect of boron on lattice properties of $Ni_{76}Al_{24}$.–P. V. Mohan Rao, K. Satyanarayana Murthy, S. V. Suryanarayana, and S. V. Nagender Naidu; **8** (4), 741–744.

Mohite, S. S.–Modification of high temperature and high performance polymers by ion implantation.–Yongqiang Wang, S. S. Mohite, L. B. Bridwell, R. E. Giedd, and C. J. Sofield; **8** (2), 388–402.

Molinari, E.–Diamond nucleation from the gas phase: A kinetic approach.–E. Molinari, R. Polini, V. Sessa, M. L. Terranova, and M. Tomellini; **8** (4), 785–797.

–Patterns of diamond nucleation from the gas phase.–E. Molinari, R. Polini, and M. Tomellini; **8** (4), 798–810.

Mondio, G.–The dielectric constant of TCNQ single crystals as deduced by reflection electron energy loss spectroscopy.–G. Mondio, F. Neri, G. Curró, S. Patané, and G. Compagnini; **8** (10), 2627–2633.

Montone, Amelia–Experimental and theoretical investigation of the order-disorder transformation in Ni_3Al.–Francesco Cardellini, Fabrizio Cleri, Giorgio Mazzone, Amelia Montone, and Vittorio Rosato; **8** (10), 2504–2509.

Moon, Hong-Chul–The effect of $Y_2Ba_1Cu_1O_5$ addition on microstructure and formation of microcracks in the partially melted Y–Ba–Cu–O oxides.–Chan-Joong Kim, Ki-Baik Kim, In-Soon Chang, Dong-Yeon Won, Hong-Chul Moon, and Dong-Soo Suhr; **8** (4), 699–704.

Moon, Jong H.–Densification behaviors and piezoelectric properties of MnO_2, SiO_2-doped $Pb(Ni_{1/3}Nb_{2/3})O_3$–$PbTiO_3$–$PbZrO_3$ ceramics.–Jong H. Moon, Hyun M. Jang, and Beoung D. You; **8** (12), 3184–3191.

Moore, R. S.–Determination of the dependence of the surface force induced contact radius on particle radius: Cross-linked polystyrene spheres on SiO_2/silicon.–D. S. Rimai, R. S. Moore, R. C. Bowen, V. K. Smith, and P. E. Woodgate; **8** (3), 662–667.

More, K. L.–Kinetics and mechanisms of high-temperature creep in polycrystalline aluminum nitride.–A. Vasudev, K. L. More, K. S. Ailey-Trent, and R. F. Davis; **8** (5), 1101–1108.

–Phase evolution in boron nitride thin films.–D. J. Kester, K. S. Ailey, R. F. Davis, and K. L. More; **8** (6), 1213–1216(L).

–Composition/structure/property relations of multi-ion-beam reactive sputtered lead lanthanum titanate thin films: Part II. Textured microstructure development.–G. R. Fox, S. B. Krupanidhi, and K. L. More; **8** (9), 2191–2202.

More, Karren L.–Epitaxial nucleation of polycrystalline silicon carbide during chemical vapor deposition.–Brian W. Sheldon, Theodore M. Besmann, Karren L. More, and Thomas S. Moss; **8** (5), 1086–1092.

–Erratum: "Epitaxical nucleation of polycrystalline silicon carbide during chemical vapor deposition" [J. Mater. Res. **8**, 1086 (1993)].–Brian W. Sheldon, Theodore M. Besmann, Karren L. More, and Thomas S. Moss; **8** (9), 2416–2418(E).

Morell, José I.–Chemical vapor infiltration of SiC with microwave heating.–José I. Morell, Demetre J. Economou, and Neal R. Amundson; **8** (5), 1057–1067.

–Erratum: "Chemical vapor infiltration of SiC with microwave heating" [J. Mater. Res. **8**, 1057 (1993)].–José I. Morell, Demetre J. Economou, and Neal R. Amundson; **8** (12), 3251(E).

Moretti, P.–Characterization of europium-implanted $LiNbO_3$.–P. Moretti, B. Canut, S. M. M. Ramos, R. Brenier, P. Thévenard, D. Poker, J. B. M. DaCunha, L. Amaral, and A. Vasquez; **8** (10), 2679–2685.

Morgenstern, G.–Cu precipitation in oxidized wafers with and without a Ge_xSi_{1-x} heteroepitaxial layer.–G. Kissinger, G. Morgenstern, and H. Richter; **8** (8), 1900–1907.

Morishita, T.–Substrate dependence of the crystallinity and mosaic texture of $YBa_2Cu_3O_{7-\delta}$ ultrathin films deposited by laser ablation.–C. C. Chin, H. Takahashi, T. Morishita, and T. Sugimoto; **8** (5), 951–956.

Morishita, Tadatada–Resistivity measurement of an *a*-axis-oriented $YBa_2Cu_3O_{7-\delta}$ thin film at 450–650 °C.–Toshio Usui, Akira Oishi, Hidekazu Teshima, Kazumi Ohata, and Tadatada Morishita; **8** (4), 705–708.

Morishita, Tadataka–Epitaxial growth of BaO and SrO with new crystal structures using mass-separated low-energy O^+ beams.–Ryusuke Kita, Takashi Hase, Hiromi Takahashi, Kenichi Kawaguchi, and Tadataka Morishita; **8** (2), 321–323.

–Synthesis of $YBa_2Cu_3O_{7-x}$ thin films by three-stage oxidation process from metallic Y–Ba–Cu precursors.–Takashi Hase, Ryusuke Kita, Kenichi Kawaguchi, Takeshi Koga, and Tadataka Morishita; **8** (6), 1220–1225.

Morissette, S.–Coprecipitation synthesis of doped lanthanum chromite.–M. R. De Guire, S. E. Dorris, R. B. Poeppel, S. Morissette, and U. Balachandran; **8** (9), 2327–2335.

Morosin, Bruno–Structural studies on Tl–Ca–Ba–Cu–O superconducting thin films.–Bruno Morosin, M. Grant Norton, C. Barry Carter, E. L. Venturini, and D. S. Ginley; **8** (4), 720–726.

Morris, D. E.–A novel stable solid formed by C_{60} + oxygen at high $P(O_2)$.–D. E. Morris, K. K. Singh, and A. P. B. Sinha; **8** (9), 2273–2276.

Moser, J.–Crystal reorientation and wear mechanisms in MoS_2 lubricating thin films investigated by TEM.–J. Moser and F. Lévy; **8** (1), 206–213.

Moss, Thomas S.–Epitaxial nucleation of polycrystalline silicon carbide during chemical vapor deposition.–Brian W. Sheldon, Theodore M. Besmann, Karren L. More, and Thomas S. Moss; **8** (5), 1086–1092.

–Erratum: "Epitaxical nucleation of polycrystalline silicon carbide during chemical vapor deposition" [J. Mater. Res. **8**, 1086 (1993)].–Brian W. Sheldon, Theodore M. Besmann, Karren L. More, and Thomas S. Moss; **8** (9), 2416–2418(E).

Muenchausen, R. E.–The effect of post-annealing on laser-deposited superconducting Bi–Sr–Ca–Cu–O thin films.–P. J. Kung, X. D. Wu, R. E. Muenchausen, K. V. Salazar, S. R. Foltyn, D. E. Peterson, and A. R. Garcia; **8** (9), 2162–2169.

–Interfacial reaction products and film orientation in $YBa_2Cu_3O_{7-x}$ on zirconia substrates with and without CeO_2 buffer layers.–G. L. Skofronick, A. H. Carim, S. R. Foltyn, and R. E. Muenchausen; **8** (11), 2785–2798.

Mukhopadhyay, Sharmila M.–Ion bombardment-induced changes in oxide-metal interactions studied by photoelectron spectroscopy.–Sharmila M. Mukhopadhyay and Tim C. S. Chen; **8** (8), 1958–1963.

Murakami, K.–Growth of highly oriented SnO_2 thin films on glass substrate from tetra-*n*-butyltin by the spray pyrolysis technique.–I. Yagi, Y. Hagiwara, K. Murakami, and S. Kaneko; **8** (7), 1481–1483(L).

Murphy, Robert C.–Electrical and optical characterization of Sb:SnO_2.–Yue-Song He, Joe C. Campbell, Robert C. Murphy, M. F. Arendt, and John S. Swinnea; **8** (12), 3131–3134.

Musinu, A.–Influence of boron content on the amorphization rate of Co–B mixtures by mechanical alloying.–A. Corrias, G. Ennas, G. Marongiu, A. Musinu, and G. Paschina; **8** (6), 1327–1333.

Mustafa, B. M.–Composition and crystal structure parameters of single crystals $(Bi, Pb)_2Sr_2(Ca_{1-x}R_x)Cu_2O_{8+\delta}$ (R = Y, Er, Ho, Tm, and Yb).–A. S. Ilyushin, L. Shi, L. I. Leonyuk, B. M. Mustafa, I. A. Nikanorova, S. V. Red'ko, Y. Jia, A. G. Vetkin, G. Zhou, and I. V. Zubov; **8** (8), 1791–1797.

N

Nagamoto, H.–Change of thermal expansion coefficient and electrical conductivity of $LaCo_{1-x}M_xO_3$ (M = Fe,Ni).–H. Nagamoto, I. Mochida, K. Kagotani, H. Inoue, and A. Negishi; **8** (12), 3158–3162.

Nagarajan, R. R.–Effects of molybdenum on cellular precipitation in nickel–9 at. % tin alloy.–Archana Gupta, R. R. Nagarajan, A. K. Jena, and M. C. Chaturvedi; **8** (1), 95–99.

Nagender Naidu, S. V.–X-ray diffraction study of the effect of boron on lattice properties of $Ni_{76}Al_{24}$.–P. V. Mohan Rao, K. Satyanarayana Murthy, S. V. Suryanarayana, and S. V. Nagender Naidu; **8** (4), 741–744.

Nakahashi, Masako–Solid-state reactions of the Ag–Cu–Ti thin film–Al_2O_3 substrate system.–Seiichi Suenaga, Miho Koyama, Shinji Arai, and Masako Nakahashi; **8** (8), 1805–1811.

Nakajima, T.–Image analysis of TEM pictures of fluorine-intercalated graphite fibers.–K. Oshida, M. Endo, T. Nakajima, S. L. di Vittorio, M. S. Dresselhaus, and G. Dresselhaus; **8** (3), 512–522.

Nakamura, K.–High-pressure phase transformation of $BeGa_2O_4$.–K. Nakamura, M. Machida, M. E. Brito, and H. Tabata; **8** (7), 1721–1727.

Nakamura, Koichi–New method for fabrication of superconducting pipes in the Bi–Sr–Ca–Cu–O system.–Yoshihiro Abe, Hideo Hosono, Won-Hyuk Lee, Masahiro Hosoe, Koichi Nakamura, and Eikichi Inukai; **8** (1), 1–4(L).

Nakamura, Morihiko–Environmental effect on mechanical properties of TiAl base alloys.–Morihiko Nakamura, Kennki Hashimoto, and Tokuzo Tsujimoto; **8** (1), 68–77.

Nakamura, Yoshikazu–Exoelectron emission from unexcited metallic glasses $Fe_{40}Ni_{38}Mo_4B_{18}$ during heat treatment.–Yoshihisa Watanabe, Yoshikazu Nakamura, and Tadayoshi Kubozoe; **8** (5), 1041–1044.

Nakamura, Yuichi–Doping effects on coarsening of Y_2BaCuO_5 phase in liquid.–Teruo Izumi, Yuichi Nakamura, and Yuh Shiohara; **8** (6), 1240–1246.

Nakano, T.–Deformation behavior and high-temperature stability of unidirectionally solidified, twin phase TiAl.–G. H. Fair, J. V. Wood, T. Nakano, and Y. Umakoshi; **8** (8), 1812–1816.

Nakashima, Sadao–Analysis of buried oxide layer formation and mechanism of threading dislocation generation in the substoichiometric oxygen dose region.–Sadao Nakashima and Katsutoshi Izumi; **8** (3), 523–534.

Nakayama, A.–ESR study of activated carbon fibers: preliminary results.–S. L. di Vittorio, A. Nakayama, T. Enoki, M. S. Dresselhaus, M. Endo, and N. Shindo; **8** (9), 2282–2287.

Namba, Yoshikatsu–Deposition of diamond phase carbon films on surface pretreated stainless steel substrate.–Ebrahim Heidarpour and Yoshikatsu Namba; **8** (11), 2840–2844.

Nánai, László–Wagner oxidation in the nonisothermal regime.–László Nánai, Daniel A. Jelski, Imre Hevesi, and Thomas F. George; **8** (5), 945–947(L).

Nassau, K.–New tricks in the rapid quench route to high T_c materials.–A. E. Miller, K. Nassau, and D. J. Werder; **8** (5), 973–977.

Navarro, R.–Solution-based synthesis routes to $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_{10+\delta}$.–M. T. Ruiz, G. F. de la Fuente, A. Badía, J. Blasco, M. Castro, A. Sotelo, A. Larrea, F. Lera, C. Rillo, and R. Navarro; **8** (6), 1268–1276.

Navrotsky, Alexandra–Energetics of the oxygen vacancy order-disorder transition in $Ba_2In_2O_5$.–T. R. S. Prasanna and Alexandra Navrotsky; **8** (7), 1484–1486(L).

–Thermodynamic stability field of the 123 and 124 phases in the Y_2O_3–BaO–Cu–O system.–Zhigang Zhou and Alexand Navrotsky; **8** (12), 3023–3031.

Negami, Takayuki–Microstructure of $CuInS_2$ films prepared by sulfuration of Cu–In–O films.–Takahiro Wada, Takayuki Negami, and Mikihiko Nishitani; **8** (3), 545–550.

Negishi, A.–Change of thermal expansion coefficient and electrical conductivity of $LaCo_{1-x}M_xO_3$ (M = Fe,Ni).–H. Nagamoto, I. Mochida, K. Kagotani, H. Inoue, and A. Negishi; **8** (12), 3158–3162.

Neiser, R.A.–A structural investigation of a plasma sprayed Ni–Cr based alloy coating.–S. Sampath, R.A. Neiser, H. Herman, J.P. Kirkland, and W.T. Elam; **8** (1), 78–86.

Nemoto, Minoru–An investigation of ductility and microstructural evolution in an Al–3% Mg alloy with submicron grain size.–Jingtao Wang, Zenji Horita, Minoru Furukawa, Minoru Nemoto, Nikolai K. Tsenev, Ruslan Z. Valiev, Yan Ma, and Terence G. Langdon; **8** (11), 2810–2818.

Neri, F.–The dielectric constant of TCNQ single crystals as deduced by reflection electron energy loss spectroscopy.–G. Mondio, F. Neri, G. Curró, S. Patané, and G. Compagnini; **8** (10), 2627–2633.

Nguyen, T.C.–Resistive transition broadening in two-phase polycrystalline YBaCuO.–J.C. Abele, R.L. Bristol, T.C. Nguyen, M.W. Ohmer, and L.S. Wood; **8** (5), 957–961.

Nguyen, Tai D.–Reaction study of cobalt and silicon nitride.–Tue Nguyen, Herbert L. Ho, David E. Kotecki, and Tai D. Nguyen; **8** (9), 2354–2361.

Nguyen, Tue–Evidence of Co/SiO_2 reaction during rapid thermal annealing.–Herbert L. Ho, Tue Nguyen, Julius C. Chang, Brian Machesney, and Peter Geiss; **8** (3), 467–472.

–Reaction study of cobalt and silicon nitride.–Tue Nguyen, Herbert L. Ho, David E. Kotecki, and Tai D. Nguyen; **8** (9), 2354–2361.

Nick, L.–Molecular CO emission accompanying fracture of polycarbonate: Evidence for chain cleavage.–J.T. Dickinson, L.C. Jensen, S.C. Langford, R.P. Dion, and L. Nick; **8** (1), 14–17(L).

Nicoletti, S.–Characterization of epitaxial $SrTiO_3/YBa_2Cu_3O_7$ layers deposited on (001) MgO by laser ablation.–P. Scardi, L. Lutterotti, L. Correra, and S. Nicoletti; **8** (11), 2780–2784.

Niedzialek, Scott E.–Combustion-synthesized functionally gradient refractory materials.–Scott E. Niedzialek, Gregory C. Stangle, and Yoshinari Kaieda; **8** (8), 2026–2034.

Nieh, T.G.–Mechanism of $MoSi_2$ pest during low temperature oxidation.–T.C. Chou and T.G. Nieh; **8** (1), 214–226.

–Creep of a niobium beryllide, Ni_2Be_{17}.–T.G. Nieh, J. Wadsworth, T.C. Chou, D. Owen, and A.H. Chokshi; **8** (4), 757–763.

–Kinetics of $MoSi_2$ pest during low-temperature oxidation.–T.C. Chou and T.G. Nieh; **8** (7), 1605–1610.

Nikanorova, I.A.–Composition and crystal structure parameters of single crystals $(Bi,Pb)_2Sr_2(Ca_{1-x}R_x)Cu_2O_{8+\delta}$ (R = Y, Er, Ho, Tm, and Yb).–A.S. Ilyushin, L. Shi, L.I. Leonyuk, B.M. Mustafa, I.A. Nikanorova, S.V. Red'ko, Y. Jia, A.G. Vetkin, G. Zhou, and I.V. Zubov; **8** (8), 1791–1797.

Nishimura, Kozo–Growth of (110)-oriented diamond films by electron-assisted chemical vapor deposition.–Kazuo Kumagai, Koichi Miyata, Kozo Nishimura, and Koji Kobashi; **8** (2), 314–320.

–Morphology of heavily B-doped diamond films.–Koichi Miyata, Kazuo Kumagai, Kozo Nishimura, and Koji Kobashi; **8** (11), 2845–2857.

Nishitani, Mikihiko–Microstructure of $CuInS_2$ films prepared by sulfuration of Cu–In–O films.–Takahiro Wada, Takayuki Negami, and Mikihiko Nishitani; **8** (3), 545–550.

No, Kwangsoo–SEM and Auger studies of a PLZT thin film.–Kwangsoo No, Dae Sung Yoon, and Jae Myung Kim; **8** (2), 245–248(L).

Noebe, R.D.–Fabrication and properties of functionally graded $NiAl/Al_2O_3$ composites.–D.P. Miller, J.J. Lannutti, and R.D. Noebe; **8** (8), 2004–2013.

Norman, C.J.–Effect of chemical and heat treatment on the tetragonal-to-monoclinic transformation of zirconia.–X. Turrillas, P. Barnes, D. Häusermann, S.L. Jones, and C.J. Norman; **8** (1), 163–168.

Norton, M. Grant–Structural studies on Tl–Ca–Ba–Cu–O superconducting thin films.–Bruno Morosin, M. Grant Norton, C. Barry Carter, E.L. Venturini, and D.S. Ginley; **8** (4), 720–726.

Norton, S.J.–Temperature and annealing dependence of the longitudinal ultrasonic velocity in aluminum alloys.–Ward Johnson, F. Mauer, D. Pitchure, S.J. Norton, Y. Grinberg, and F. Bendec; **8** (7), 1558–1566.

Nowak, Roman–Energy principle of indentation contact: The application to sapphire.–Roman Nowak and Mototsugu Sakai; **8** (5), 1068–1078.

Noyan, I.C.–X-ray tensile testing of thin films.–I.C. Noyan and G. Sheikh; **8** (4), 764–770.

Nutt, G.–A time-resolved diffraction study of the Ta–C solid combustion system.–E.M. Larson, Joe Wong, J.B. Holt, P.A. Waide, G. Nutt, B. Rupp, and L.J. Terminello; **8** (7), 1533–1541.

Nysten, B.–Relationship between the structural organization and the physical properties of PECVD nitrogenated carbons.–M. Ricci, M. Trinquecoste, F. Auguste, R. Canet, P. Delhaes, C. Guimon, G. Pfister-Guillouzo, B. Nysten, and J.P. Issi; **8** (3), 480–488.

–Effect of $FeCl_4^-$ intercalation on the transport properties of a graphitized polyimide film.–B. Nysten, J-P. Issi, H. Shioyama, M. Crespin, R. Setton, F. Béguin, and M. Inagaki; **8** (9), 2299–2304.

O

Oberlin, A.–Structural and textural changes from polyimide Upilex to graphite: Part III.–C. Bourgerette, A. Oberlin, and M. Inagaki; **8** (1), 121–130.

Odier, P.–Chemical interaction of BaO–CuO-rich melts with Y_2O_3.–N. Pellerin, G. Jouan, and P. Odier; **8** (1), 18–23.

Oehring, M.–The formation of metastable Ti–Al solid solutions by mechanical alloying and ball milling.–M. Oehring, T. Klassen, and R. Bormann; **8** (11), 2819–2829.

Ogawa, Rikuro–The effect of residual carbon on the superconducting properties of $YBa_2Cu_3O_{7-x}$ powders.–Yoshio Masuda, Rikuro Ogawa, Yoshio Kawate, Kazuo Matsubara, Tsuyoshi Tateishi, and Sumio Sakka; **8** (4), 693–698.

Ogawa, Tomoya–Effect of surface structures upon ultrathin film interference fringes.–Lu Taijing, Tomoya Ogawa, Koichi Toyoda, and Zhenguo Wang; **8** (9), 2315–2318.

–Nucleation and growth of oxide precipitates in CZ–Si wafers.–Mitsuo Ataka and Tomoya Ogawa; **8** (11), 2889–2892.

Oh, S.G.–*In situ* electron microscopy studies of the inhibition of graphite oxidation by phosphorus.–S.G. Oh and N.M. Rodriguez; **8** (11), 2879–2888.

Ohata, Kazumi–Resistivity measurement of an *a*-axis-oriented $YBa_2Cu_3O_{7-\delta}$ thin film at 450–650 °C.–Toshio Usui, Akira Oishi, Hidekazu Teshima, Kazumi Ohata, and Tadatada Morishita; **8** (4), 705–708.

Ohmer, M.W.–Resistive transition broadening in two-phase polycrystalline YBaCuO.–J.C. Abele, R.L. Bristol, T.C. Nguyen, M.W. Ohmer, and L.S. Wood; **8** (5), 957–961.

Oishi, Akira–Resistivity measurement of an *a*-axis-oriented $YBa_2Cu_3O_{7-\delta}$ thin film at 450–650 °C.–Toshio Usui, Akira Oishi, Hidekazu Teshima, Kazumi Ohata, and Tadatada Morishita; **8** (4), 705–708.

Okada, Akane–Swelling behavior of montmorillonite cation exchanged for ω-amino acids by ϵ-caprolactam.–Arimitsu Usuki, Masaya Kawasumi, Yoshitsugu Kojima, Akane Okada, Toshio Kurauchi, and Osami Kamigaito; **8** (5), 1174–1178.

–Synthesis of nylon 6-clay hybrid.–Arimitsu Usuki, Yoshitsugu Kojima, Masaya Kawasumi, Akane Okada, Yoshiaki Fukushima, Toshio Kurauchi, and Osami Kamigaito; **8** (5), 1179–1184.

–Mechanical properties of nylon 6-clay hybrid.–Yoshitsugu Kojima, Arimitsu Usuki, Masaya Kawasumi, Akane Okada, Yoshiaki Fukushima, Toshio Kurauchi, and Osami Kamigaito; **8** (5), 1185–1189.

Okada, Toshihiko–Electrical resistivity, magnetoresistance, and morphology of vapor-grown carbon fibers prepared in a mixture of

benzene and Linz–Donawitz converter gas by floating catalyst method.–Munehiro Ishioka, Toshihiko Okada, Kenji Matsubara, Michio Inagaki, and Yoshihiro Hishiyama; **8** (8), 1866–1874.

Okane, I.–Mechanical alloying of Al–Ti powder mixtures and their subsequent consolidation.–T. Itsukaichi, K. Masuyama, M. Umemoto, I. Okane, and J.G. Cabañas-Moreno; **8** (8), 1817–1828.

Okano, Junko–Grain size of MgO and polymorphic phases of ZrO_2 in zirconia-toughened MgO.–Yasuro Ikuma, Toshio Sugiyama, and Junko Okano; **8** (11), 2757–2760(L).

Oliver, S.A.–Chemistry and structure of mixed magnesium ferric oxide aerogels.–R.J. Willey, S.A. Oliver, G. Oliveri, and G. Busca; **8** (6), 1418–1427.

Oliver, W.C.–Hardness measurements of Ar^+-beam treated polyimide by depth-sensing ultra low load indentation.–E.H. Lee, Y. Lee, W.C. Oliver, and L.K. Mansur; **8** (2), 377–387.

Oliveri, G.–Chemistry and structure of mixed magnesium ferric oxide aerogels.–R.J. Willey, S.A. Oliver, G. Oliveri, and G. Busca; **8** (6), 1418–1427.

Omura, Toshio–Wear resistance of arc ion-plated chromium nitride coatings.–Yuji Chiba, Toshio Omura, and Hiroshi Ichimura; **8** (5), 1109–1115.

Orsini, D.A.–Effect of internal fission-fragment irradiation on critical currents and flux creep in Bi–Sr–Ca–Cu–O superconductors doped with UO_2.–F.E. Luborsky, R.H. Arendt, R.L. Fleischer, H.R. Hart, Jr., J.E. Tkaczyk, and D.A. Orsini; **8** (6), 1277–1284.

Osafune, Haruo–Properties and microstructure of continuous oxynitride glass fiber and its application to aluminum matrix composite.–Katsuaki Suganuma, Hiroyoshi Minakuchi, Katsuhiko Kada, Tetsushi Kitamura, Haruo Osafune, and Hiroyuki Fujii; **8** (1), 178–186.

Oshida, K.–Image analysis of TEM pictures of fluorine-intercalated graphite fibers.–K. Oshida, M. Endo, T. Nakajima, S.L. di Vittorio, M.S. Dresselhaus, and G. Dresselhaus; **8** (3), 512–522.

Owen, D.–Creep of a niobium beryllide, Ni_2Be_{17}.–T.G. Nieh, J. Wadsworth, T.C. Chou, D. Owen, and A.H. Chokshi; **8** (4), 757–763.

Oyama, Hideko T.–Topotactic synthesis of vanadium nitride solid foams.–S. Ted Oyama, Rajat Kapoor, Hideko T. Oyama, David J. Hofmann, and Egon Matijević; **8** (6), 1450–1454.

Oyama, S.T.–Preparation and properties of uniform coated colloidal particles. VIII. Titanium nitride on silica.–Richard E. Partch, Yuming Xie, S.T. Oyama, and Egon Matijević; **8** (8), 2014–2018.

Oyama, S. Ted–Topotactic synthesis of vanadium nitride solid foams.–S. Ted Oyama, Rajat Kapoor, Hideko T. Oyama, David J. Hofmann, and Egon Matijević; **8** (6), 1450–1454.

Ozhogin, V.I.–High purity isotopically enriched ^{70}Ge and ^{74}Ge single crystals: Isotope separation, growth, and properties.–Kohei Itoh, W.L. Hansen, E.E. Haller, J.W. Farmer, V.I. Ozhogin, A. Rudnev, and A. Tikhomirov; **8** (6), 1341–1347.

P

Padture, Nitin P.–Postfailure subsidiary cracking from indentation flaws in brittle materials.–Nitin P. Padture; **8** (6), 1411–1417.

Pagán, J.–Evidence for self-sustained $MoSi_2$ formation during room-temperature high-energy ball milling of elemental powders.–E. Ma, J. Pagán, G. Cranford, and M. Atzmon; **8** (8), 1836–1844.

Pak, Y.S.–Ionic conductivity and thermal analysis of a high-temperature polymer.–Y.S. Pak and G. Xu; **8** (4), 923–926.

Panayotatos, P.–Generation and annihilation of antiphase domain boundaries in GaAs on Si grown by molecular beam epitaxy.–A. Georgakilas, J. Stoemenos, K. Tsagaraki, Ph. Komninou, N. Flevaris, P. Panayotatos, and A. Christou; **8** (8), 1908–1921.

Pande, C.S.–A direct determination of fractal dimension of fracture surfaces using scanning electron microscopy and stereoscopy.–J.J. Friel and C.S. Pande; **8** (1), 100–104.

Pandey, Ravindra–Electronic structure of high pressure phase of AlN.–Ravindra Pandey, Amin Sutjianto, Max Seel, and John E. Jaffe; **8** (8), 1922–1927.

Parisi, L.A.–Effect of single crystal substrates on the growth and properties of superconducting $Tl_2Ba_2CaCu_2O_8$ films.–W.L. Holstein, L.A. Parisi, R.B. Flippen, and D.G. Swartzfager; **8** (5), 962–972.

Park, H.–Protective films of nanophase diamond deposited directly on zinc sulfide infrared optics.–F. Davanloo, T.J. Lee, H. Park, J.H. You, and C.B. Collins; **8** (12), 3090–3099.

Park, Soon Ja–Isothermal capacitance transient spectroscopy study on trap levels in polycrystalline SnO_2 ceramics.–Myung Chul Kim, Kug Hyun Song, and Soon Ja Park; **8** (6), 1368–1372.

Parker, J.C.–X-ray and micro-Raman analysis of nanophase ZrO_2 and Y_2O_3–ZrO_2 produced by the gas-phase condensation technique.–C.M. Foster, G.R. Bai, J.C. Parker, and M.N. Ali; **8** (8), 1977–1982.

Parmananda, Punit–Chaotic dynamics in a model of metal passivation.–J. Kevin McCoy, Punit Parmananda, Roger W. Rollins, and Alan J. Markworth; **8** (8), 1858–1865.

Partch, Richard E.–Preparation and properties of uniform coated colloidal particles. VIII. Titanium nitride on silica.–Richard E. Partch, Yuming Xie, S.T. Oyama, and Egon Matijević; **8** (8), 2014–2018.

Paschina, G.–Influence of boron content on the amorphization rate of Co–B mixtures by mechanical alloying.–A. Corrias, G. Ennas, G. Marongiu, A. Musinu, and G. Paschina; **8** (6), 1327–1333.

Pasquevich, A.F.–On the occurrence of a metastable tetragonal t'-phase in a ZrO_2–13.6 mole% MgO ceramic and its microscopic thermal evolution.–M.C. Caracoche, P.C. Rivas, A.F. Pasquevich, A.R. López García, E. Aglietti, and A. Scian; **8** (3), 605–610.

Patané, S.–The dielectric constant of TCNQ single crystals as deduced by reflection electron energy loss spectroscopy.–G. Mondio, F. Neri, G. Curró, S. Patané, and G. Compagnini; **8** (10), 2627–2633.

Patankar, S.N.–The mechanism of mechanical alloying of $MoSi_2$.–S.N. Patankar, S-Q. Xiao, J.J. Lewandowski, and A.H. Heuer; **8** (6), 1311–1316.

Patterson, Donald E.–Methyl halides as carbon sources in a hot-filament diamond CVD reactor: A new gas phase growth species.–Benjamin J. Bai, C. Judith Chu, Donald E. Patterson, Robert H. Hauge, and John L. Margrave; **8** (2), 233–236(L).

Patterson, H.H.–Effect of dose stoichiometry on the structure of vapor-deposited polyimide thin films.–R.G. Pethe, C.M. Carlin, H.H. Patterson, and W.N. Unertl; **8** (12), 3218–3228.

Patu, S.–Effects of Cr^+ ion implantation on the oxidation of Ni_3Al.–M. Chen, S. Patu, J.N. Shen, and C.X. Shi; **8** (4), 734–740.

Pavlovic, Arthur S.–Site selectivities and magnetic moments of V, Cr, and Mn doped in γ–TiAl alloys.–V. Suresh Babu, Arthur S. Pavlovic, and Mohindar S. Seehra; **8** (5), 989–994.

Peddada, S.R.–Hydride precipitation in vapor deposited Ti thin films.–S.R. Peddada, I.M. Robertson, and H.K. Birnbaum; **8** (2), 291–296.

Pedraza, D.F.–Topographical changes induced by high dose carbon-bombardment of graphite.–B.K. Annis, D.F. Pedraza, and S.P. Withrow; **8** (10), 2587–2599.

Pehrsson, Pehr E.–Chemistry and localization effects in the C-KVV Auger line shapes of transition metal carbides and related compounds.–Pehr E. Pehrsson and David Ramaker; **8** (10), 2716–2724.

Pekala, R.W.–Photoconductivity of carbon aerogels.–M. Hosoya, G. Reynolds, M.S. Dresselhaus, and R.W. Pekala; **8** (4), 811–819.

–Characterization of carbon aerogels by transport measurements.–A.W.P. Fung, Z.H. Wang, K. Lu, M.S. Dresselhaus, and R.W. Pekala; **8** (8), 1875–1885.

–Gas permeability of carbon aerogels.–F-M. Kong, J. D. LeMay, S. S. Hulsey, C. T. Alviso, and R. W. Pekala; **8** (12), 3100–3105.

Pellerin, N.–Chemical interaction of BaO–CuO-rich melts with Y_2O_3.–N. Pellerin, G. Jouan, and P. Odier; **8** (1), 18–23.

Peña, J.–Selection of structural type and particle size in titanium (IV) oxide.–M. Vallet-Regí, J. Peña, A. Martínez, and J. M. González-Calbet; **8** (9), 2336–2343.

Perez, R.–Formation of quasicrystalline phases in an Al–Cu–Co–Fe alloy obtained by using a gravity chill-casting technique.–R. Perez, A. Arizmendi, J. A. Juarez-Islas, and L. Martinez; **8** (5), 985–988.

Perrotta, Anthony J.–The effect of siloxane spin-on-glass and reaction bonded silicon oxycarbide coatings with a self-propagating interfacial reaction treatment (ASPIRE) in the synthesis of carbon/graphite fiber-reinforced aluminum metal matrix composites.–Willy M. Balaba, Douglas A. Weirauch, Jr., Anthony J. Perrotta, George H. Armstrong, Princewill N. Anyalebechi, Suzanne Kauffman, Andrew N. MacInnes, Angela M. Winner, and Andrew R. Barron; **8** (12), 3192–3201.

Perry, D. L.–$Ca_{(1-x)}Ni_xO$ catalytic thin films prepared by pulsed laser deposition.–X. L. Mao, D. L. Perry, and R. E. Russo; **8** (9), 2400–2403.

Perry, Scott S.–Combined surface characterization and tribological (friction and wear) studies of CVD diamond films.–Scott S. Perry, Joel W. Ager, III, and Gabor A. Somorjai; **8** (10), 2577–2586.

Peterson, D. E.–Characteristics of $TiBa_2Ca_2Cu_3O_{9+\delta}$ powder as synthesized and after grinding.–P. J. Kung, M. P. Maley, P. G. Wahlbeck, and D. E. Peterson; **8** (4), 713–719.

–The effect of post-annealing on laser-deposited superconducting Bi–Sr–Ca–Cu–O thin films.–P. J. Kung, X. D. Wu, R. E. Muenchausen, K. V. Salazar, S. R. Foltyn, D. E. Peterson, and A. R. Garcia; **8** (9), 2162–2169.

Pethe, R. G.–Effect of dose stoichiometry on the structure of vapor-deposited polyimide thin films.–R. G. Pethe, C. M. Carlin, H. H. Patterson, and W. N. Unertl; **8** (12), 3218–3228.

Petrova, I. V.–Electro-chemo-mechanical treatment: Facilitating steel grinding under electrochemical reduction of active cations.–I. V. Vidensky, I. V. Petrova, and E. D. Shchukin; **8** (9), 2224–2227.

Petrovic, J. J.–Mechanical properties of hot isostatically pressed Si_3N_4 and Si_3N_4/SiC composites.–O. Unal, J. J. Petrovic, and T. E. Mitchell; **8** (3), 626–634.

Pettit, F. S.–Hot corrosion of alumina.–M. G. Lawson, F. S. Pettit, and J. R. Blachere; **8** (8), 1964–1971.

Pfister-Guillouzo, G.–Relationship between the structural organization and the physical properties of PECVD nitrogenated carbons.–M. Ricci, M. Trinquecoste, F. Auguste, R. Canet, P. Delhaes, C. Guimon, G. Pfister-Guillouzo, B. Nysten, and J. P. Issi; **8** (3), 480–488.

Phelps, A. W.–Space groups of the diamond polytypes.–A. W. Phelps, W. Howard, and D. K. Smith; **8** (11), 2835–2839.

Phulé, Pradeep P.–Sol-gel synthesis of ferroelectric lithium tantalate ceramics: FTIR investigation of the molecular modification of tantalum ethoxide.–Pradeep P. Phulé; **8** (2), 334–338.

Picht, Friederike–Modeling of diamond growth from a microwave plasma: C_2H as growth species.–Hans Rau and Friederike Picht; **8** (9), 2250–2264.

Pickles, C. A.–The plasma arc production of Si-based ceramic whiskers.–C. A. Pickles and J. M. Toguri; **8** (8), 1996–2003.

Pico, Carey A.–Microstructural characterization of $Al_{98.5wt.\%}$-$Si_{1.0wt.\%}Cu_{0.5wt.\%}$ on chemical-vapor-deposited W.–Carey A. Pico and Tom D. Bonifield; **8** (5), 1001–1009.

–The properties of thermal hillocks as a function of linewidth and process parameter in Al-on-chemical-vapor-deposited W films.–Carey A. Pico and Tom D. Bonifield; **8** (5), 1010–1018.

Pilliere, H.–Intercalation of pentane into the stage 2 to 4 cesium graphitides: Relation between cesium density in the intercalated layers and the stage of the parent binary.–H. Pilliere, M. Goldmann, and F. Béguin; **8** (9), 2288–2298.

Pingitore, N. E.–Calorimetric analysis of the system Ag_2S–Ag_2Se between 25 and 250 °C.–N. E. Pingitore, B. F. Ponce, L. Estrada, M. P. Eastman, H. L. Yuan, L. C. Porter, and G. Estrada; **8** (12), 3126–3130.

Pinizzotto, Russell F.–Ultramicrotomy: A unique method for preparation of composite solder for transmission electron microscopy.–Elizabeth G. Jacobs, L. Ann Foster, Yujing Wu, Angela R. Wilson, and Russell F. Pinizzotto; **8** (1), 87–94.

Pirouz, P.–The $\alpha \rightarrow \beta$ polytypic transformation in high-temperature indented SiC.–J. W. Yang and P. Pirouz; **8** (11), 2902–2907.

Pitchure, D.–Temperature and annealing dependence of the longitudinal ultrasonic velocity in aluminum alloys.–Ward Johnson, F. Mauer, D. Pitchure, S. J. Norton, Y. Grinberg, and F. Bendec; **8** (7), 1558–1566.

Plass, R.–Microstructure and properties of Cu-rich 123: Part II. Homogeneous copper and high magnetic J_c.–J. P. Zhang, D. J. Li, C. Boldt, R. Plass, V. Dravid, L. D. Marks, C. H. Lin, J. A. Eades, A. Sodonis, W. Wolbach, J. M. Chabala, and R. Levi-Setti; **8** (6), 1232–1239.

Poa, D. S.–Microstructural characterization, mechanical properties, and corrosion resistance of the CaO–TiO_2 system.–P. S. Maiya, R. Russell, D. S. Poa, A. S. Wagh, and R. B. Poeppel; **8** (6), 1387–1393.

Poate, J. M.–Epitaxial growth versus nucleation in amorphous Si doped with Cu and Ag.–J. S. Custer, Michael O. Thompson, D. J. Eaglesham, D. C. Jacobson, and J. M. Poate; **8** (4), 820–829.

Poeppel, R. B.–Effects of silver additions on resistance to thermal shock and delayed failure of $YBa_2Cu_3O_{7-\delta}$ superconductors.–J. P. Singh, J. Joo, D. Singh, T. Warzynski, and R. B. Poeppel; **8** (6), 1226–1231.

–Microstructural characterization, mechanical properties, and corrosion resistance of the CaO–TiO_2 system.–P. S. Maiya, R. Russell, D. S. Poa, A. S. Wagh, and R. B. Poeppel; **8** (6), 1387–1393.

–Coprecipitation synthesis of doped lanthanum chromite.–M. R. De Guire, S. E. Dorris, R. B. Poeppel, S. Morissette, and U. Balachandran; **8** (9), 2327–2335.

–Role of Ag additions in the microstructural development, strain tolerance, and critical current density of Ag-sheathed BSCCO superconducting tapes.–J. P. Singh, J. Joo, N. Vasanthamohan, and R. B. Poeppel; **8** (10), 2458–2464.

Poker, D.–Characterization of europium-implanted $LiNbO_3$.–P. Moretti, B. Canut, S. M. M. Ramos, R. Brenier, P. Thévenard, D. Poker, J. B. M. DaCunha, L. Amaral, and A. Vasquez; **8** (10), 2679–2685.

Polini, R.–Diamond nucleation from the gas phase: A kinetic approach.–E. Molinari, R. Polini, V. Sessa, M. L. Terranova, and M. Tomellini; **8** (4), 785–797.

–Patterns of diamond nucleation from the gas phase.–E. Molinari, R. Polini, and M. Tomellini; **8** (4), 798–810.

Ponce, B. F.–Calorimetric analysis of the system Ag_2S–Ag_2Se between 25 and 250 °C.–N. E. Pingitore, B. F. Ponce, L. Estrada, M. P. Eastman, H. L. Yuan, L. C. Porter, and G. Estrada; **8** (12), 3126–3130.

Ponnusamy, D.–Extrusion of superconducting wires of $YBa_2Cu_3O_{7-x}$.–D. Ponnusamy and K. Ravi-Chandar; **8** (2), 268–273.

Porter, L. C.–Calorimetric analysis of the system Ag_2S–Ag_2Se between 25 and 250 °C.–N. E. Pingitore, B. F. Ponce, L. Estrada, M. P. Eastman, H. L. Yuan, L. C. Porter, and G. Estrada; **8** (12), 3126–3130.

Posthill, J. B.–Etch-delineation of defects in diamond by exposure to an oxidizing flame.–D. P. Malta, J. B. Posthill, R. A. Rudder, G. C. Hudson, and R. J. Markunas; **8** (6), 1217–1219(L).

Potdar, H. S.–Synthesis of microcrystalline $BaZrO_3$ via molecular precursor route.–H. S. Potdar, S. B. Deshpande, P. D. Godbole, and S. K. Date; **8** (5), 948–950(L).

Poulain, M.–New fluoroindate glass compositions.–Y. Messaddeq, A. Delben, M. A. Aegerter, A. Soufiane, and M. Poulain; **8** (4), 885–889.

Prasanna, T. R. S.–Energetics of the oxygen vacancy order-disorder transition in $Ba_2In_2O_5$.–T. R. S. Prasanna and Alexandra Navrotsky; **8** (7), 1484–1486(L).

Pretorius, R.–Formation of buried Sb dopant profiles in silicon by pulsed laser epitaxy.–R. J. Carolissen, D. K. Knoesen, W. C. Sinke, and R. Pretorius; **8** (4), 841–846.

Pryds, N. H.–Nucleation of CVD–TiN on tungsten.–K. Glejbøl, N. H. Pryds, and A. R. Thölén; **8** (9), 2239–2244.

Q

Quintana, J. P.–A study of the local atomic structure in $Hg_{0.80}Cd_{0.20}Te$ using x-ray diffuse scattering.–J. P. Quintana and J. B. Cohen; **8** (4), 855–863.

R

Rabenberg, L.–Superconducting $Ba_{0.6}K_{0.4}BiO_3$: Thin film preparation by RF magnetron sputtering.–C. J. Hou, H. Steinfink, L. Rabenberg, Claude Hilbert, and Harry Kroger; **8** (8), 1798–1804.

Radhakrishnan, K.–The effect of interruption during the growth of strained GaAs/InGaAs/GaAs quantum wells by molecular beam epitaxy.–S. F. Yoon, H. M. Li, K. Radhakrishnan, and D. H. Zhang; **8** (12), 3122–3125.

Ragel, V.–Texture evolution of SnO_2 synthesized by pyrolysis of an aerosol.–M. Vallet-Regí, V. Ragel, J. Román, J. L. Martínez, M. Labeau, and J. M. González-Calbet; **8** (1), 138–144.

Rahaman, M. N.–Hydrothermal synthesis and sintering of ultrafine CeO_2 powders.–Y. C. Zhou and M. N. Rahaman; **8** (7), 1680–1686.

Ramaker, David–Chemistry and localization effects in the C-KVV Auger line shapes of transition metal carbides and related compounds.–Pehr E. Pehrsson and David Ramaker; **8** (10), 2716–2724.

Ramos, S. M. M.–Characterization of europium-implanted $LiNbO_3$.–P. Moretti, B. Canut, S. M. M. Ramos, R. Brenier, P. Thévenard, D. Poker, J. B. M. DaCunha, L. Amaral, and A. Vasquez; **8** (10), 2679–2685.

Randall, C. A.–Structure property relationships in core-shell $BaTiO_3$–LiF ceramics.–C. A. Randall, S. F. Wang, D. Laubscher, J. P. Dougherty, and W. Huebner; **8** (4), 871–879.

–Extrinsic contributions to the grain size dependence of relaxor ferroelectric $Pb(Mg_{1/3}Nb_{2/3}):PbTiO_3$ ceramics.–C. A. Randall, A. D. Hilton, D. J. Barber, and T. R. Shrout; **8** (4), 880–884.

–Processing of electroceramic-polymer composites using the electrorheological effect.–C. A. Randall, D. V. Miller, J. H. Adair, and A. S. Bhalla; **8** (4), 899–904.

Rao, A. M.–Raman scattering and electrical conductivity in highly disordered activated carbon fibers.–A. W. P. Fung, A. M. Rao, K. Kuriyama, M. S. Dresselhaus, G. Dresselhaus, M. Endo, and N. Shindo; **8** (3), 489–500.

–Photoassisted oxygen doping of C_{60} films.–A. M. Rao, K-A. Wang, J. M. Holden, Y. Wang, P. Zhou, P. C. Eklund, C. C. Eloi, and J. D. Robertson; **8** (9), 2277–2281.

–An investigation of photoassisted diffusion of oxygen in solid C_{60} films using resonant alpha-scattering.–Corinne C. Eloi, J. David Robertson, A. M. Rao, Ping Zhou, K-A. Wang, and Peter C. Eklund; **8** (12), 3085–3089.

Rao, G. R.–Microstructural effects on surface mechanical properties of ion-implanted polymers.–G. R. Rao, Z. L. Wang, and E. H. Lee; **8** (4), 927–933.

Rao, Pratima G. N.–Metal coatings on semiconductor particles in glass.–Vijay Sukumar, Shou-Chen Kao, Pratima G. N. Rao, and Robert H. Doremus; **8** (10), 2686–2693.

Rau, Hans–Modeling of diamond growth from a microwave plasma: C_2H as growth species.–Hans Rau and Friederike Picht; **8** (9), 2250–2264.

Ravi-Chandar, K.–Extrusion of superconducting wires of $YBa_2Cu_3O_{7-x}$.–D. Ponnusamy and K. Ravi-Chandar; **8** (2), 268–273.

Read, David T.–A new method for measuring the strength and ductility of thin films.–David T. Read and James W. Dally; **8** (7), 1542–1549.

Reagan, P.–Deposition of silicon carbide using the chemical vapor composites process: Process characterization and comparison with RASSPVDN model predictions.–M. D. Allendorf, R. H. Hurt, N. Yang, P. Reagan, and M. Robbins; **8** (7), 1651–1665.

Red'ko, S. V.–Composition and crystal structure parameters of single crystals $(Bi, Pb)_2Sr_2(Ca_{1-x}R_x)Cu_2O_{8+\delta}$ (R = Y, Er, Ho, Tm, and Yb).–A. S. Ilyushin, L. Shi, L. I. Leonyuk, B. M. Mustafa, I. A. Nikanorova, S. V. Red'ko, Y. Jia, A. G. Vetkin, G. Zhou, and I. V. Zubov; **8** (8), 1791–1797.

Rellick, Gerald S.–Fiber strength utilization in carbon/carbon composites.–Rafael J. Zaldivar, Gerald S. Rellick, and J. M. Yang; **8** (3), 501–511.

Rex, S.–Influence of Y_2BaCuO_5 particles on the growth morphology of peritectically solidified $YBa_2Cu_3O_{7-x}$.–G. J. Schmitz, J. Laakmann, Ch. Wolters, S. Rex, W. Gawalek, T. Habisreuther, G. Bruchlos, and P. Görnert; **8** (11), 2774–2779.

Reynolds, G.–Photoconductivity of carbon aerogels.–M. Hosoya, G. Reynolds, M. S. Dresselhaus, and R. W. Pekala; **8** (4), 811–819.

Rhee, Shi-Woo–Effect of iron and cobalt addition on TiC combustion synthesis.–Yoon Choi and Shi-Woo Rhee; **8** (12), 3202–3209.

Ricci, M.–Relationship between the structural organization and the physical properties of PECVD nitrogenated carbons.–M. Ricci, M. Trinquecoste, F. Auguste, R. Canet, P. Delhaes, C. Guimon, G. Pfister-Guillouzo, B. Nysten, and J. P. Issi; **8** (3), 480–488.

Richter, H.–Transport-reaction controlled chemical vapor deposition of epitaxial $Si_{(1-x)}Ge_x$ thin films and thermodynamic equilibrium composition.–H. Kühne and H. Richter; **8** (1), 131–137.

–Cu precipitation in oxidized wafers with and without a Ge_xSi_{1-x} heteroepitaxial layer.–G. Kissinger, G. Morgenstern, and H. Richter; **8** (8), 1900–1907.

Rillo, C.–Solution-based synthesis routes to $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_{10+\delta}$.–M. T. Ruiz, G. F. de la Fuente, A. Badía, J. Blasco, M. Castro, A. Sotelo, A. Larrea, F. Lera, C. Rillo, and R. Navarro; **8** (6), 1268–1276.

Rimai, D. S.–Determination of the dependence of the surface force induced contact radius on particle radius: Cross-linked polystyrene spheres on SiO_2/silicon.–D. S. Rimai, R. S. Moore, R. C. Bowen, V. K. Smith, and P. E. Woodgate; **8** (3), 662–667.

Rimini, E.–Role of grain boundaries in the epitaxial realignment of undoped and As-doped polycrystalline silicon films.–C. Spinella, F. Benyaïch, A. Cacciato, E. Rimini, G. Fallico, and P. Ward; **8** (10), 2608–2612.

Ring, Terry A.–Indium-tin oxide thin films by metal-organic decomposition.–Dennis Gallagher, Francis Scanlan, Raymond Houriet, Hans Jörg Mathieu, and Terry A. Ring; **8** (12), 3135–3144.

Risbud, Subhash H.–Low-temperature chemical routes to formation and IR properties of lanthanum sesquisulfide (La_2S_3) ceramics.–Prashant N. Kumta and Subhash H. Risbud; **8** (6), 1394–1410.

Ritchey, William M.–Void distribution and susceptibility differences in ceramic materials using MRI.–Anton S. Wallner and William M. Ritchey; **8** (3), 655–661.

Ritter, Ann M.–Structure and behavior of metal/ceramic interfaces in Ti alloy/SiC metal matrix composites.–Ernest L. Hall and Ann M. Ritter; **8** (5), 1158–1168.

Rivas, P. C.–On the occurrence of a metastable tetragonal t'-phase in a ZrO_2–13.6 mole % MgO ceramic and its microscopic thermal evolution.–M. C. Caracoche, P. C. Rivas, A. F. Pasquevich, A. R. López García, E. Aglietti, and A. Scian; **8** (3), 605–610.

Robbins, M.–Deposition of silicon carbide using the chemical vapor composites process: Process characterization and comparison with RASSPVDN model predictions.–M. D. Allendorf, R. H. Hurt, N. Yang, P. Reagan, and M. Robbins; **8** (7), 1651–1665.

Robert, J. L.–Study of wave attenuation in concrete.–J-M. Berthelot, M. Ben Souda, and J. L. Robert; **8** (9), 2344–2353.

Robertson, I. M.–Hydride precipitation in vapor deposited Ti thin films.–S. R. Peddada, I. M. Robertson, and H. K. Birnbaum; **8** (2), 291–296.

Robertson, J. D.–Photoassisted oxygen doping of C_{60} films.–A. M. Rao, K-A. Wang, J. M. Holden, Y. Wang, P. Zhou, P. C. Eklund, C. C. Eloi, and J. D. Robertson; **8** (9), 2277–2281.

Robertson, J. David–An investigation of photoassisted diffusion of oxygen in solid C_{60} films using resonant alpha-scattering.–Corinne C. Eloi, J. David Robertson, A. M. Rao, Ping Zhou, K-A. Wang, and Peter C. Eklund; **8** (12), 3085–3089.

Robins, L. H.–Growth defects in diamond films.–D. Shechtman, J. L. Hutchison, L. H. Robins, E. N. Farabaugh, and A. Feldman; **8** (3), 473–479.

Rodriguez, Mark A.–The $Y_1Ba_4Cu_2CO_3O_{5.5\pm\delta}$ oxycarbonate—An interesting nonsuperconductor.–Mark A. Rodriguez, J. J. Simmins, and R. L. Snyder; **8** (3), 415–420.

Rodriguez, N. M.–Fundamental studies of the influence of boron on the graphite-oxygen reaction using *in situ* electron microscopy techniques.–N. M. Rodriguez and R. T. K. Baker; **8** (8), 1886–1894.

–*In situ* electron microscopy studies of the inhibition of graphite oxidation by phosphorus.–S. G. Oh and N. M. Rodriguez; **8** (11), 2879–2888.

–A review of catalytically grown carbon nanofibers.–N. M. Rodriguez; **8** (12), 3233–3250.

Rodriguez-Clemente, R.–Crystal growth and morphology of hydrothermally grown lithium borates.–K. Byrappa, K. V. K. Shekar, and R. Rodriguez-Clemente; **8** (9), 2319–2326.

Rokosz, M. J.–Correlation between microstructure and mechanical properties in silicon carbide with alumina addition.–S. S. Shinozaki, J. Hangas, K. R. Carduner, M. J. Rokosz, K. Suzuki, and N. Shinohara; **8** (7), 1635–1643.

Rollins, Roger W.–Chaotic dynamics in a model of metal passivation.–J. Kevin McCoy, Punit Parmananda, Roger W. Rollins, and Alan J. Markworth; **8** (8), 1858–1865.

Román, J.–Texture evolution of SnO_2 synthesized by pyrolysis of an aerosol.–M. Vallet-Regí, V. Ragel, J. Román, J. L. Martínez, M. Labeau, and J. M. González-Calbet; **8** (1), 138–144.

Roos, A.–Structural and optical properties of laser-synthesized copper oxide films.–M. Wautelet, A. Roos, R. Lazzaroni, F. Hanus, and G. Lambin; **8** (2), 327–333.

Rosato, Vittorio–Experimental and theoretical investigation of the order-disorder transformation in Ni_3Al.–Francesco Cardellini, Fabrizio Cleri, Giorgio Mazzone, Amelia Montone, and Vittorio Rosato; **8** (10), 2504–2509.

Ross, Jennifer–Single crystal wurtzite GaN on (111) GaAs with AlN buffer layers grown by reactive magnetron sputter deposition.–Jennifer Ross, Mike Rubin, and T. K. Gustafson; **8** (10), 2613–2616.

Rothman, S. J.–Diffusion of Sr in $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$.–Nan Chen, S. J. Rothman, and J. L. Routbort; **8** (10), 2465–2470.

Routbort, J. L.–Diffusion of Sr in $Bi_2Sr_2Ca_{n-1}Cu_nO_{2n+4}$.–Nan Chen, S. J. Rothman, and J. L. Routbort; **8** (10), 2465–2470.

Rowland, L. B.–Solid solutions of AlN and SiC grown by plasma-assisted, gas-source molecular beam epitaxy.–R. S. Kern, L. B. Rowland, S. Tanaka, and R. F. Davis; **8** (7), 1477–1480(L).

–Epitaxial growth of AlN by plasma-assisted, gas-source molecular beam epitaxy.–L. B. Rowland, R. S. Kern, S. Tanaka, and Robert F. Davis; **8** (9), 2310–2314.

–Gas-source molecular beam epitaxy of monocrystalline β–SiC on vicinal α–(6H)–SiC.–L. B. Rowland, R. S. Kern, S. Tanaka, and Robert F. Davis; **8** (11), 2753–2756(L).

Roy, B.–High dielectric permittivity in glass-ceramic metal nanocomposites.–B. Roy and D. Chakravorty; **8** (6), 1206–1208(L).

Roy, Rustum–Nanocomposite aerogels: The SiO_2–Al_2O_3 system.–Sridhar Komarneni, Rustum Roy, Ulagaraj Selvaraj, Prakash B. Malla, and Else Breval; **8** (12), 3163–3167.

–Microwave-hydrothermal processing for synthesis of electroceramic powders.–Sridhar Komarneni, Q. Li, Karin M. Stefansson, and Rustum Roy; **8** (12), 3176–3183.

Roy, S.–Glass-metal nanocomposites in bulk form by sol-gel route followed by hot pressing.–S. Roy, A. Chatterjee, and D. Chakravorty; **8** (4), 689–692(L).

Roy, S. N.–Synthesis of $YBa_2Cu_3O_{7-x}$ powder by autoignition of citrate-nitrate gel.–Sukumar Roy, A. Das Sharma, S. N. Roy, and H. S. Maiti; **8** (11), 2761–2766.

Roy, Sukumar–Synthesis of $YBa_2Cu_3O_{7-x}$ powder by autoignition of citrate-nitrate gel.–Sukumar Roy, A. Das Sharma, S. N. Roy, and H. S. Maiti; **8** (11), 2761–2766.

Ruan, Juai–Nanoindentation studies of sublimed fullerene films using atomic force microscopy.–Juai Ruan and Bharat Bhushan; **8** (12), 3019–3022(L).

Rubin, Mike–Single crystal wurtzite GaN on (111) GaAs with AlN buffer layers grown by reactive magnetron sputter deposition.–Jennifer Ross, Mike Rubin, and T. K. Gustafson; **8** (10), 2613–2616.

Rudder, R. A.–Etch-delineation of defects in diamond by exposure to an oxidizing flame.–D. P. Malta, J. B. Posthill, R. A. Rudder, G. C. Hudson, and R. J. Markunas; **8** (6), 1217–1219(L).

Rudnev, A.–High purity isotopically enriched ^{70}Ge and ^{74}Ge single crystals: Isotope separation, growth, and properties.–Kohei Itoh, W. L. Hansen, E. E. Haller, J. W. Farmer, V. I. Ozhogin, A. Rudnev, and A. Tikhomirov; **8** (6), 1341–1347.

Ruiz, M. T.–Solution-based synthesis routes to $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_{10+\delta}$.–M. T. Ruiz, G. F. de la Fuente, A. Badía, J. Blasco, M. Castro, A. Sotelo, A. Larrea, F. Lera, C. Rillo, and R. Navarro; **8** (6), 1268–1276.

Rupich, M. W.–Synthesis of superconductors from soluble metal oxo alkoxide precursors.–M. W. Rupich, Y. P. Liu, J. Ibechem, and J. P. Hachey; **8** (7), 1487–1496.

Rupp, B.–A time-resolved diffraction study of the Ta–C solid combustion system.–E. M. Larson, Joe Wong, J. B. Holt, P. A. Waide, G. Nutt, B. Rupp, and L. J. Terminello; **8** (7), 1533–1541.

Russell, R.–Microstructural characterization, mechanical properties, and corrosion resistance of the CaO–TiO_2 system.–P. S. Maiya, R. Russell, D. S. Poa, A. S. Wagh, and R. B. Poeppel; **8** (6), 1387–1393.

Russo, R. E.–$Ca_{(1-x)}Ni_xO$ catalytic thin films prepared by pulsed laser deposition.–X. L. Mao, D. L. Perry, and R. E. Russo; **8** (9), 2400–2403.

Ruud, J. A.–A new method for tensile testing of thin films.–J. A. Ruud, D. Josell, F. Spaepen, and A. L. Greer; **8** (1), 112–117.

Ryan, D. H.–Amorphous and nanocrystalline Fe–Ti prepared by ball milling.–L. Zaluski, P. Tessier, D. H. Ryan, C. B. Doner, A. Zaluska, J. O. Ström-Olsen, M. L. Trudeau, and R. Schulz; **8** (12), 3059–3068.

S

Sachdev, A.–Embedded atom calculations of the equilibrium shapes of 5–60 atom palladium nanocrystals.–A. Sachdev and R. I. Masel; **8** (3), 455–461.

Saha, S. K.–Conductivity relaxation studies on sol-gel-derived Li_2O–SiO_2 glasses by a heterogeneous conductor model.–S. K. Saha and D. Chakravorty; **8** (6), 1442–1449.

Sahaida, S. R.–Highly oriented, textured diamond films on silicon via bias-enhanced nucleation and textured growth.–B. R. Stoner, S. R. Sahaida, J. P. Bade, P. Southworth, and P. J. Ellis; **8** (6), 1334–1340.

Saitoh, Hidetoshi–Crystal structure of new composition boron-rich boron nitride using Raman spectroscopy.–Hidetoshi Saitoh, Katsuhito Yoshida, and Walter A. Yarbrough; **8** (1), 8–11(L).

Sakai, H.–Preparation and comparison of $YBa_2Cu_4O_8$ films on MgO(100) and $SrTiO_3$(100) by MOCVD.–H. Sakai, Y. Shiohara, and S. Tanaka; **8** (9), 2143–2148.

Sakai, M.–Atomistic considerations on the fracture toughness of brittle materials.–M. Sakai; **8** (3), 668–674.

Sakai, Mototsugu–Energy principle of indentation contact: The application to sapphire.–Roman Nowak and Mototsugu Sakai; **8** (5), 1068–1078.

Sakka, Sumio–The effect of residual carbon on the superconducting properties of $YBa_2Cu_3O_{7-x}$ powders.–Yoshio Masuda, Rikuro Ogawa, Yoshio Kawate, Kazuo Matsubara, Tsuyoshi Tateishi, and Sumio Sakka; **8** (4), 693–698.

Salama, K.–Enhancement of critical current density in $YBa_2Cu_3O_x$ superconductor by mechanical deformation.–V. Selvamanickam, M. Mironova, and K. Salama; **8** (2), 249–254.

–TEM studies of dislocations in deformed melt-textured $YBa_2Cu_3O_x$ superconductors.–M. Mironova, V. Selvamanickam, D. F. Lee, and K. Salama; **8** (11), 2767–2773.

Salamanca-Riba, L.–Transmission electron microscopy of $GeSe_{2+\delta}$ thin films.–H. Maghsoudlou, L. Salamanca-Riba, and E. Haro-Poniatowski; **8** (7), 1728–1735.

Salazar, K. V.–The effect of post-annealing on laser-deposited superconducting Bi–Sr–Ca–Cu–O thin films.–P. J. Kung, X. D. Wu, R. E. Muenchausen, K. V. Salazar, S. R. Foltyn, D. E. Peterson, and A. R. Garcia; **8** (9), 2162–2169.

Salem, J. A.–Fracture toughness of PMMA as measured with indentation cracks.–S. R. Choi and J. A. Salem; **8** (12), 3210–3217.

Sampath, S.–A structural investigation of a plasma sprayed Ni–Cr based alloy coating.–S. Sampath, R. A. Neiser, H. Herman, J. P. Kirkland, and W. T. Elam; **8** (1), 78–86.

Sandhage, K. H.–Barium titanate/noble metal laminates prepared by the oxidation of solid metallic precursors.–M. M. Antony and K. H. Sandhage; **8** (11), 2968–2977.

Sarkar, Asok K.–Annealing of pressure-induced structural damage in superconducting Bi–Pb–Sr–Ca–Cu–O ceramic.–I. Maartense and Asok K. Sarkar; **8** (9), 2177–2186.

Sasaki, Minoru–^{27}Al MAS-NMR spectra of alumina aerogels.–Yasuyuki Mizushima, Makoto Hori, and Minoru Sasaki; **8** (9), 2109–2111(L).

Satyanarayana Murthy, K.–X-ray diffraction study of the effect of boron on lattice properties of $Ni_{76}Al_{24}$.–P. V. Mohan Rao, K. Satyanarayana Murthy, S. V. Suryanarayana, and S. V. Nagender Naidu; **8** (4), 741–744.

Sbrockey, N. M.–Quantitative nucleation and growth studies of PACVD diamond film formation on (100) silicon.–R. A. Bauer, N. M. Sbrockey, and W. E. Brower, Jr.; **8** (11), 2858–2869.

Scanlan, Francis–Indium-tin oxide thin films by metal-organic decomposition.–Dennis Gallagher, Francis Scanlan, Raymond Houriet, Hans Jörg Mathieu, and Terry A. Ring; **8** (12), 3135–3144.

Scardi, P.–Characterization of epitaxial $SrTiO_3/YBa_2Cu_3O_7$ layers deposited on (001) MgO by laser ablation.–P. Scardi, L. Lutterotti, L. Correra, and S. Nicoletti; **8** (11), 2780–2784.

Scardi, Paolo–XRD characterization of highly dispersed metal catalysts on carbon support.–Paolo Scardi and Pier Luigi Antonucci; **8** (8), 1829–1835.

Schmitz, G. J.–Containerless solidification of $YBa_2Cu_3O_{7-x}$ in a drop tube.–V. R. Todt and G. J. Schmitz; **8** (3), 411–414.

–Influence of Y_2BaCuO_5 particles on the growth morphology of peritectically solidified $YBa_2Cu_3O_{7-x}$.–G. J. Schmitz, J. Laakmann, Ch. Wolters, S. Rex, W. Gawalek, T. Habisreuther, G. Bruchlos, and P. Görnert; **8** (11), 2774–2779.

Schreutelkamp, R. J.–Formation of ultrathin $CoSi_2$ films using a two-step limited reaction process.–R. J. Schreutelkamp, W. Coppye, W. De Bosscher, R. van Meirhaeghe, L. van Meirhaeghe, J. Vanhellemont, B. Deweerdt, A. Lauwers, and K. Maex; **8** (12), 3111–3121.

Schulz, R.–Structural transformations and metastable phases produced by mechanical deformations in the Bi–Sr–Ca–Cu–O superconducting system.–P. Tessier, M. L. Trudeau, J. O. Ström-Olsen, and R. Schulz; **8** (6), 1258–1267.

–Structural transformations of alumina by high energy ball milling.–P. A. Zieliński, R. Schulz, S. Kaliaguine, and A. Van Neste; **8** (11), 2985–2992.

–Amorphous and nanocrystalline Fe–Ti prepared by ball milling.–L. Zaluski, P. Tessier, D. H. Ryan, C. B. Doner, A. Zaluska, J. O. Ström-Olsen, M. L. Trudeau, and R. Schulz; **8** (12), 3059–3068.

Schwarz, R. B.–Effects of iron impurities in mechanical alloying using steel media.–P. J. Yvon and R. B. Schwarz; **8** (2), 239–241(L).

Scian, A.–On the occurrence of a metastable tetragonal t'-phase in a ZrO_2–13.6 mole % MgO ceramic and its microscopic thermal evolution.–M. C. Caracoche, P. C. Rivas, A. F. Pasquevich, A. R. López García, E. Aglietti, and A. Scian; **8** (3), 605–610.

Seehra, Mohindar S.–Site selectivities and magnetic moments of V, Cr, and Mn doped in γ–TiAl alloys.–V. Suresh Babu, Arthur S. Pavlovic, and Mohindar S. Seehra; **8** (5), 989–994.

Seel, Max–Electronic structure of high pressure phase of AlN.–Ravindra Pandey, Amin Sutjianto, Max Seel, and John E. Jaffe; **8** (8), 1922–1927.

Seinfeld, John H.–Reply to Comment of V. A. Shneidman.–Frank G. Shi and John H. Seinfeld; **8** (5), 1191–1193.

Sekhar, J. A.–Rapid solidification by unstable combustion synthesis.–H. P. Li and J. A. Sekhar; **8** (10), 2515–2523.

Selvamanickam, V.–Enhancement of critical current density in $YBa_2Cu_3O_x$ superconductor by mechanical deformation.–V. Selvamanickam, M. Mironova, and K. Salama; **8** (2), 249–254.

–TEM studies of dislocations in deformed melt-textured $YBa_2Cu_3O_x$ superconductors.–M. Mironova, V. Selvamanickam, D. F. Lee, and K. Salama; **8** (11), 2767–2773.

Selvaraj, Ulagaraj–Nanocomposite aerogels: The SiO_2–Al_2O_3 system.–Sridhar Komarneni, Rustum Roy, Ulagaraj Selvaraj, Prakash B. Malla, and Else Breval; **8** (12), 3163–3167.

Sembira, A. N.–Processing characteristics and properties of BiSrCaCuO superconducting glass ceramics prepared by melt-quenching.–Y. Massalker, A. N. Sembira, and J. Baram; **8** (10), 2445–2457.

Seo, Won-Seon–Kinetics and mechanism of stacking fault annihilation and grain growth in porous ceramics of β–SiC.–Won-Seon Seo and Kunihito Koumoto; **8** (7), 1644–1650.

Seraphin, Supapan–Electron-beam-induced structural changes in crystalline C_{60} and C_{70}.–Supapan Seraphin, Dan Zhou, and Jun Jiao; **8** (8), 1895–1899.

Sessa, V.–Diamond nucleation from the gas phase: A kinetic approach.–E. Molinari, R. Polini, V. Sessa, M. L. Terranova, and M. Tomellini; **8** (4), 785–797.

Setton, R.–Effect of $FeCl_4^-$ intercalation on the transport properties of a graphitized polyimide film.–B. Nysten, J-P. Issi, H. Shioyama, M. Crespin, R. Setton, F. Béguin, and M. Inagaki; **8** (9), 2299–2304.

Sharma, S. K.–Raman study of fresnoite-type materials: Polarized single crystal, crystalline powders, and glasses.–S. A. Markgraf, S. K. Sharma, and A. S. Bhalla; **8** (3), 635–648.

Shchukin, E. D.–Electro-chemo-mechanical treatment: Facilitating steel grinding under electrochemical reduction of active cations.–I. V. Vidensky, I. V. Petrova, and E. D. Shchukin; **8** (9), 2224–2227.

Shechtman, D.–Growth defects in diamond films.–D. Shechtman, J. L. Hutchison, L. H. Robins, E. N. Farabaugh, and A. Feldman; **8** (3), 473–479.

Sheikh, G.–X-ray tensile testing of thin films.–I. C. Noyan and G. Sheikh; **8** (4), 764–770.

Shekar, K. V. K.–Phases and crystallization in the system Li_2O–B_2O_3–H_2O under hydrothermal conditions.–K. Byrappa and K. V. K. Shekar; **8** (4), 864–870.

–Crystal growth and morphology of hydrothermally grown lithium borates.–K. Byrappa, K. V. K. Shekar, and R. Rodriguez-Clemente; **8** (9), 2319–2326.

Sheldon, Brian W.–Epitaxial nucleation of polycrystalline silicon carbide during chemical vapor deposition.–Brian W. Sheldon,

Theodore M. Besmann, Karren L. More, and Thomas S. Moss; **8** (5), 1086–1092.

–Erratum: "Epitaxical nucleation of polycrystalline silicon carbide during chemical vapor deposition" [J. Mater. Res. **8**, 1086 (1993)].–Brian W. Sheldon, Theodore M. Besmann, Karren L. More, and Thomas S. Moss; **8** (9), 2416–2418(E).

Shen, J. N.–Effects of Cr^+ ion implantation on the oxidation of Ni_3Al.–M. Chen, S. Patu, J. N. Shen, and C. X. Shi; **8** (4), 734–740.

Shen, Z.–Microstructure of $PbTiO_3$ thin films deposited on (001) MgO by MOCVD.–Y. Gao, G. Bai, K. L. Merkle, Y. Shi, H. L. M. Chang, Z. Shen, and D. J. Lam; **8** (1), 145–153.

Shi, C. X.–Effects of Cr^+ ion implantation on the oxidation of Ni_3Al.–M. Chen, S. Patu, J. N. Shen, and C. X. Shi; **8** (4), 734–740.

Shi, Frank G.–Reply to Comment of V. A. Shneidman.–Frank G. Shi and John H. Seinfeld; **8** (5), 1191–1193.

Shi, L.–Composition and crystal structure parameters of single crystals $(Bi,Pb)_2Sr_2(Ca_{1-x}R_x)Cu_2O_{8+\delta}$ (R = Y, Er, Ho, Tm, and Yb).–A. S. Ilyushin, L. Shi, L. I. Leonyuk, B. M. Mustafa, I. A. Nikanorova, S. V. Red'ko, Y. Jia, A. G. Vetkin, G. Zhou, and I. V. Zubov; **8** (8), 1791–1797.

Shi, Y.–Microstructure of $PbTiO_3$ thin films deposited on (001) MgO by MOCVD.–Y. Gao, G. Bai, K. L. Merkle, Y. Shi, H. L. M. Chang, Z. Shen, and D. J. Lam; **8** (1), 145–153.

Shield, J. E.–An approximant to the Al–Cu–Ru icosahedral phase.–J. E. Shield, L. S. Chumbley, R. W. McCallum, and A. I. Goldman; **8** (1), 44–48.

–Plastic deformation in an Al–Cu–Fe icosahedral alloy.–J. E. Shield, M. J. Kramer, and R. W. McCallum; **8** (6), 1199–1202(L).

Shindo, N.–Raman scattering and electrical conductivity in highly disordered activated carbon fibers.–A. W. P. Fung, A. M. Rao, K. Kuriyama, M. S. Dresselhaus, G. Dresselhaus, M. Endo, and N. Shindo; **8** (3), 489–500.

–ESR study of activated carbon fibers: preliminary results.–S. L. di Vittorio, A. Nakayama, T. Enoki, M. S. Dresselhaus, M. Endo, and N. Shindo; **8** (9), 2282–2287.

Shinohara, N.–Correlation between microstructure and mechanical properties in silicon carbide with alumina addition.–S. S. Shinozaki, J. Hangas, K. R. Carduner, M. J. Rokosz, K. Suzuki, and N. Shinohara; **8** (7), 1635–1643.

Shinohara, T.–NMR study of Ni_3Al with B and C additions.–T. Shinohara and T. Takasugi; **8** (6), 1285–1290.

Shinozaki, S. S.–Correlation between microstructure and mechanical properties in silicon carbide with alumina addition.–S. S. Shinozaki, J. Hangas, K. R. Carduner, M. J. Rokosz, K. Suzuki, and N. Shinohara; **8** (7), 1635–1643.

Shiohara, Y.–Preparation and comparison of $YBa_2Cu_4O_8$ films on MgO(100) and $SrTiO_3$(100) by MOCVD.–H. Sakai, Y. Shiohara, and S. Tanaka; **8** (9), 2143–2148.

Shiohara, Yuh–Optical spectroscopic study of the radio frequency oxygen thermal plasma evaporated $YBa_2Cu_3O_{7-x}$.–Shigenori Yuhya, Jiro Tsujino, Noriyuki Tatsumi, and Yuh Shiohara; **8** (4), 709–712.

–(110)-oriented Bi–Sr–Ca–Cu–O superconducting thin films prepared by metalorganic chemical vapor deposition.–Nobuhiko Kubota, Tsunemi Sugimoto, Yuh Shiohara, and Shoji Tanaka; **8** (5), 978–984.

–Doping effects on coarsening of Y_2BaCuO_5 phase in liquid.–Teruo Izumi, Yuichi Nakamura, and Yuh Shiohara; **8** (6), 1240–1246.

–Erratum: "(110)-oriented Bi–Sr–Ca–Cu–O superconducting thin films prepared by metalorganic chemical vapor deposition" [J. Mater. Res. **8**, 978 (1993)].–Nobuhiko Kubota, Tsunemi Sugimoto, Yuh Shiohara, and Shoji Tanaka; **8** (9), 2414–2415(E).

Shioyama, H.–Effect of $FeCl_4^-$ intercalation on the transport properties of a graphitized polyimide film.–B. Nysten, J-P. Issi, H. Shioyama, M. Crespin, R. Setton, F. Béguin, and M. Inagaki; **8** (9), 2299–2304.

Shiue, Sham-Tsong–Dislocation emission criterion: Grain boundary effect.–Sham-Tsong Shiue, Tong-Yi Zhang, and Sanboh Lee; **8** (8), 1853–1857.

Shneidman, Vitaly A.–Comment on "Transient kinetics of nucleation and crystallization: Part I. Nucleation" [J. Mater. Res. **6**, 2091 (1991)].–Vitaly A. Shneidman; **8** (5), 1190–1191.

Shrout, T. R.–Extrinsic contributions to the grain size dependence of relaxor ferroelectric $Pb(Mg_{1/3}Nb_{2/3}):PbTiO_3$ ceramics.–C. A. Randall, A. D. Hilton, D. J. Barber, and T. R. Shrout; **8** (4), 880–884.

Si, Jie–RuO_2 films by metal-organic chemical vapor deposition.–Jie Si and Seshu B. Desu; **8** (10), 2644–2648.

Sickafus, Kurt E.–Synthesis of ceramic oxide powders in a microwave plasma device.–Dieter Vollath and Kurt E. Sickafus; **8** (11), 2978–2984.

Sievers, Albert J.–Ferroelectric behavior of pulsed laser deposited $Ba_xSr_{1-x}TiO_3$ thin films.–Vivek Mehrotra, Simon Kaplan, Albert J. Sievers, and Emmanuel P. Giannelis; **8** (6), 1209–1212(L).

Simkovich, G.–The effect of Li-salt additions on the densification of tin oxide.–D. W. Yuan, S. F. Wang, W. Huebner, and G. Simkovich; **8** (7), 1675–1679.

Simmins, J. J.–The $Y_1Ba_4Cu_2CO_3O_{5.5\pm\delta}$ oxycarbonate—An interesting nonsuperconductor.–Mark A. Rodriguez, J. J. Simmins, and R. L. Snyder; **8** (3), 415–420.

Sinclair, R.–TEM analysis of Co–Gd and Cr–Gd multilayer structures.–G. A. Bertero, T. C. Hufnagel, B. M. Clemens, and R. Sinclair; **8** (4), 771–774.

Singh, D.–Effects of silver additions on resistance to thermal shock and delayed failure of $YBa_2Cu_3O_{7-\delta}$ superconductors.–J. P. Singh, J. Joo, D. Singh, T. Warzynski, and R. B. Poeppel; **8** (6), 1226–1231.

Singh, J. P.–Effects of silver additions on resistance to thermal shock and delayed failure of $YBa_2Cu_3O_{7-\delta}$ superconductors.–J. P. Singh, J. Joo, D. Singh, T. Warzynski, and R. B. Poeppel; **8** (6), 1226–1231.

–Role of Ag additions in the microstructural development, strain tolerance, and critical current density of Ag-sheathed BSCCO superconducting tapes.–J. P. Singh, J. Joo, N. Vasanthamohan, and R. B. Poeppel; **8** (10), 2458–2464.

Singh, K. K.–A novel stable solid formed by C_{60} + oxygen at high $P(O_2)$.–D. E. Morris, K. K. Singh, and A. P. B. Sinha; **8** (9), 2273–2276.

Sinha, A. P. B.–A novel stable solid formed by C_{60} + oxygen at high $P(O_2)$.–D. E. Morris, K. K. Singh, and A. P. B. Sinha; **8** (9), 2273–2276.

Sinke, W. C.–Formation of buried Sb dopant profiles in silicon by pulsed laser epitaxy.–R. J. Carolissen, D. K. Knoesen, W. C. Sinke, and R. Pretorius; **8** (4), 841–846.

Skofronick, G. L.–Interfacial reaction products and film orientation in $YBa_2Cu_3O_{7-x}$ on zirconia substrates with and without CeO_2 buffer layers.–G. L. Skofronick, A. H. Carim, S. R. Foltyn, and R. E. Muenchausen; **8** (11), 2785–2798.

Slavik, D. C.–Determining fracture facet crystallography using electron backscatter patterns and quantitative tilt fractography.–D. C. Slavik, J. A. Wert, and R. P. Gangloff; **8** (10), 2482–2491.

Smith, D. K.–Space groups of the diamond polytypes.–A. W. Phelps, W. Howard, and D. K. Smith; **8** (11), 2835–2839.

Smith, D. M.–Closed porosity aluminosilicate for electronic packaging applications.–S. L. Hietala, D. M. Smith, V. M. Hietala, and C. J. Brinker; **8** (5), 1122–1127.

Smith, V. K.–Determination of the dependence of the surface force induced contact radius on particle radius: Cross-linked polystyrene spheres on SiO_2/silicon.–D. S. Rimai, R. S. Moore, R. C. Bowen, V. K. Smith, and P. E. Woodgate; **8** (3), 662–667.

Snyder, R. L.–The $Y_1Ba_4Cu_2CO_3O_{5.5\pm\delta}$ oxycarbonate—An interesting nonsuperconductor.–Mark A. Rodriguez, J. J. Simmins, and R. L. Snyder; **8** (3), 415–420.

Sodonis, A.–Microstructure and properties of Cu-rich 123: Part II. Homogeneous copper and high magnetic J_c.–J. P. Zhang, D. J. Li, C. Boldt, R. Plass, V. Dravid, L. D. Marks, C. H. Lin, J. A. Eades, A. Sodonis, W. Wolbach, J. M. Chabala, and R. Levi-Setti; **8** (6), 1232–1239.

Sofield, C. J.–Modification of high temperature and high performance polymers by ion implantation.–Yongqiang Wang, S. S. Mohite, L. B. Bridwell, R. E. Giedd, and C. J. Sofield; **8** (2), 388–402.

Sohn, H. Y.–Preparation of ultrafine tungsten carbide powder by CVD method from WCl_6–C_2H_2–H_2 mixtures.–Chang-Whan Won, Byong-Sun Chun, and H. Y. Sohn; **8** (10), 2702–2708.

–Dip coating of alumina films by the sol-gel method.–Jung-Won Lee, Chang-Whan Won, Byong-Sun Chun, and H. Y. Sohn; **8** (12), 3151–3157.

Somorjai, Gabor A.–Combined surface characterization and tribological (friction and wear) studies of CVD diamond films.–Scott S. Perry, Joel W. Ager, III, and Gabor A. Somorjai; **8** (10), 2577–2586.

Song, Kug Hyun–Isothermal capacitance transient spectroscopy study on trap levels in polycrystalline SnO_2 ceramics.–Myung Chul Kim, Kug Hyun Song, and Soon Ja Park; **8** (6), 1368–1372.

Sonuparlak, B.–Diamond/Al metal matrix composites formed by the pressureless metal infiltration process.–William B. Johnson and B. Sonuparlak; **8** (5), 1169–1173.

Sorescu, M.–Effect of pulsed excimer laser irradiation on the magnetic anisotropy of iron-base and nickel-iron-base metallic glasses.–M. Sorescu and E. T. Knobbe; **8** (12), 3078–3084.

Sotelo, A.–Solution-based synthesis routes to $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_{10+\delta}$.–M. T. Ruiz, G. F. de la Fuente, A. Badía, J. Blasco, M. Castro, A. Sotelo, A. Larrea, F. Lera, C. Rillo, and R. Navarro; **8** (6), 1268–1276.

Souda, M. Ben–Study of wave attenuation in concrete.–J-M. Berthelot, M. Ben Souda, and J. L. Robert; **8** (9), 2344–2353.

Soufiane, A.–New fluoroindate glass compositions.–Y. Messaddeq, A. Delben, M. A. Aegerter, A. Soufiane, and M. Poulain; **8** (4), 885–889.

Southworth, P.–Highly oriented, textured diamond films on silicon via bias-enhanced nucleation and textured growth.–B. R. Stoner, S. R. Sahaida, J. P. Bade, P. Southworth, and P. J. Ellis; **8** (6), 1334–1340.

Spaepen, F.–A new method for tensile testing of thin films.–J. A. Ruud, D. Josell, F. Spaepen, and A. L. Greer; **8** (1), 112–117.

Speyer, Robert F.–Deconvolution of superimposed DTA/DSC peaks using the simplex algorithm.–Robert F. Speyer; **8** (3), 675–679.

Spinella, C.–Role of grain boundaries in the epitaxial realignment of undoped and As-doped polycrystalline silicon films.–C. Spinella, F. Benyaïch, A. Cacciato, E. Rimini, G. Fallico, and P. Ward; **8** (10), 2608–2612.

Spjut, R. Erik–Measurement of the work function of $Y_1Ba_2Cu_3O_{7-\delta}$ under ambient conditions.–Jon DeVries, Steve S. Wakisaka, and R. Erik Spjut; **8** (7), 1497–1500.

Stangle, Gregory C.–Ignition criteria for self-propagating combustion synthesis.–Yangsheng Zhang and Gregory C. Stangle; **8** (7), 1703–1711.

–Combustion-synthesized functionally gradient refractory materials.–Scott E. Niedzialek, Gregory C. Stangle, and Yoshinari Kaieda; **8** (8), 2026–2034.

Stefansson, Karin M.–Microwave-hydrothermal processing for synthesis of electroceramic powders.–Sridhar Komarneni, Q. Li, Karin M. Stefansson, and Rustum Roy; **8** (12), 3176–3183.

Steinfink, H.–Superconducting $Ba_{0.6}K_{0.4}BiO_3$: Thin film preparation by RF magnetron sputtering.–C. J. Hou, H. Steinfink, L. Rabenberg, Claude Hilbert, and Harry Kroger; **8** (8), 1798–1804.

Stoemenos, J.–Generation and annihilation of antiphase domain boundaries in GaAs on Si grown by molecular beam epitaxy.–A. Georgakilas, J. Stoemenos, K. Tsagaraki, Ph. Komninou, N. Flevaris, P. Panayotatos, and A. Christou; **8** (8), 1908–1921.

Stoffer, James O.–Model for the temperature dependent transmission of optically transparent poly(methyl methacrylate) composites.–Hongy Lin, Delbert E. Day, and James O. Stoffer; **8** (2), 364–370.

Stoloff, N. S.–Influence of long-range order on tensile properties of Ni_3Fe and Ni_3Fe–Y_2O_3 composites.–A. Bose, G. Camus, R. M. German, D. J. Duquette, and N. S. Stoloff; **8** (3), 430–437.

Stoner, B. R.–Highly oriented, textured diamond films on silicon via bias-enhanced nucleation and textured growth.–B. R. Stoner, S. R. Sahaida, J. P. Bade, P. Southworth, and P. J. Ellis; **8** (6), 1334–1340.

Ström-Olsen, J. O.–Structural transformations and metastable phases produced by mechanical deformations in the Bi–Sr–Ca–Cu–O superconducting system.–P. Tessier, M. L. Trudeau, J. O. Ström-Olsen, and R. Schulz; **8** (6), 1258–1267.

–Amorphous and nanocrystalline Fe–Ti prepared by ball milling.–L. Zaluski, P. Tessier, D. H. Ryan, C. B. Doner, A. Zaluska, J. O. Ström-Olsen, M. L. Trudeau, and R. Schulz; **8** (12), 3059–3068.

Suenaga, Seiichi–Solid-state reactions of the Ag–Cu–Ti thin film–Al_2O_3 substrate system.–Seiichi Suenaga, Miho Koyama, Shinji Arai, and Masako Nakahashi; **8** (8), 1805–1811.

Suganuma, Katsuaki–Properties and microstructure of continuous oxynitride glass fiber and its application to aluminum matrix composite.–Katsuaki Suganuma, Hiroyoshi Minakuchi, Katsuhiko Kada, Tetsushi Kitamura, Haruo Osafune, and Hiroyuki Fujii; **8** (1), 178–186.

–Interfaces in β–SiC whiskers/6061 aluminum composites.–Katsuaki Suganuma; **8** (10), 2569–2576.

Sugimoto, T.–Substrate dependence of the crystallinity and mosaic texture of $YBa_2Cu_3O_{7-\delta}$ ultrathin films deposited by laser ablation.–C. C. Chin, H. Takahashi, T. Morishita, and T. Sugimoto; **8** (5), 951–956.

Sugimoto, Tsunemi–(110)-oriented Bi–Sr–Ca–Cu–O superconducting thin films prepared by metalorganic chemical vapor deposition.–Nobuhiko Kubota, Tsunemi Sugimoto, Yuh Shiohara, and Shoji Tanaka; **8** (5), 978–984.

–Erratum: "(110)-oriented Bi–Sr–Ca–Cu–O superconducting thin films prepared by metalorganic chemical vapor deposition" [J. Mater. Res. **8**, 978 (1993)].–Nobuhiko Kubota, Tsunemi Sugimoto, Yuh Shiohara, and Shoji Tanaka; **8** (9), 2414–2415(E).

Sugiyama, Toshio–Grain size of MgO and polymorphic phases of ZrO_2 in zirconia-toughened MgO.–Yasuro Ikuma, Toshio Sugiyama, and Junko Okano; **8** (11), 2757–2760(L).

Suhr, Dong-Soo–The effect of $Y_2Ba_1Cu_1O_5$ addition on microstructure and formation of microcracks in the partially melted Y–Ba–Cu–O oxides.–Chan-Joong Kim, Ki-Baik Kim, In-Soon Chang, Dong-Yeon Won, Hong-Chul Moon, and Dong-Soo Suhr; **8** (4), 699–704.

Sukumar, Vijay–Metal coatings on semiconductor particles in glass.–Vijay Sukumar, Shou-Chen Kao, Pratima G. N. Rao, and Robert H. Doremus; **8** (10), 2686–2693.

Sun, Q.–The kinetics of chemical vapor deposited diamond-oxygen reaction.–M. Alam and Q. Sun; **8** (11), 2870–2878.

Suryanarayana, S. V.–X-ray diffraction study of the effect of boron on lattice properties of $Ni_{76}Al_{24}$.–P. V. Mohan Rao, K. Satyanarayana Murthy, S. V. Suryanarayana, and S. V. Nagender Naidu; **8** (4), 741–744.

Suter, Ulrich W.–High refractive index films of polymer nanocomposites.–Lorenz Zimmermann, Martin Weibel, Walter Caseri, and Ulrich W. Suter; **8** (7), 1742–1748.

Sutjianto, Amin–Electronic structure of high pressure phase of AlN.–Ravindra Pandey, Amin Sutjianto, Max Seel, and John E. Jaffe; **8** (8), 1922–1927.

Suzuki, K.–Correlation between microstructure and mechanical properties in silicon carbide with alumina addition.–S. S. Shinozaki, J. Hangas, K. R. Carduner, M. J. Rokosz, K. Suzuki, and N. Shinohara; **8** (7), 1635–1643.

Suzuki, Takakazu–Mechanical properties and metallography of aluminum matrix composites reinforced by the Cu- or Ni-plating carbon multifilament.–Takakazu Suzuki, Hiroyuki Umehara, Ryuichi Hayashi, and Shuichiro Watanabe; **8** (10), 2492–2498.

Swain, M. V.–A simple predictive model for spherical indentation.–J. S. Field and M. V. Swain; **8** (2), 297–306.

–Observation, analysis, and simulation of the hysteresis of silicon using ultra-micro-indentation with spherical indenters.–E. R. Weppelmann, J. S. Field, and M. V. Swain; **8** (4), 830–840.

Swartzfager, D. G.–Effect of single crystal substrates on the growth and properties of superconducting $Tl_2Ba_2CaCu_2O_8$ films.–W. L. Holstein, L. A. Parisi, R. B. Flippen, and D. G. Swartzfager; **8** (5), 962–972.

Swinnea, John S.–Electrical and optical characterization of Sb:SnO_2.–Yue-Song He, Joe C. Campbell, Robert C. Murphy, M. F. Arendt, and John S. Swinnea; **8** (12), 3131–3134.

Szule, Andrew–Synthesis and characterization of cordierite from acetylacetonate/alkoxide precursors.–Lawrence D. David, Ronald M. Anderson, Joseph M. Dynys, Charles C. Goldsmith, and Andrew Szule; **8** (7), 1697–1702.

T

Tabata, H.–High-pressure phase transformation of $BeGa_2O_4$.–K. Nakamura, M. Machida, M. E. Brito, and H. Tabata; **8** (7), 1721–1727.

Taijing, Lu–Effect of surface structures upon ultrathin film interference fringes.–Lu Taijing, Tomoya Ogawa, Koichi Toyoda, and Zhenguo Wang; **8** (9), 2315–2318.

Takahashi, H.–Substrate dependence of the crystallinity and mosaic texture of $YBa_2Cu_3O_{7-\delta}$ ultrathin films deposited by laser ablation.–C. C. Chin, H. Takahashi, T. Morishita, and T. Sugimoto; **8** (5), 951–956.

Takahashi, Hiromi–Epitaxial growth of BaO and SrO with new crystal structures using mass-separated low-energy O^+ beams.–Ryusuke Kita, Takashi Hase, Hiromi Takahashi, Kenichi Kawaguchi, and Tadataka Morishita; **8** (2), 321–323.

Takasugi, T.–NMR study of Ni_3Al with B and C additions.–T. Shinohara and T. Takasugi; **8** (6), 1285–1290.

–Environmental embrittlement of boron-doped $Ni_3(Al, Ti)$ single crystals at room temperature.–T. Takasugi and S. Hanada; **8** (10), 2534–2542.

–High temperature mechanical properties of Cr_2Nb-based intermetallics.–T. Takasugi, S. Hanada, and K. Miyamoto; **8** (12), 3069–3077.

Takwale, M. G.–Dopant induced modifications in the physical properties of sprayed ZnO:In films.–D. J. Goyal, Chitra Agashe, M. G. Takwale, V. G. Bhide, Shailaja Mahamuni, and S. K. Kulkarni; **8** (5), 1052–1056.

Tamaura, Yutaka–Hydrotalcites with an extended Al^{3+}-substitution: Synthesis, simultaneous TG-DTA-MS study, and their CO_2 adsorption behaviors.–Masamichi Tsuji, Gang Mao, Takashi Yoshida, and Yutaka Tamaura; **8** (5), 1137–1142.

Tamor, M. A.–Speculation on the reconstruction of vicinal {100} faces of vapor-deposited diamond.–M. A. Tamor and M. P. Everson; **8** (8), 1770–1772(L).

Tampieri, A.–Oxidation behavior of aluminum nitride.–A. Bellosi, E. Landi, and A. Tampieri; **8** (3), 565–572.

Tanaka, S.–Solid solutions of AlN and SiC grown by plasma-assisted, gas-source molecular beam epitaxy.–R. S. Kern, L. B. Rowland, S. Tanaka, and R. F. Davis; **8** (7), 1477–1480(L).

–Preparation and comparison of $YBa_2Cu_4O_8$ films on MgO(100) and $SrTiO_3$(100) by MOCVD.–H. Sakai, Y. Shiohara, and S. Tanaka; **8** (9), 2143–2148.

–Epitaxial growth of AlN by plasma-assisted, gas-source molecular beam epitaxy.–L. B. Rowland, R. S. Kern, S. Tanaka, and Robert F. Davis; **8** (9), 2310–2314.

–Gas-source molecular beam epitaxy of monocrystalline β–SiC on vicinal α–(6H)–SiC.–L. B. Rowland, R. S. Kern, S. Tanaka, and Robert F. Davis; **8** (11), 2753–2756(L).

Tanaka, Shoji–(110)-oriented Bi–Sr–Ca–Cu–O superconducting thin films prepared by metalorganic chemical vapor deposition.–Nobuhiko Kubota, Tsunemi Sugimoto, Yuh Shiohara, and Shoji Tanaka; **8** (5), 978–984.

–Erratum: "(110)-oriented Bi–Sr–Ca–Cu–O superconducting thin films prepared by metalorganic chemical vapor deposition" [J. Mater. Res. **8**, 978 (1993)].–Nobuhiko Kubota, Tsunemi Sugimoto, Yuh Shiohara, and Shoji Tanaka; **8** (9), 2414–2415(E).

Tang, Liguang–Synthesis, characterization, and properties of new polystyrene-SiO_2 hybrid sol-gel materials.–Yen Wei, Dachuan Yang, Liguang Tang, and MaryGail K. Hutchins; **8** (5), 1143–1152.

Tateishi, Tsuyoshi–The effect of residual carbon on the superconducting properties of $YBa_2Cu_3O_{7-x}$ powders.–Yoshio Masuda, Rikuro Ogawa, Yoshio Kawate, Kazuo Matsubara, Tsuyoshi Tateishi, and Sumio Sakka; **8** (4), 693–698.

Tatsumi, Noriyuki–Optical spectroscopic study of the radio frequency oxygen thermal plasma evaporated $YBa_2Cu_3O_{7-x}$.–Shigenori Yuhya, Jiro Tsujino, Noriyuki Tatsumi, and Yuh Shiohara; **8** (4), 709–712.

Tenne, R.–Microscopic phase stability of the dilute magnetic semiconductor $Cd_{1-x}Fe_xSe$.–E. Klein, M. Homyonfer, W. Giriat, and R. Tenne; **8** (6), 1348–1352.

Terminello, L. J.–A time-resolved diffraction study of the Ta–C solid combustion system.–E. M. Larson, Joe Wong, J. B. Holt, P. A. Waide, G. Nutt, B. Rupp, and L. J. Terminello; **8** (7), 1533–1541.

Terranova, M. L.–Diamond nucleation from the gas phase: A kinetic approach.–E. Molinari, R. Polini, V. Sessa, M. L. Terranova, and M. Tomellini; **8** (4), 785–797.

Teshima, Hidekazu–Resistivity measurement of an *a*-axis-oriented $YBa_2Cu_3O_{7-\delta}$ thin film at 450–650 °C.–Toshio Usui, Akira Oishi, Hidekazu Teshima, Kazumi Ohata, and Tadatada Morishita; **8** (4), 705–708.

Tessier, P.–Structural transformations and metastable phases produced by mechanical deformations in the Bi–Sr–Ca–Cu–O superconducting system.–P. Tessier, M. L. Trudeau, J. O. Ström-Olsen, and R. Schulz; **8** (6), 1258–1267.

–Amorphous and nanocrystalline Fe–Ti prepared by ball milling.–L. Zaluski, P. Tessier, D. H. Ryan, C. B. Doner, A. Zaluska, J. O. Ström-Olsen, M. L. Trudeau, and R. Schulz; **8** (12), 3059–3068.

Tewari, S. P.–Influence of vibration on grain size and degree of grain refinement in mild steel weldments.–S. P. Tewari; **8** (9), 2228–2230.

Thévenard, P.–Characterization of europium-implanted $LiNbO_3$.–P. Moretti, B. Canut, S. M. M. Ramos, R. Brenier, P. Thévenard, D. Poker, J. B. M. DaCunha, L. Amaral, and A. Vasquez; **8** (10), 2679–2685.

Thoen, J.–Investigation of the thermal anisotropy of unidirectional carbon fiber reinforced composite plates using optically generated thermal waves and a noncontact optical detection technique.–W. Lauriks, C. Desmet, C. Glorieux, and J. Thoen; **8** (12), 3106–3110.

Thölén, A. R.–Nucleation of CVD–TiN on tungsten.–K. Glejbøl, N. H. Pryds, and A. R. Thölén; **8** (9), 2239–2244.

Thompson, C. V.–The yield stress of polycrystalline thin films.–C. V. Thompson; **8** (2), 237–238(L).

Thompson, Michael O.–Epitaxial growth versus nucleation in amorphous Si doped with Cu and Ag.–J. S. Custer, Michael O. Thompson, D. J. Eaglesham, D. C. Jacobson, and J. M. Poate; **8** (4), 820–829.

Thomson, William J.–The influence of steam on mullite formation from sol-gel precursors.–Yong Wang, Dong X. Li, and William J. Thomson; **8** (1), 195–205.

Thouless, M. D.–Stress development and relaxation in copper films during thermal cycling.–M. D. Thouless, J. Gupta, and J. M. E. Harper; **8** (8), 1845–1852.

Tikhomirov, A.–High purity isotopically enriched ^{70}Ge and ^{74}Ge single crystals: Isotope separation, growth, and properties.–Kohei Itoh, W. L. Hansen, E. E. Haller, J. W. Farmer, V. I. Ozhogin, A. Rudnev, and A. Tikhomirov; **8** (6), 1341–1347.

Timsit, R. S.–A novel brazing technique for aluminum and other metals.–R. S. Timsit and B. J. Janeway; **8** (11), 2749–2752(L).

Tkaczyk, J. E.–Effect of internal fission-fragment irradiation on critical currents and flux creep in Bi–Sr–Ca–Cu–O superconductors doped with UO_2.–F. E. Luborsky, R. H. Arendt, R. L. Fleischer, H. R. Hart, Jr., J. E. Tkaczyk, and D. A. Orsini; **8** (6), 1277–1284.

Todt, V. R.–Containerless solidification of $YBa_2Cu_3O_{7-x}$ in a drop tube.–V. R. Todt and G. J. Schmitz; **8** (3), 411–414.

Toguri, J. M.–The plasma arc production of Si-based ceramic whiskers.–C. A. Pickles and J. M. Toguri; **8** (8), 1996–2003.

Tomellini, M.–Diamond nucleation from the gas phase: A kinetic approach.–E. Molinari, R. Polini, V. Sessa, M. L. Terranova, and M. Tomellini; **8** (4), 785–797.

–Patterns of diamond nucleation from the gas phase.–E. Molinari, R. Polini, and M. Tomellini; **8** (4), 798–810.

Tomellini, Massimo–Evidence for nonclassical nucleation at solid surfaces in diamond deposition from the gas phase.–Massimo Tomellini; **8** (7), 1596–1604.

Toyoda, Koichi–Effect of surface structures upon ultrathin film interference fringes.–Lu Taijing, Tomoya Ogawa, Koichi Toyoda, and Zhenguo Wang; **8** (9), 2315–2318.

Tracy, C. Edwin–The influence of microstructure on the electrochromic properties of Li_xWO_3 thin films: Part I. Ion diffusion and electrochromic properties.–Ji-Guang Zhang, C. Edwin Tracy, David K. Benson, and Satyen K. Deb; **8** (10), 2649–2656.

–The influence of microstructure on the electrochromic properties of Li_xWO_3 films: Part II. Limiting mechanisms in coloring and bleaching processes.–Ji-Guang Zhang, David K. Benson, C. Edwin Tracy, and Satyen K. Deb; **8** (10), 2657–2667.

Trefny, John U.–Thermoelectric power of $YBa_2Cu_3O_{7-\delta}$ superconductive thin films as a function of oxygen contents.–Iván A. Cornejo, John U. Trefny, and Baki Yarar; **8** (2), 255–260.

Trinquecoste, M.–Relationship between the structural organization and the physical properties of PECVD nitrogenated carbons.–M. Ricci, M. Trinquecoste, F. Auguste, R. Canet, P. Delhaes, C. Guimon, G. Pfister-Guillouzo, B. Nysten, and J. P. Issi; **8** (3), 480–488.

Tripathi, R. B.–Effect of partial vacuum on YBCO thick films on Y_2BaCuO_5 and ZrO_2 substrates.–Indu Dhingra, R. B. Tripathi, and B. K. Das; **8** (10), 2433–2439.

Trudeau, M. L.–Structural transformations and metastable phases produced by mechanical deformations in the Bi–Sr–Ca–Cu–O superconducting system.–P. Tessier, M. L. Trudeau, J. O. Ström-Olsen, and R. Schulz; **8** (6), 1258–1267.

–Amorphous and nanocrystalline Fe–Ti prepared by ball milling.–L. Zaluski, P. Tessier, D. H. Ryan, C. B. Doner, A. Zaluska, J. O. Ström-Olsen, M. L. Trudeau, and R. Schulz; **8** (12), 3059–3068.

Tsagaraki, K.–Generation and annihilation of antiphase domain boundaries in GaAs on Si grown by molecular beam epitaxy.–A. Georgakilas, J. Stoemenos, K. Tsagaraki, Ph. Komninou, N. Flevaris, P. Panayotatos, and A. Christou; **8** (8), 1908–1921.

Tsai, An Pang–Synthesis of stable quasicrystalline particle-dispersed Al base composite alloys.–An Pang Tsai, Kiyoshi Aoki, Akihisa Inoue, and Tsuyoshi Masumoto; **8** (1), 5–7(L).

Tsai, Ching Yi–Low pressure chemical vapor deposition (LPCVD) of β–SiC on Si(100) using MTS in a hot wall reactor.–Chien C. Chiu, Seshu B. Desu, and Ching Yi Tsai; **8** (10), 2617–2626.

Tsenev, Nikolai K.–An investigation of ductility and microstructural evolution in an Al–3% Mg alloy with submicron grain size.–Jingtao Wang, Zenji Horita, Minoru Furukawa, Minoru Nemoto, Nikolai K. Tsenev, Ruslan Z. Valiev, Yan Ma, and Terence G. Langdon; **8** (11), 2810–2818.

Tseng, W. J.–Magnetic domains along shear bands in amorphous metals observed by spin-polarized scanning electron microscopy.–W. J. Tseng, K. Koike, and J. C. M. Li; **8** (4), 775–784.

Tsuji, Masaki–Morphological changes of poly(tetrafluoroethylene) by heat treatment on NaCl.–Sadaatsu Yamaguchi and Masaki Tsuji; **8** (11), 2942–2947.

Tsuji, Masamichi–Selective exchange of divalent transition metal ions in cryptomelane-type manganic acid with tunnel structure.–Masamichi Tsuji and Sridhar Komarneni; **8** (3), 611–616.

–Hydrotalcites with an extended Al^{3+}-substitution: Synthesis, simultaneous TG-DTA-MS study, and their CO_2 adsorption behaviors.–Masamichi Tsuji, Gang Mao, Takashi Yoshida, and Yutaka Tamaura; **8** (5), 1137–1142.

–Powder x-ray diffraction study of a cryptomelane-type manganic acid and its alkali cation exchanged forms.–Masamichi Tsuji and Sridhar Komarneni; **8** (12), 3145–3150.

Tsujimoto, Tokuzo–Environmental effect on mechanical properties of TiAl base alloys.–Morihiko Nakamura, Kennki Hashimoto, and Tokuzo Tsujimoto; **8** (1), 68–77.

Tsujino, Jiro–Optical spectroscopic study of the radio frequency oxygen thermal plasma evaporated $YBa_2Cu_3O_{7-x}$.–Shigenori Yuhya, Jiro Tsujino, Noriyuki Tatsumi, and Yuh Shiohara; **8** (4), 709–712.

Turrillas, X.–Effect of chemical and heat treatment on the tetragonal-to-monoclinic transformation of zirconia.–X. Turrillas, P. Barnes, D. Häusermann, S. L. Jones, and C. J. Norman; **8** (1), 163–168.

Tustison, R. W.–Fatigue of ferroelectric $PbZr_xTi_yO_3$ (PZT) capacitors with Ru and RuO_x electrodes.–S. D. Bernstein, T. Y. Wong, Yanina Kisler, and R. W. Tustison; **8** (1), 12–13(L).

Twizell, E. H.–The effect of porosity development on the removal of organic vehicle from ceramic or metal moldings.–S. A. Matar, M. J. Edirisinghe, J. R. G. Evans, and E. H. Twizell; **8** (3), 617–625.

U

Umakoshi, Y.–Deformation behavior and high-temperature stability of unidirectionally solidified, twin phase TiAl.–G. H. Fair, J. V. Wood, T. Nakano, and Y. Umakoshi; **8** (8), 1812–1816.

Umehara, Hiroyuki–Mechanical properties and metallography of aluminum matrix composites reinforced by the Cu- or Ni-plating carbon multifilament.–Takakazu Suzuki, Hiroyuki Umehara, Ryuichi Hayashi, and Shuichiro Watanabe; **8** (10), 2492–2498.

Umemoto, M.–Mechanical alloying of Al–Ti powder mixtures and their subsequent consolidation.–T. Itsukaichi, K. Masuyama, M. Umemoto, I. Okane, and J. G. Cabañas-Moreno; **8** (8), 1817–1828.

Unal, O.–Mechanical properties of hot isostatically pressed Si_3N_4 and Si_3N_4/SiC composites.–O. Unal, J. J. Petrovic, and T. E. Mitchell; **8** (3), 626–634.

Unertl, W. N.–Effect of dose stoichiometry on the structure of vapor-deposited polyimide thin films.–R. G. Pethe, C. M. Carlin, H. H. Patterson, and W. N. Unertl; **8** (12), 3218–3228.

Usui, Toshio–Resistivity measurement of an *a*-axis-oriented $YBa_2Cu_3O_{7-\delta}$ thin film at 450–650 °C.–Toshio Usui, Akira Oishi, Hidekazu Teshima, Kazumi Ohata, and Tadatada Morishita; **8** (4), 705–708.

Usuki, Arimitsu–Swelling behavior of montmorillonite cation exchanged for ω-amino acids by ϵ-caprolactam.–Arimitsu Usuki, Masaya Kawasumi, Yoshitsugu Kojima, Akane Okada, Toshio Kurauchi, and Osami Kamigaito; **8** (5), 1174–1178.

–Synthesis of nylon 6-clay hybrid.–Arimitsu Usuki, Yoshitsugu Kojima, Masaya Kawasumi, Akane Okada, Yoshiaki Fukushima, Toshio Kurauchi, and Osami Kamigaito; **8** (5), 1179–1184.

–Mechanical properties of nylon 6-clay hybrid.–Yoshitsugu Kojima, Arimitsu Usuki, Masaya Kawasumi, Akane Okada, Yoshiaki Fukushima, Toshio Kurauchi, and Osami Kamigaito; **8** (5), 1185–1189.

V

Vailhe, Christophe–Planar fault energies and dislocation core spreading in B2 NiAl.–Diana Farkas and Christophe Vailhe; **8** (12), 3050–3058.

Valiev, Ruslan Z.–An investigation of ductility and microstructural evolution in an Al–3% Mg alloy with submicron grain size.–Jingtao Wang, Zenji Horita, Minoru Furukawa, Minoru Nemoto, Nikolai K. Tsenev, Ruslan Z. Valiev, Yan Ma, and Terence G. Langdon; **8** (11), 2810–2818.

Vallet-Regí, M.–Texture evolution of SnO_2 synthesized by pyrolysis of an aerosol.–M. Vallet-Regí, V. Ragel, J. Román, J. L. Martínez, M. Labeau, and J. M. González-Calbet; **8** (1), 138–144.

–Selection of structural type and particle size in titanium (IV) oxide.–M. Vallet-Regí, J. Peña, A. Martínez, and J. M. González-Calbet; **8** (9), 2336–2343.

–Spherical iron oxide particles synthesized by an aerosol technique.–M. V. Cabañas, M. Vallet-Regí, M. Labeau, and J. M. González-Calbet; **8** (10), 2694–2701.

Van Aken, D. C.–An electron microscopy study of the precipitation of rhenium in the B2 nickel aluminide.–D. C. Van Aken, D. P. Mason, S. G. Malhotra, and J. G. Webber; **8** (10), 2524–2533.

VanAken, S.–The synthesis, sintering, and thermal properties of $(Ca_{1-x}, Mg_x)Zr_4(PO_4)_6$ (CMZP) ceramics.–T. K. Li, D. A. Hirschfeld, S. VanAken, Y. Yang, and J. J. Brown; **8** (11), 2954–2967.

Vanhellemont, J.–Formation of ultrathin $CoSi_2$ films using a two-step limited reaction process.–R. J. Schreutelkamp, W. Coppye, W. De Bosscher, R. van Meirhaeghe, L. van Meirhaeghe, J. Vanhellemont, B. Deweerdt, A. Lauwers, and K. Maex; **8** (12), 3111–3121.

van Meirhaeghe, L.–Formation of ultrathin $CoSi_2$ films using a two-step limited reaction process.–R. J. Schreutelkamp, W. Coppye, W. De Bosscher, R. van Meirhaeghe, L. van Meirhaeghe, J. Vanhellemont, B. Deweerdt, A. Lauwers, and K. Maex; **8** (12), 3111–3121.

van Meirhaeghe, R.–Formation of ultrathin $CoSi_2$ films using a two-step limited reaction process.–R. J. Schreutelkamp, W. Coppye, W. De Bosscher, R. van Meirhaeghe, L. van Meirhaeghe, J. Vanhellemont, B. Deweerdt, A. Lauwers, and K. Maex; **8** (12), 3111–3121.

Van Neste, A.–Structural transformations of alumina by high energy ball milling.–P. A. Zieliński, R. Schulz, S. Kaliaguine, and A. Van Neste; **8** (11), 2985–2992.

van Schilfgaarde, Mark–First-principles study of phase stability of Ti–Al intermetallic compounds.–Mark Asta, Didier de Fontaine, and Mark van Schilfgaarde; **8** (10), 2554–2568.

Varadan, Vasundara V.–On the Maxwell–Garnett model of chiral composites.–Akhlesh Lakhtakia, Vijay K. Varadan, and Vasundara V. Varadan; **8** (4), 917–922.

Varadan, Vijay K.–On the Maxwell–Garnett model of chiral composites.–Akhlesh Lakhtakia, Vijay K. Varadan, and Vasundara V. Varadan; **8** (4), 917–922.

Varshney, Usha–Nd : YAG laser patterning of plasma-deposited high T_c superconducting thick films.–Usha Varshney, B. D. Eichelberger, III, J. M. Glass, R. J. Churchill, and A. I. Kingon; **8** (10), 2429–2432(L).

Vasanthamohan, N.–Role of Ag additions in the microstructural development, strain tolerance, and critical current density of Ag-sheathed BSCCO superconducting tapes.–J. P. Singh, J. Joo, N. Vasanthamohan, and R. B. Poeppel; **8** (10), 2458–2464.

Vasquez, A.–Characterization of europium-implanted $LiNbO_3$.–P. Moretti, B. Canut, S. M. M. Ramos, R. Brenier, P. Thévenard, D. Poker, J. B. M. DaCunha, L. Amaral, and A. Vasquez; **8** (10), 2679–2685.

Vasudev, A.–Kinetics and mechanisms of high-temperature creep in polycrystalline aluminum nitride.–A. Vasudev, K. L. More, K. S. Ailey-Trent, and R. F. Davis; **8** (5), 1101–1108.

Vavra, I.–Structural characterization and thermal stability of W/Si multilayers.–M. Brunel, S. Enzo, M. Jergel, S. Luby, E. Majkova, and I. Vavra; **8** (10), 2600–2607.

Venkataraman, S.–Microscopy and microindentation mechanics of single crystal Fe–3 wt. % Si: Part I. Atomic force microscopy of a small indentation.–S. Harvey, H. Huang, S. Venkataraman, and W. W. Gerberich; **8** (6), 1291–1299.

Venkataraman, Shankar K.–Continuous microindentation of passivating surfaces.–Shankar K. Venkataraman, David L. Kohlstedt, and William W. Gerberich; **8** (4), 685–688(L).

Venkatesan, Sreekanth–Friction and wear studies of silicon in sliding contact with thin-film magnetic rigid disks.–Bharat Bhushan and Sreekanth Venkatesan; **8** (7), 1611–1628.

Venturini, E. L.–Structural studies on Tl–Ca–Ba–Cu–O superconducting thin films.–Bruno Morosin, M. Grant Norton, C. Barry Carter, E. L. Venturini, and D. S. Ginley; **8** (4), 720–726.

Vetkin, A. G.–Composition and crystal structure parameters of single crystals $(Bi, Pb)_2Sr_2(Ca_{1-x}R_x)Cu_2O_{8+\delta}$ (R = Y, Er, Ho, Tm, and Yb).–A. S. Ilyushin, L. Shi, L. I. Leonyuk, B. M. Mustafa, I. A. Nikanorova, S. V. Red'ko, Y. Jia, A. G. Vetkin, G. Zhou, and I. V. Zubov; **8** (8), 1791–1797.

Victoria, M.–Influence of the irradiation temperature on the intracascade ion mixing.–M. Alurralde, A. Caro, and M. Victoria; **8** (3), 449–454.

Videnský, I. V.–Electro-chemo-mechanical treatment: Facilitating steel grinding under electrochemical reduction of active cations.–I. V. Videnský, I. V. Petrova, and E. D. Shchukin; **8** (9), 2224–2227.

Viswanathan, H. K.–Solidification of $Bi_2Sr_2CaCu_2O_y$ and $Bi_2Sr_{1.75}Ca_{0.25}CuO_y$.–T. G. Holesinger, D. J. Miller, H. K. Viswanathan, and L. S. Chumbley; **8** (9), 2149–2161.

Vollath, Dieter–Synthesis of ceramic oxide powders in a microwave plasma device.–Dieter Vollath and Kurt E. Sickafus; **8** (11), 2978–2984.

von Stebut, J.–Tribological properties of quasicrystalline coatings.–S. S. Kang, J. M. Dubois, and J. von Stebut; **8** (10), 2471–2481.

W

Wada, Takahiro–Microstructure of $CuInS_2$ films prepared by sulfuration of Cu–In–O films.–Takahiro Wada, Takayuki Negami, and Mikihiko Nishitani; **8** (3), 545–550.

Wadsworth, J.–Creep of a niobium beryllide, Ni_2Be_{17}.–T. G. Nieh, J. Wadsworth, T. C. Chou, D. Owen, and A. H. Chokshi; **8** (4), 757–763.

Wagh, A. S.–Microstructural characterization, mechanical properties, and corrosion resistance of the $CaO–TiO_2$ system.–P. S. Maiya, R. Russell, D. S. Poa, A. S. Wagh, and R. B. Poeppel; **8** (6), 1387–1393.

Wahlbeck, P. G.–Characteristics of $TiBa_2Ca_2Cu_3O_{9+\delta}$ powder as synthesized and after grinding.–P. J. Kung, M. P. Maley, P. G. Wahlbeck, and D. E. Peterson; **8** (4), 713–719.

Waide, P. A.–A time-resolved diffraction study of the Ta–C solid combustion system.–E. M. Larson, Joe Wong, J. B. Holt, P. A. Waide, G. Nutt, B. Rupp, and L. J. Terminello; **8** (7), 1533–1541.

Wakisaka, Steve S.–Measurement of the work function of $Y_1Ba_2Cu_3O_{7-\delta}$ under ambient conditions.–Jon DeVries, Steve S. Wakisaka, and R. Erik Spjut; **8** (7), 1497–1500.

Walck, S. D.–Characterization of pulsed laser deposited MoS_2 by transmission electron microscopy.–S. D. Walck, M. S. Donley, J. S. Zabinski, and V. J. Dyhouse; **8** (11), 2933–2941.

Wallace, W. E.–On the use of ion scattering to examine the role of hydrogen in the reduction of TiO_2.–W. E. Wallace, Q. Zhong, J. Genzer, R. J. Composto, and D. A. Bonnell; **8** (7), 1629–1634.

Wallner, Anton S.–Void distribution and susceptibility differences in ceramic materials using MRI.–Anton S. Wallner and William M. Ritchey; **8** (3), 655–661.

Wan, K-T.–Pressurized internal lenticular cracks at healed mica interfaces.–K-T. Wan, R. G. Horn, S. Courmont, and B. R. Lawn; **8** (5), 1128–1136.

Wang, Jingtao–An investigation of ductility and microstructural evolution in an Al–3% Mg alloy with submicron grain size.–Jingtao Wang, Zenji Horita, Minoru Furukawa, Minoru Nemoto, Nikolai K. Tsenev, Ruslan Z. Valiev, Yan Ma, and Terence G. Langdon; **8** (11), 2810–2818.

Wang, K-A.–Photoassisted oxygen doping of C_{60} films.–A. M. Rao, K-A. Wang, J. M. Holden, Y. Wang, P. Zhou, P. C. Eklund, C. C. Eloi, and J. D. Robertson; **8** (9), 2277–2281.

–An investigation of photoassisted diffusion of oxygen in solid C_{60} films using resonant alpha-scattering.–Corinne C. Eloi, J. David Robertson, A. M. Rao, Ping Zhou, K-A. Wang, and Peter C. Eklund; **8** (12), 3085–3089.

Wang, Moo-Chin–Properties and crystallization of Li_2O–CaO–Al_2O_3–SiO_2–TiO_2 glasses.–Moo-Chin Wang and Min-Hsiung Hon; **8** (4), 890–898.

Wang, Pu Sen–Effects of α-silicon nitride powder processing on surface oxidation kinetics.–Pu Sen Wang, Subhas G. Malghan, Stephen M. Hsu, and T. N. Wittberg; **8** (12), 3168–3175.

Wang, Renhui–Transmission electron microscope observations of rectangular dislocation networks in an $Al_{70}Co_{15}Ni_{15}$ decagonal quasicrystal.–Yanfa Yan and Renhui Wang; **8** (2), 286–290.

Wang, S. F.–Structure property relationships in core-shell $BaTiO_3$–LiF ceramics.–C. A. Randall, S. F. Wang, D. Laubscher, J. P. Dougherty, and W. Huebner; **8** (4), 871–879.

–The effect of Li-salt additions on the densification of tin oxide.–D. W. Yuan, S. F. Wang, W. Huebner, and G. Simkovich; **8** (7), 1675–1679.

Wang, Y.–Photoassisted oxygen doping of C_{60} films.–A. M. Rao, K-A. Wang, J. M. Holden, Y. Wang, P. Zhou, P. C. Eklund, C. C. Eloi, and J. D. Robertson; **8** (9), 2277–2281.

Wang, Y. Y.–Pulsed laser deposition of amorphous diamond-like carbon films with ArF (193 nm) excimer laser.–Fulin Xiong, Y. Y. Wang, V. Leppert, and R. P. H. Chang; **8** (9), 2265–2272.

Wang, Yong–The influence of steam on mullite formation from sol-gel precursors.–Yong Wang, Dong X. Li, and William J. Thomson; **8** (1), 195–205.

Wang, Yongqiang–Modification of high temperature and high performance polymers by ion implantation.–Yongqiang Wang, S. S. Mohite, L. B. Bridwell, R. E. Giedd, and C. J. Sofield; **8** (2), 388–402.

Wang, Z. H.–Characterization of carbon aerogels by transport measurements.–A. W. P. Fung, Z. H. Wang, K. Lu, M. S. Dresselhaus, and R. W. Pekala; **8** (8), 1875–1885.

Wang, Z. L.–Microstructural effects on surface mechanical properties of ion-implanted polymers.–G. R. Rao, Z. L. Wang, and E. H. Lee; **8** (4), 927–933.

Wang, Zhenguo–Effect of surface structures upon ultrathin film interference fringes.–Lu Taijing, Tomoya Ogawa, Koichi Toyoda, and Zhenguo Wang; **8** (9), 2315–2318.

Ward, P.–Role of grain boundaries in the epitaxial realignment of undoped and As-doped polycrystalline silicon films.–C. Spinella, F. Benyaïch, A. Cacciato, E. Rimini, G. Fallico, and P. Ward; **8** (10), 2608–2612.

Warzynski, T.–Effects of silver additions on resistance to thermal shock and delayed failure of $YBa_2Cu_3O_{7-\delta}$ superconductors.–J. P. Singh, J. Joo, D. Singh, T. Warzynski, and R. B. Poeppel; **8** (6), 1226–1231.

Watanabe, Shuichiro–Mechanical properties and metallography of aluminum matrix composites reinforced by the Cu- or Ni-plating carbon multifilament.–Takakazu Suzuki, Hiroyuki Umehara, Ryuichi Hayashi, and Shuichiro Watanabe; **8** (10), 2492–2498.

Watanabe, Yoshihisa–Exoelectron emission from unexcited metallic glasses $Fe_{40}Ni_{38}Mo_4B_{18}$ during heat treatment.–Yoshihisa Watanabe, Yoshikazu Nakamura, and Tadayoshi Kubozoe; **8** (5), 1041–1044.

–Scanning tunneling microscope observations of metallic glass fracture surfaces.–D. M. Kulawansa, J. T. Dickinson, S. C. Langford, and Yoshihisa Watanabe; **8** (10), 2543–2553.

Wautelet, M.–Structural and optical properties of laser-synthesized copper oxide films.–M. Wautelet, A. Roos, R. Lazzaroni, F. Hanus, and G. Lambin; **8** (2), 327–333.

Webber, J. G.–An electron microscopy study of the precipitation of rhenium in the B2 nickel aluminide.–D. C. Van Aken, D. P. Mason, S. G. Malhotra, and J. G. Webber; **8** (10), 2524–2533.

Wecker, J.–High-resolution electron microscopy of epitaxial $YBCO/Y_2O_3/YSZ$ on Si(001).–A. Bardal, O. Eibl, Th. Matthée, G. Friedl, and J. Wecker; **8** (9), 2112–2127.

Weertman, J. R.–Chemical reaction strengthening of Al/TiC metal matrix composites by isothermal heat treatment at 913 K.–R. Mitra, M. E. Fine, and J. R. Weertman; **8** (9), 2370–2379.

–Interfaces in as-extruded *XD* Al/TiC and Al/TiB_2 metal matrix composites.–R. Mitra, W. A. Chiou, M. E. Fine, and J. R. Weertman; **8** (9), 2380–2392.

Wei, Yen–Synthesis, characterization, and properties of new polystyrene-SiO_2 hybrid sol-gel materials.–Yen Wei, Dachuan Yang, Liguang Tang, and MaryGail K. Hutchins; **8** (5), 1143–1152.

Weibel, Martin–High refractive index films of polymer nanocomposites.–Lorenz Zimmermann, Martin Weibel, Walter Caseri, and Ulrich W. Suter; **8** (7), 1742–1748.

Weimer, Wayne A.–Identification of hydrocarbon precursors to diamond in chemical vapor deposition using carbon monoxide reagent.–Curtis E. Johnson and Wayne A. Weimer; **8** (9), 2245–2249.

Weiping, Tang–Solidification of $CaCO_3$ containing $SrCO_3$ by hydrothermal hot-pressing.–Nakamichi Yamasaki, Tang Weiping, and Kazumichi Yanagisawa; **8** (8), 1972–1976.

Weirauch, Douglas A., Jr.–The effect of siloxane spin-on-glass and reaction bonded silicon oxycarbide coatings with a self-propagating interfacial reaction treatment (ASPIRE) in the synthesis of carbon/graphite fiber-reinforced aluminum metal matrix composites.–Willy M. Balaba, Douglas A. Weirauch, Jr., Anthony J. Perrotta, George H. Armstrong, Princewill N. Anyalebechi, Suzanne Kauffman, Andrew N. MacInnes, Angela M. Winner, and Andrew R. Barron; **8** (12), 3192–3201.

Weppelmann, E. R.–Observation, analysis, and simulation of the hysteresis of silicon using ultra-micro-indentation with spherical indenters.–E. R. Weppelmann, J. S. Field, and M. V. Swain; **8** (4), 830–840.

Werder, D. J.–New tricks in the rapid quench route to high T_c materials.–A. E. Miller, K. Nassau, and D. J. Werder; **8** (5), 973–977.

Wert, J. A.–Determining fracture facet crystallography using electron backscatter patterns and quantitative tilt fractography.–D. C. Slavik, J. A. Wert, and R. P. Gangloff; **8** (10), 2482–2491.

Willey, R. J.–Chemistry and structure of mixed magnesium ferric oxide aerogels.–R. J. Willey, S. A. Oliver, G. Oliveri, and G. Busca; **8** (6), 1418–1427.

Wilson, Angela R.–Ultramicrotomy: A unique method for preparation of composite solder for transmission electron microscopy.–Elizabeth G. Jacobs, L. Ann Foster, Yujing Wu, Angela R. Wilson, and Russell F. Pinizzotto; **8** (1), 87–94.

Wind, Robert A.–Investigation of cured hydridopolysilazane-derived ceramic fibers via dynamic nuclear polarization.–Russel H. Lewis, Robert A. Wind, and G. E. Maciel; **8** (3), 649–654.

Winner, Angela M.–The effect of siloxane spin-on-glass and reaction bonded silicon oxycarbide coatings with a self-propagating interfacial reaction treatment (ASPIRE) in the synthesis of carbon/graphite fiber-reinforced aluminum metal matrix composites.–Willy M. Balaba, Douglas A. Weirauch, Jr., Anthony J. Perrotta, George H. Armstrong, Princewill N. Anyalebechi, Suzanne Kauffman, Andrew N. MacInnes, Angela M. Winner, and Andrew R. Barron; **8** (12), 3192–3201.

Withrow, S. P.–Topographical changes induced by high dose carbon-bombardment of graphite.–B. K. Annis, D. F. Pedraza, and S. P. Withrow; **8** (10), 2587–2599.

Wittberg, T. N.–Effects of α-silicon nitride powder processing on surface oxidation kinetics.–Pu Sen Wang, Subhas G. Malghan, Stephen M. Hsu, and T. N. Wittberg; **8** (12), 3168–3175.

Wolbach, W.–Microstructure and properties of Cu-rich 123: Part II. Homogeneous copper and high magnetic J_c.–J. P. Zhang, D. J. Li, C. Boldt, R. Plass, V. Dravid, L. D. Marks, C. H. Lin, J. A. Eades, A. Sodonis, W. Wolbach, J. M. Chabala, and R. Levi-Setti; **8** (6), 1232–1239.

Wolfenstine, J.–High temperature creep transitions in single crystalline $Ni_3Al(Ta, B)$.–J. Wolfenstine, H. K. Kim, and J. C. Earthman; **8** (10), 2510–2514.

Wolters, Ch.–Influence of Y_2BaCuO_5 particles on the growth morphology of peritectically solidified $YBa_2Cu_3O_{7-x}$.–G. J. Schmitz, J. Laakmann, Ch. Wolters, S. Rex, W. Gawalek, T. Habisreuther, G. Bruchlos, and P. Görnert; **8** (11), 2774–2779.

Won, Chang-Whan–Preparation of ultrafine tungsten carbide powder by CVD method from WCl_6–C_2H_2–H_2 mixtures.–Chang-Whan Won, Byong-Sun Chun, and H. Y. Sohn; **8** (10), 2702–2708.

–Dip coating of alumina films by the sol-gel method.–Jung-Won Lee, Chang-Whan Won, Byong-Sun Chun, and H. Y. Sohn; **8** (12), 3151–3157.

Won, Dong-Yeon–The effect of $Y_2Ba_1Cu_1O_5$ addition on microstructure and formation of microcracks in the partially melted Y–Ba–Cu–O oxides.–Chan-Joong Kim, Ki-Baik Kim, In-Soon Chang, Dong-Yeon Won, Hong-Chul Moon, and Dong-Soo Suhr; **8** (4), 699–704.

Wong, Joe–A time-resolved diffraction study of the Ta–C solid combustion system.–E. M. Larson, Joe Wong, J. B. Holt, P. A. Waide, G. Nutt, B. Rupp, and L. J. Terminello; **8** (7), 1533–1541.

–The composition and structure of SIPOS: A high spatial resolution electron microscopy study.–M. Catalano, M. J. Kim, R. W. Carpenter, K. Das Chowdhury, and Joe Wong; **8** (11), 2893–2901.

Wong, Peter Y.–The effects of natural convection and conduction in a zone-melting-recrystallization chamber.–Bradley D. Heilman, Matthew A. Marston, Peter Y. Wong, and Ioannis N. Miaoulis; **8** (3), 551–557.

Wong, T. Y.–Fatigue of ferroelectric $PbZr_xTi_yO_3$ (PZT) capacitors with Ru and RuO_x electrodes.–S. D. Bernstein, T. Y. Wong, Yanina Kisler, and R. W. Tustison; **8** (1), 12–13(L).

Wood, J. V.–Deformation behavior and high-temperature stability of unidirectionally solidified, twin phase TiAl.–G. H. Fair, J. V. Wood, T. Nakano, and Y. Umakoshi; **8** (8), 1812–1816.

Wood, L. S.–Resistive transition broadening in two-phase polycrystalline YBaCuO.–J. C. Abele, R. L. Bristol, T. C. Nguyen, M. W. Ohmer, and L. S. Wood; **8** (5), 957–961.

Woodgate, P. E.–Determination of the dependence of the surface force induced contact radius on particle radius: Cross-linked polystyrene spheres on SiO_2/silicon.–D. S. Rimai, R. S. Moore, R. C. Bowen, V. K. Smith, and P. E. Woodgate; **8** (3), 662–667.

Wright, John S.–Phase development in Si modified sol-gel-derived lead titanate.–John S. Wright and Lorraine Falter Francis; **8** (7), 1712–1720.

Wright, L. S.–Fabrication of EuO films by oxidation of Eu metal films.–X. J. Yu, E. Batalla, and L. S. Wright; **8** (3), 462–466.

Wu, Tsai-Wei–A note on the elastic contact stiffness of a layered medium.–Huajian Gao and Tsai-Wei Wu; **8** (12), 3229–3232.

Wu, X. D.–The effect of post-annealing on laser-deposited superconducting Bi–Sr–Ca–Cu–O thin films.–P. J. Kung, X. D. Wu, R. E. Muenchausen, K. V. Salazar, S. R. Foltyn, D. E. Peterson, and A. R. Garcia; **8** (9), 2162–2169.

Wu, Yujing–Ultramicrotomy: A unique method for preparation of composite solder for transmission electron microscopy.–Elizabeth G. Jacobs, L. Ann Foster, Yujing Wu, Angela R. Wilson, and Russell F. Pinizzotto; **8** (1), 87–94.

X

Xianhui, Chen–Thermodynamic stability and superconductivity of the Bi–Sr–Ca(Y)–Cu–Li–O system.–Chen Xianhui, Lin Chun, Lu Bin, Qian Yitai, Cao Liezhao, Chen Zhaojia, and Chen Zuyao; **8** (7), 1510–1514.

Xiao, S-Q.–Precipitation of Mo_5Si_3 in $MoSi_2$.–S. A. Maloy, S-Q. Xiao, A. H. Heuer, and J. Garrett; **8** (5), 1079–1085.

–The mechanism of mechanical alloying of $MoSi_2$.–S. N. Patankar, S-Q. Xiao, J. J. Lewandowski, and A. H. Heuer; **8** (6), 1311–1316.

Xie, Yuming–Preparation and properties of uniform coated colloidal particles. VIII. Titanium nitride on silica.–Richard E. Partch, Yuming Xie, S. T. Oyama, and Egon Matijević; **8** (8), 2014–2018.

Xiong, Fulin–Pulsed laser deposition of amorphous diamond-like carbon films with ArF (193 nm) excimer laser.–Fulin Xiong, Y. Y. Wang, V. Leppert, and R. P. H. Chang; **8** (9), 2265–2272.

Xu, G.–Ionic conductivity and thermal analysis of a high-temperature polymer.–Y. S. Pak and G. Xu; **8** (4), 923–926.

Y

Yaacob, Iskandar I.–Synthesis of aluminum hydroxide nanoparticles in spontaneously generated vesicles.–Iskandar I. Yaacob, Suhas Bhandarkar, and Arijit Bose; **8** (3), 573–577.

Yagi, I.–Growth of highly oriented SnO_2 thin films on glass substrate from tetra-*n*-butyltin by the spray pyrolysis technique.–I. Yagi, Y. Hagiwara, K. Murakami, and S. Kaneko; **8** (7), 1481–1483(L).

Yamada, Kazumasa–Diffusion of ^{57}Co in amorphous Fe–RE (RE = Dy, Tb, and Ce) and Fe–Si–B alloys.–Kazumasa Yamada, Yoshiaki Iijima, and Kazuaki Fukamichi; **8** (9), 2231–2238.

Yamada, Kenjiro–The influence of mill energy and temperature on the structure of the TiNi intermetallic after mechanical attrition.–Kenjiro Yamada and Carl C. Koch; **8** (6), 1317–1326.

Yamaguchi, Sadaatsu–Morphological changes of poly(tetrafluoroethylene) by heat treatment on NaCl.–Sadaatsu Yamaguchi and Masaki Tsuji; **8** (11), 2942–2947.

Yamasaki, Nakamichi–Solidification of $CaCO_3$ containing $SrCO_3$ by hydrothermal hot-pressing.–Nakamichi Yamasaki, Tang Weiping, and Kazumichi Yanagisawa; **8** (8), 1972–1976.

Yan, Yanfa–Transmission electron microscope observations of rectangular dislocation networks in an $Al_{70}Co_{15}Ni_{15}$ decagonal quasicrystal.–Yanfa Yan and Renhui Wang; **8** (2), 286–290.

Yanagisawa, Kazumichi–Solidification of $CaCO_3$ containing $SrCO_3$ by hydrothermal hot-pressing.–Nakamichi Yamasaki, Tang Weiping, and Kazumichi Yanagisawa; **8** (8), 1972–1976.

Yang, Dachuan–Synthesis, characterization, and properties of new polystyrene-SiO_2 hybrid sol-gel materials.–Yen Wei, Dachuan Yang, Liguang Tang, and MaryGail K. Hutchins; **8** (5), 1143–1152.

Yang, J-M.–Effect of fiber coating on the mechanical behavior of SiC fiber-reinforced titanium aluminide composites.–S. M. Jeng, J-M. Yang, and J. A. Graves; **8** (4), 905–916.

–Interface control and design for SiC fiber-reinforced titanium aluminide composites.–Hsing-Pang Chiu, S. M. Jeng, and J-M. Yang; **8** (8), 2040–2053.

Yang, J. M.–Fiber strength utilization in carbon/carbon composites.–Rafael J. Zaldivar, Gerald S. Rellick, and J. M. Yang; **8** (3), 501–511.

Yang, J. W.–The $\alpha \rightarrow \beta$ polytypic transformation in high-temperature indented SiC.–J. W. Yang and P. Pirouz; **8** (11), 2902–2907.

Yang, N.–Deposition of silicon carbide using the chemical vapor composites process: Process characterization and comparison with RASSPVDN model predictions.–M. D. Allendorf, R. H. Hurt, N. Yang, P. Reagan, and M. Robbins; **8** (7), 1651–1665.

Yang, P. C.–Nucleation of oriented diamond films on nickel substrates.–P. C. Yang, J. T. Glass, and W. Zhu; **8** (8), 1773–1776(L).

Yang, X. F.–On the first-matrix-cracking stress in unidirectional fiber-reinforced brittle materials.–X. F. Yang and K. M. Knowles; **8** (2), 371–376.

Yang, Y.–The synthesis, sintering, and thermal properties of $(Ca_{1-x}, Mg_x)Zr_4(PO_4)_6$ (CMZP) ceramics.–T. K. Li, D. A. Hirschfeld, S. VanAken, Y. Yang, and J. J. Brown; **8** (11), 2954–2967.

Yarar, Baki–Thermoelectric power of $YBa_2Cu_3O_{7-\delta}$ superconductive thin films as a function of oxygen contents.–Iván A. Cornejo, John U. Trefny, and Baki Yarar; **8** (2), 255–260.

Yarbrough, Walter A.–Crystal structure of new composition boron-rich boron nitride using Raman spectroscopy.–Hidetoshi Saitoh, Katsuhito Yoshida, and Walter A. Yarbrough; **8** (1), 8–11(L).

Yavari, A. R.–On the bcc, fcc, hcp, and amorphous polymorphs of Zr_3Al.–A. R. Yavari, S. Gialanella, T. BenAmeur, R. W. Cahn, and B. Bochu; **8** (2), 242–244(L).

Yitai, Qian–Thermodynamic stability and superconductivity of the Bi–Sr–Ca(Y)–Cu–Li–O system.–Chen Xianhui, Lin Chun, Lu Bin, Qian Yitai, Cao Liezhao, Chen Zhaojia, and Chen Zuyao; **8** (7), 1510–1514.

Yoon, Dae Sung–SEM and Auger studies of a PLZT thin film.–Kwangsoo No, Dae Sung Yoon, and Jae Myung Kim; **8** (2), 245–248(L).

Yoon, S. F.–The effect of interruption during the growth of strained GaAs/InGaAs/GaAs quantum wells by molecular beam epitaxy.–S. F. Yoon, H. M. Li, K. Radhakrishnan, and D. H. Zhang; **8** (12), 3122–3125.

Yoshida, Katsuhito–Crystal structure of new composition boron-rich boron nitride using Raman spectroscopy.–Hidetoshi Saitoh, Katsuhito Yoshida, and Walter A. Yarbrough; **8** (1), 8–11(L).

Yoshida, Takashi–Hydrotalcites with an extended Al^{3+}-substitution: Synthesis, simultaneous TG-DTA-MS study, and their CO_2 adsorption behaviors.–Masamichi Tsuji, Gang Mao, Takashi Yoshida, and Yutaka Tamaura; **8** (5), 1137–1142.

You, Beoung D.–Densification behaviors and piezoelectric properties of MnO_2, SiO_2-doped $Pb(Ni_{1/3}Nb_{2/3})O_3$–$PbTiO_3$–$PbZrO_3$ ceramics.–Jong H. Moon, Hyun M. Jang, and Beoung D. You; **8** (12), 3184–3191.

You, J. H.–Protective films of nanophase diamond deposited directly on zinc sulfide infrared optics.–F. Davanloo, T. J. Lee, H. Park, J. H. You, and C. B. Collins; **8** (12), 3090–3099.

Youngman, R. A.–Light-induced defects in aluminum nitride ceramics.–J. H. Harris and R. A. Youngman; **8** (1), 154–162.

Yu, X. J.–Fabrication of EuO films by oxidation of Eu metal films.–X. J. Yu, E. Batalla, and L. S. Wright; **8** (3), 462–466.

Yuan, D. W.–The effect of Li-salt additions on the densification of tin oxide.–D. W. Yuan, S. F. Wang, W. Huebner, and G. Simkovich; **8** (7), 1675–1679.

Yuan, H. L.–Calorimetric analysis of the system Ag_2S–Ag_2Se between 25 and 250 °C.–N. E. Pingitore, B. F. Ponce, L. Estrada, M. P. Eastman, H. L. Yuan, L. C. Porter, and G. Estrada; **8** (12), 3126–3130.

Yuan, Runzhang–Investigation of Ni_3Al-matrix composites strengthened by TiC.–Bingchu Mei, Runzhang Yuan, and Xinlong Duan; **8** (11), 2830–2834.

Yuhya, Shigenori–Optical spectroscopic study of the radio frequency oxygen thermal plasma evaporated $YBa_2Cu_3O_{7-x}$.–Shigenori Yuhya, Jiro Tsujino, Noriyuki Tatsumi, and Yuh Shiohara; **8** (4), 709–712.

Yvon, P. J.–Effects of iron impurities in mechanical alloying using steel media.–P. J. Yvon and R. B. Schwarz; **8** (2), 239–241(L).

Z

Zabinski, J. S.–Characterization of pulsed laser deposited MoS_2 by transmission electron microscopy.–S. D. Walck, M. S. Donley, J. S. Zabinski, and V. J. Dyhouse; **8** (11), 2933–2941.

Zaldivar, Rafael J.–Fiber strength utilization in carbon/carbon composites.–Rafael J. Zaldivar, Gerald S. Rellick, and J. M. Yang; **8** (3), 501–511.

Zaluska, A.–Amorphous and nanocrystalline Fe–Ti prepared by ball milling.–L. Zaluski, P. Tessier, D. H. Ryan, C. B. Doner, A. Zaluska, J. O. Ström-Olsen, M. L. Trudeau, and R. Schulz; **8** (12), 3059–3068.

Zaluski, L.–Amorphous and nanocrystalline Fe–Ti prepared by ball milling.–L. Zaluski, P. Tessier, D. H. Ryan, C. B. Doner, A. Zaluska, J. O. Ström-Olsen, M. L. Trudeau, and R. Schulz; **8** (12), 3059–3068.

Zhang, D. H.–The effect of interruption during the growth of strained GaAs/InGaAs/GaAs quantum wells by molecular beam epitaxy.–S. F. Yoon, H. M. Li, K. Radhakrishnan, and D. H. Zhang; **8** (12), 3122–3125.

Zhang, H.–Epitaxy, microstructure, and processing-structure relationships of TiO_2 thin films grown on sapphire (0001) by MOCVD.–H. L. M. Chang, T. J. Zhang, H. Zhang, J. Guo, H. K. Kim, and D. J. Lam; **8** (10), 2634–2643.

Zhang, J-G.–Filament formation in switching devices based on V_2O_5 gel films.–J-G. Zhang and P. C. Eklund; **8** (3), 558–564.

Zhang, J. P.–Microstructure and properties of Cu-rich 123: Part II. Homogeneous copper and high magnetic J_c.–J. P. Zhang, D. J. Li, C. Boldt, R. Plass, V. Dravid, L. D. Marks, C. H. Lin, J. A. Eades, A. Sodonis, W. Wolbach, J. M. Chabala, and R. Levi-Setti; **8** (6), 1232–1239.

Zhang, Ji-Guang–The influence of microstructure on the electrochromic properties of Li_xWO_3 thin films: Part I. Ion diffusion and electrochromic properties.–Ji-Guang Zhang, C. Edwin Tracy, David K. Benson, and Satyen K. Deb; **8** (10), 2649–2656.

–The influence of microstructure on the electrochromic properties of Li_xWO_3 films: Part II. Limiting mechanisms in coloring and bleaching processes.–Ji-Guang Zhang, David K. Benson, C. Edwin Tracy, and Satyen K. Deb; **8** (10), 2657–2667.

Zhang, Lijie–Controlled heterogeneous nucleation of melt-textured $YBa_2Cu_3O_{6+x}$ by addition of Al_2O_3 particles.–Yan L. Chen, Lijie Zhang, Helen M. Chan, and Martin P. Harmer; **8** (9), 2128–2133.

Zhang, T.–The solidification of large sections in ceramic injection molding: Part I. Conventional molding.–T. Zhang and J. R. G. Evans; **8** (1), 187–194.

–The solidification of large sections in ceramic injection molding: Part II. Modulated pressure molding.–T. Zhang and J. R. G. Evans; **8** (2), 345–351.

Zhang, T. J.–Epitaxy, microstructure, and processing-structure relationships of TiO_2 thin films grown on sapphire (0001) by MOCVD.–H. L. M. Chang, T. J. Zhang, H. Zhang, J. Guo, H. K. Kim, and D. J. Lam; **8** (10), 2634–2643.

Zhang, Tong-Yi–Dislocation emission criterion: Grain boundary effect.–Sham-Tsong Shiue, Tong-Yi Zhang, and Sanboh Lee; **8** (8), 1853–1857.

Zhang, Yangsheng–Ignition criteria for self-propagating combustion synthesis.–Yangsheng Zhang and Gregory C. Stangle; **8** (7), 1703–1711.

Zhang, Zhi-Fan–Superconducting fibers from organometallic precursors: Part III. Pyrolytic processing of precursor fibers.–Zhi-Fan Zhang, Richard A. Kennish, Kay A. Youngdahl Blohowiak, Martin L. Hoppe, and Richard M. Laine; **8** (8), 1777–1790.

Zhaojia, Chen–Thermodynamic stability and superconductivity of the Bi–Sr–Ca(Y)–Cu–Li–O system.–Chen Xianhui, Lin Chun, Lu Bin, Qian Yitai, Cao Liezhao, Chen Zhaojia, and Chen Zuyao; **8** (7), 1510–1514.

Zheng, L. R.–Formation and characterization of ohmic contacts to *n*–AlGaAs using Pd/AuGe/Ag/Au.–L. R. Zheng, D. J. Lawrence, and T. N. Blanton; **8** (5), 1045–1051.

Zhong, Q.–On the use of ion scattering to examine the role of hydrogen in the reduction of TiO_2.–W. E. Wallace, Q. Zhong, J. Genzer, R. J. Composto, and D. A. Bonnell; **8** (7), 1629–1634.

Zhou, Dan–Electron-beam-induced structural changes in crystalline C_{60} and C_{70}.–Supapan Seraphin, Dan Zhou, and Jun Jiao; **8** (8), 1895–1899.

Zhou, G.–Composition and crystal structure parameters of single crystals $(Bi,Pb)_2Sr_2(Ca_{1-x}R_x)Cu_2O_{8+\delta}$ (R = Y, Er, Ho, Tm, and Yb).–A. S. Ilyushin, L. Shi, L. I. Leonyuk, B. M. Mustafa, I. A. Nikanorova, S. V. Red'ko, Y. Jia, A. G. Vetkin, G. Zhou, and I. V. Zubov; **8** (8), 1791–1797.

Zhou, P.–Photoassisted oxygen doping of C_{60} films.–A. M. Rao, K-A. Wang, J. M. Holden, Y. Wang, P. Zhou, P. C. Eklund, C. C. Eloi, and J. D. Robertson; **8** (9), 2277–2281.

Zhou, Ping–An investigation of photoassisted diffusion of oxygen in solid C_{60} films using resonant alpha-scattering.–Corinne C. Eloi, J. David Robertson, A. M. Rao, Ping Zhou, K-A. Wang, and Peter C. Eklund; **8** (12), 3085–3089.

Zhou, Y. C.–Hydrothermal synthesis and sintering of ultrafine CeO_2 powders.–Y. C. Zhou and M. N. Rahaman; **8** (7), 1680–1686.

Zhou, Zhigang–Thermodynamic stability field of the 123 and 124 phases in the Y_2O_3–BaO–Cu–O system.–Zhigang Zhou and Alexandra Navrotsky; **8** (12), 3023–3031.

Zhu, W.–Nucleation of oriented diamond films on nickel substrates.–P. C. Yang, J. T. Glass, and W. Zhu; **8** (8), 1773–1776(L).

Zhu, Yao Hua–Influence of rare earth element additions on phase transformations in the Zn–27% Al alloy.–Yao Hua Zhu and Frank E. Goodwin; **8** (12), 3043–3049.

Zieliński, P. A.–Structural transformations of alumina by high energy ball milling.–P. A. Zieliński, R. Schulz, S. Kaliaguine, and A. Van Neste; **8** (11), 2985–2992.

Zielinski, W.–Microscopy and microindentation mechanics of single crystal Fe–3 wt. % Si: Part II. TEM of the indentation plastic zone.–W. Zielinski, H. Huang, and W. W. Gerberich; **8** (6), 1300–1310.

Zimmermann, Lorenz–High refractive index films of polymer nanocomposites.–Lorenz Zimmermann, Martin Weibel, Walter Caseri, and Ulrich W. Suter; **8** (7), 1742–1748.

Zocchi, Marcello–Study of the anatase-rutile transformation in TiO_2 powders obtained by laser-induced synthesis.–Laura E. Depero, Paolo Bonzi, Marcello Zocchi, Cristina Casale, and Gennaro De Michele; **8** (10), 2709–2715.

Zubov, I. V.–Composition and crystal structure parameters of single crystals $(Bi,Pb)_2Sr_2(Ca_{1-x}R_x)Cu_2O_{8+\delta}$ (R = Y, Er, Ho, Tm, and Yb).–A. S. Ilyushin, L. Shi, L. I. Leonyuk, B. M. Mustafa, I. A. Nikanorova, S. V. Red'ko, Y. Jia, A. G. Vetkin, G. Zhou, and I. V. Zubov; **8** (8), 1791–1797.

Zuyao, Chen–Thermodynamic stability and superconductivity of the Bi–Sr–Ca(Y)–Cu–Li–O system.–Chen Xianhui, Lin Chun, Lu Bin, Qian Yitai, Cao Liezhao, Chen Zhaojia, and Chen Zuyao; **8** (7), 1510–1514.